



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**PRIME SPOT 100  
(SPOTLIGHT)**



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**GENERAL INFORMATION:**

The Bullard Bollards PRIME SPOT 100 (BB-PRM100-GH-SP) is a refined architectural spotlight designed to subtly accent façades, landscapes, and outdoor details with precise, controlled light. Its compact aluminum body and clean, contemporary form allow it to integrate seamlessly into high-end architectural and landscape environments. With adjustable aiming and high-quality optics, it enables designers to sculpt depth, texture, and visual rhythm with elegance. Balancing minimalist aesthetics with professional performance, this fixture delivers understated sophistication for premium exterior lighting projects.

**FIXTURE TYPE:**

Spot Lights

**LIGHTING:**

LED

**INPUT VOLTAGE:**

110-277V

**MATERIAL:**

Extruded aluminum EN AW-6060 T5 high resistance to oxidation  
 Die-cast aluminum EN AB 44100 highly resistant to oxidation

**FINISH AND PROTECTION:**

Primary treatment with nanoceramic conversion.  
 Protection with textured polyester powder coating resistant to weathering and UV rays

**IP RATING:**

IP66

**DRIVER POSITION:**

Integral

**APPLINCE CLASS:**

I

**CRI:**

>90



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
 www.bullardbollards.com  
 1-877-964-4646



991 South Gull Lake Dr  
 Richland, MI 49083  
 USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**ROTATION:**

359°

**CABLE TYPE:**

H05RN-F 0.03 cm<sup>2</sup>

**CABLE ENTRY:**

Brass cable gland M16 Ø 0.5/1.0 cm

**GASKETS:**

Silicone gaskets

**SWIVEL:**

+/- 90°

**LIGHT DISTRIBUTION:**

12°	Symmetrical narrow beam (<=15°)
25°	Symmetrical medium flood (15° - 45°)
50°	Symmetrical wide beam (45° - 125°)
14°x 47°	2 Axis symmetrical

**BEAM DIRECTIONABILITY:**

Adjustable

**OPTICS:**

Anti UV technopolymer lens

**SECONDARY OPTICS:**

Black anti UV technopolymer reflector

**EXTERNAL SCREWS:**

Stainless steel

**DIFFUSER MATERIAL:**

Tempered glass 0.4 cm

**WARRANTY:**

LED lighting products are warranted for 5 years.

**MAIN FEATURES:**

High visual comfort  
Wide choice of optics  
Self-cleaning diffuser  
Ease of installation and aiming  
Operating Temperature: -4°F to +122°F



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

**Example:**  
CODE: BB-PRM100-GH-SP-K30-B1-  
DIM-02-AC204

BB-PRM100-  
GH-SP-K30-B1-  
DIM-02-AC204

**1 DIMENSIONS:**

Length - L: 4.25" (10.8 cm)  
Height - H: 3.62" (9.2 cm)  
Width - W: 1.69" (4.3 cm)

**2 LIGHT SOURCE:**

LED / 1 x 6.3 W / 110-277 V / 60 Hz

**3 CCT&LUMENS:**

**-K30** 3000K = 588 lm  
**-K40** 4000K = 654 lm

**4 BEAM ANGLE:**

**-B1** 12°  
**-B2** 25°  
**-B3** 50°  
**-B4** 14°x 47°

**5 DIMMING OPTIONS:**

**-NON** NON-Dimmable  
**-DIM** 0-10V  
**-CAS** Casambi  
**-LT** Lutron  
**-DAL** Dali

**6 FINISH OPTIONS:**

**-01** White matt  
**-02** Black matt  
**-05** Anthracite grey matt  
**-19** Light grey matt  
**-26** Bronze  
**-45** Corten matt  
**-62** Antique grey matt  
**-65** Blue matt  
**-80** Sand matt  
**-83** Green matt

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**

**CODE:**

**Example:  
CODE: BB-PRM100-GH-SP-K30-B1-  
DIM-02-AC204**

BB-PRM100-  
GH-SP-K30-B1-  
DIM-02-AC204

**7 ACCESSORIES:**









\_\_\_\_\_

**-AC204**

IP 68 fast connector 4P



**8 PHOTOMETRY:**



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA