




**BULLARD
BOLLARDS**
Think Bollard Think Bullard

BUNNY BASE





**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-5328.00BANT300EN-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

BUNNY BASE is a versatile recessed lighting series for façades, trees, shrubs, columns, and architectural accents. Available in various sizes, optics, and wattages, it provides precise and durable illumination for landscape and architectural use. The high-resistance aluminum body with nano-bonderite treatment and textured powder coating ensures long-term protection against UV and weather conditions. Silicone gaskets and an ultra-clear tempered glass diffuser guarantee optimal sealing and maximum light output, complemented by stainless-steel trim and hardware. A water-lock system prevents cable condensation, and a polypropylene rough-in housing allows safe ground installation. Suitable for low-speed drive-over areas (max 10 km/h); not for pools or fountains.

FIXTURE TYPE:

Inground

VOLTAGE:

110-277V



MATERIAL:

Stainless steel AISI 316L, Extruded aluminum EN AW-6060 T5 high resistance to oxidation

IP RATING:

IP 68



DIFFUSER:

Tempered glass (8mm for 90 models and 15mm for 135/245 models)

WARRANTY:

LED lighting products are warranted for 5 years.

DRIVER POSITION:

Remote

MAIN FEATURES:

- High visual comfort
- Available in a wide choice of optics
- Functional and minimalistic design
- Shock-resistant construction
- Operating Temperature: -4°F to +122°F.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-5328.00BANT300EN-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____


HOW TO ORDER:

CODE:

Example:
CODE: BB-5328.00BANT300EN-GH-90-RD-
B12-1-DAL-SS

BB-5328.00BANT300EN-GH-90-RD-
B12-1-DAL-SS

1 MODELS:



-90-RD (round)
-90-SQ (square)

DIMENSIONS:

A) Diameter - Ø: 3.54" (9 cm)
B) Height - H: 5.31" (13.5 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B12-1	12°	1 x 2.1W	3000 K	1 x 196 lm	110-277 V
-B12-2		1 x 4W	3000 K	1 x 343 lm	
-B12-3		1 x 2.1W	4000 K	1 x 218 lm	
-B12-4		1 x 4W	4000 K	1 x 368 lm	
-B34-1	34°	1 x 2.1W	3000 K	1 x 196 lm	110-277 V
-B34-2		1 x 2.1W	3000 K	1 x 196 lm	
-B34-3		1 x 4W	3000 K	1 x 343 lm	
-B34-4		1 x 4W	3000 K	1 x 343 lm	
-B34-5		1 x 2.1W	4000 K	1 x 218 lm	
-B34-6		1 x 2.1W	4000 K	1 x 218 lm	
-B34-7		1 x 4W	4000 K	1 x 368 lm	
-B34-8		1 x 4W	4000 K	1 x 368 lm	
-B69x59-1	69° x 59°	1 x 2.1W	3000 K	1 x 196 lm	110-277 V
-B69x59-2		1 x 4W	3000 K	1 x 343 lm	
-B69x59-3		1 x 2.1W	4000 K	1 x 218 lm	
-B69x59-4		1 x 4W	4000 K	1 x 368 lm	



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-5328.00BANT300EN-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____


HOW TO ORDER:

CODE:

Example:
CODE: BB-5328.00BANT300EN-GH-90-RD-
B12-1-DAL-SS

BB-5328.00BANT300EN-GH-90-RD-
B12-1-DAL-SS

1 **MODELS:**



-135-RD (round)
-135-SQ (square)

DIMENSIONS:

A) Diameter - Ø: 5.31" (13.5 cm)
B) Height - H: 4.52" (11.5 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B114-1	114°	1 x 7W	3000 K	1 x 850 lm	110-277 V
-B114-2		1 x 8.4W	3000 K	1 x 784 lm	24 V DC
-B114-3		1 x 7W	4000 K	1 x 900 lm	110-277 V
-B114-4		1 x 8.4W	4000 K	1 x 872 lm	24 V DC



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____


HOW TO ORDER:

CODE:

Example:
CODE: BB-5328.00BANT300EN-GH-90-RD-
B12-1-DAL-SS

BB-5328.00BANT300EN-GH-90-RD-
B12-1-DAL-SS

1 MODELS:



-245-RD (round)
-245-SQ (square)

DIMENSIONS:

A) Diameter - Ø: 9.64" (24.5 cm)
B) Height - H: 5.7" (14.5 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B14-1	14°	1 x 11.3W	3000 K	1 x 1715 lm	110-277 V
-B14-2		1 x 15.5W		1 x 2132 lm	
-B14-3		1 x 16.5W		1 x 2410 lm	
-B14-4		1 x 16.5W		1 x 2410 lm	
-B14-5		1 x 23.7W		1 x 3306 lm	
-B42-1	42°	1 x 11.3W	3000 K	1 x 1715 lm	110-277 V
-B42-2		1 x 16.5W		1 x 2410 lm	
-B42-3		1 x 23.7W		1 x 3306 lm	
-B58-1	58°	1 x 11.3W	3000 K	1 x 1715 lm	110-277 V
-B58-2		1 x 16.5W		1 x 2410 lm	
-B58-3		1 x 23.7W		1 x 3306 lm	
-B82-1	82°	1 x 12.5W	3000 K	1 x 1715 lm	110-277 V
-B64x82x20-1	64° x 82° x 20°	1 x 11.3W	3000 K	1 x 1715 lm	110-277 V
-B64x82x20-2		1 x 16.5W		1 x 2410 lm	
-B64x82x20-3		1 x 23.7W		1 x 3306 lm	



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-5328.00BANT300EN-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:




Example:
CODE: BB-5328.00BANT300EN-GH-90-RD-B12-1-DAL-SS

BB-5328.00BANT300EN-GH-90-RD-B12-1-DAL-SS

2 DIMMING OPTIONS:

- NON NON-Dimmable
- DIM 0-10V
- DAL Dali

3 FINISH OPTIONS:

- SS Stainless Steel 
- NB Natural Bronze 
- CUS Custom on request* 

4 ACCESSORIES:

-AC013 *Only for 90 models
Rough-in housing 81x135



-AC014 *Only for 135 models
Rough-in housing 125x115



-AC273 *Only for 135 models
Rough-in housing 125x85



-AC017 *Only for 245 models
Rough-in housing 225x140



-AC204 *Only for 135 and 245 models
IP 68 fast connector 4P



-AC105 *Only for 245-RD model
Antislip diffuser



-AC325 *Only for 245 models
Louvre screen anti glare



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA