



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard


**TRET UP  
STANDARD GRADE**





FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

The TRET UP is a robust urban lighting fixture designed with extruded aluminum for durability and a vandal-resistant polycarbonate lens. Offering 360° illumination, it features a 51.6W LED with 3000K or 4000K options, delivering up to 5090 lm. With IP65 protection, dimming compatibility, and sleek finishes, it provides reliable performance for modern outdoor environments.

**FIXTURE TYPE:**

Urban Lights

**VOLTAGE:**

110-277V



**MATERIAL:**

Extruded aluminum EN AW 6060 high resistance to oxidation

**OPTICAL:**

360°

**IP RATING:**

IP 65



**DRIVER POSITION:**

Integral

**LENS:**

Vandal proof clear polycarbonate UV resistance

**WARRANTY:**

LED lighting products are warranted for 5 years.

**MAIN FEATURES:**

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design
- Shock resistant
- Operating Temperature: -22°F~122°F

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646




991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



LED   
  IP65   
    
  STANDARD   
    

LUTRON   
  CASAMBI

**HOW TO ORDER: \_\_\_\_\_ CODE: \_\_\_\_\_**

**Example:**  
 CODE: BB-828-GH-K30-AG-DIM      BB-828-GH-K30-AG-DIM

**1 DIMENSIONS:**

- A) Over Height - H: 157.48" (400 cm)
- B) Head Diameter - Ø: 8.98" (22.8 cm)
- C) Pole Height - H: 125.59" (319 cm)
- D) Head Height - H: 31.89" (81 cm)
- E) Base Diameter - Ø: 5.91" (15 cm)

**2 LIGHT SOURCE:**

1 x 39W / LED / CRI>90

**3 CCT & LUMENS:**

- K30 3000K / 4930 lm
- K40 4000K / 5090 lm

**4 FINISH OPTIONS:**

- AG Anthracite grey
- LG Light grey

**5 DIMMING OPTIONS:**

- NON NON-Dimmable
- DIM 0-10V
- CAS Casambi
- LUT Lutron
- DAL Dali

sales@gordonbullard.com  
 www.bullardbollards.com  
 1-877-964-4646



991 South Gull Lake Dr  
 Richland, MI 49083  
 USA