



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

MINI ZAC
BB-MZC-BL





FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The MINI ZAC is a sleek, sculptural outdoor lighting fixture crafted from extruded aluminum with an elegant asymmetric cut that directs light downward. With a compact diameter of 1.97" (5 cm) and height options of 11.81", 19.7", or 31.5", it offers 6W LED output with a CRI of 90 and color temperatures of 3000K or 4000K. The ZAC is IP65 rated, features a polycarbonate diffuser, and is available in multiple distributions, dimming options, and finishes to suit a variety of architectural settings.

FIXTURE TYPE:

Bollard

VOLTAGE:

110-277V



MATERIAL:

Extruded aluminum

IP RATING:

IP 65



DRIVER POSITION:

Integral

WARRANTY:

LED lighting products are warranted for 5 years

APPLIANCE CLASS:

II



MAIN FEATURES:

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design
- Shock resistant
- Operating Temperature: -20°C~ +35°C

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BB-MZC-BL-S-30K-LD1-DIM-AG

BB-MZC-BL-S-30K-LD1-DIM-AG

1 MODELS:

-S
A) Diameter - Ø: 1.97" (5 cm)
B) Height - H: 11.8" (30 cm)

-M
A) Diameter - Ø: 1.97" (5 cm)
B) Height - H: 19.7" (50 cm)

-L
A) Diameter - Ø: 1.97" (5 cm)
B) Height - H: 31.5" (80 cm)

2 LIGHT SOURCE:

LED / 6W / 110-277V / CRI 90

3 CCT & LUMENS:

-K30 3000K = 845 lm
-K40 4000K = 877 lm

4 LIGHT DISTRIBUTION:

-LD1 180°
-LD2 360°

5 DIMMING OPTIONS:

-NON NON-Dimmable
-DIM 0-10V
-CAS Casambi
-LUT Lutron
-DL DALI

6 FINISH OPTIONS:

-AG Anthracite grey (matt)	-BR Bronze
-LG Light grey (matt)	-AGM Antique grey (matt)
-WM White matt	-BM Blue matt
-BM Black matt	-SM Sand matt
-CM Corten matt	-GM Green matt

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA