



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**SLICK WILLY MASTER CUT**  
BB-SLWLMC-CL





FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

SL.WL.MC.24V



SL.WL.MC.48V



**GENERAL INFORMATION:**

The SLICK WILLY MASTER CUT Neon is engineered for precision, durability, and superior lighting performance. Featuring DC24V single-LED cutting every 6.25 mm, it offers unlimited length customization and maximum installation flexibility for architectural and design applications. High-efficiency LEDs combined with a patented optical structure deliver up to 110 lm/W, increasing brightness while reducing energy consumption. Manufactured with gas-phase silicone extrusion, the neon provides exceptional UV resistance and long-term outdoor durability. A reinforced structure with anti-tensile PC support and parallel LED technology ensures reliable performance even in demanding environments. With IP67 protection and SDCM < 5 color consistency, Slick Willy LED Neon delivers uniform, high-quality illumination designed for professional lighting projects.

**FIXTURE TYPE:**

Arch LED Neon

**MATERIAL:**

Gas-Phase Silicone Extrusion

**IP RATING:**

IP67

IP67

**IK RATING:**

IK08

IK08

**WARRANTY:**

7 year warranty, high reliability

**DRIVER POSITION:**

Remote

**MAIN FEATURES:**

- Cut-To-Size: Accurate fit for easy installation
- Ultra High Light Efficiency & more energy saving
- UV and Yellowing Resistance
- Dual-Layer Protective Terminal
- Anti-Breakage PCB
- Precision Controlled Color Temperature after Silicone Coated



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

**Example:**  
CODE: BB-SLWLMC-CL-SL.WL.MC.24V10-AS-AFS1217A4-MC24

BB-SLWLMC-CL-SL.WL.24V10-AS-AFS1217A4-MC24

**1 DIMENSIONS:**

A) Length - L: 0.66" (1.7 cm)  
B) Height - H: 0.47" (1.2 cm)

**2 LIGHT SOURCE:**

SL.WL.MC.24V10 **FOR 10W OPTION**

CCT	COLOR RANGE	CRI	INPUT VOLTAGE	RATED CURRENT (A/m)	RATED POWER	MAXIMUM POWER
2200 K	2166-2310 K	>90	24	0.4 (0.12A/ft)	10 (3.05W/ft)	11 (3.35W/ft)
2700 K	2630-2830 K					
3000 K	2920-3170 K					
4000 K	3770-4220 K					

LUMENS	STANDARD LENGTH	REMARK
710 (235LM/ft) 935 (285LM/ft) 990 (302LM/ft) 980 (299LM/ft)	10000mm (32.8ft)	1LED/6.25mm

SL.WL.MC.24V15 **FOR 15W OPTION**

CCT	COLOR RANGE	CRI	INPUT VOLTAGE	RATED CURRENT (A/m)	RATED POWER	MAXIMUM POWER
2200 K	2100-2300 K	>90	24	0.625 (0.19A/ft)	15 (4.57W/ft)	16.5 (5.03W/ft)
2700 K	2600-2830 K					
3000 K	2920-3170 K					
4000 K	3770-4220 K					

LUMENS	STANDARD LENGTH	REMARK
840(256LM/ft) 1030(314LM/ft) 1033(315LM/ft) 1000(305LM/ft)	5000mm (16.4ft)	1LED/6.25mm

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646




991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

**Example:**  
CODE: BB-SLWLPC-CL-SL.WL.MC.24V10-AS-AFS1217A4-MC24

BB-SLWLPC-CL-SL.WL.24V10-AS-AFS1217A4-MC24

**1 DIMENSIONS:**

A) Length - L: 0.66" (1.7 cm)  
B) Height - H: 0.47" (1.2 cm)

**2 LIGHT SOURCE:**

SL.WL.MC.48V

CCT	COLOR RANGE	CRI	INPUT VOLTAGE	RATED CURRENT (A/m)	RATED POWER	MAXIMUM POWER
2200 K	2100-2300 K	>90	48	0.2 (0.06A/ft)	10 (3.05W/ft)	11 (3.35W/ft)
2700 K	2600-2830 K					
3000 K	2920-3170 K					
4000 K	3770-4220 K					

LUMENS	STANDARD LENGTH	REMARK
650 (198LM/ft) 770 (235LM/ft) 815 (248LM/ft) 890 (271LM/ft)	20000mm (65.62ft)	2LED/12.5mm



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BB-SLWLMC-CL-SL.WL.MC.24V10-AS-AFS1217A4-MC24

BB-SLWLMC-CL-SL.WL.24V10-AS-AFS1217A4-MC24

**4 ACCESSORIES FOR -SL.WL.MC.24V:**

- AS-AFS1217A4-MC24 

---

- AS-AFS1217A4-MC24 


---

- AS-AFS1217A5-MC24 


---

- AS-JD-MC24 


---

- AS-NMS1217A-MC24 


---


- AS-NMS1217A-MC24 

---


- AS-NMS1217A-MC24 

---


- AS-NMS1217A1-MC24 

- AS-NMS1217A1-MC24 


---

- AS-NMS1217GD0-MC24 


---

- AS-NMS1217GH0-MC24 


---

- AS-NMS1217GS0-MC24 


---

- AS-NMS1217M1-MC24 


---

- AS-NMS1217P-MC24 

---

- AS-NMS1217P-MC24 

---

- AS-PG-MC24 

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA