



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**SLICK WILLY PRECISIONCUT**  
BB-SLWLPC-CL





FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_  
SL.CCT.1312



SL.WL.24V



SL.WL.48V



**GENERAL INFORMATION:**

The SLICK WILLY PRECISIONCUT Neon is engineered for precision, durability, and superior lighting performance. Featuring DC24V single-LED cutting every 6.25 mm, it offers unlimited length customization and maximum installation flexibility for architectural and design applications. High-efficiency LEDs combined with a patented optical structure deliver up to 110 lm/W, increasing brightness while reducing energy consumption. Manufactured with gas-phase silicone extrusion, the neon provides exceptional UV resistance and long-term outdoor durability. A reinforced structure with anti-tensile PC support and parallel LED technology ensures reliable performance even in demanding environments. With IP67 protection and SDCM < 5 color consistency, Slick Willy LED Neon delivers uniform, high-quality illumination designed for professional lighting projects.

**FIXTURE TYPE:**

Arch LED Neon

**MATERIAL:**

Gas-Phase Silicone Extrusion

**IP RATING:**

IP67

IP67

**IK RATING:**

IK08

IK08

**WARRANTY:**

7 year warranty, high reliability

**DRIVER POSITION:**

Remote

**MAIN FEATURES:**

- Cut-To-Size: Accurate fit for easy installation
- Ultra High Light Efficiency & more energy saving
- UV and Yellowing Resistance
- Dual-Layer Protective Terminal
- Anti-Breakage PCB
- Precision Controlled Color Temperature after Silicone Coated

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

**Example:**  
CODE: BB-SLWLPC-CL-SL.WL.24V-AS-AFT1312A4-1000-SLWLPC

BB-SLWLPC-CL-SL.WL.24V-AS-AFT1312A4-1000-SLWLPC

**1 DIMENSIONS:**

A) Length - L: 0.51" (1.3 cm)  
B) Height - H: 0.47" (1.2 cm)

**2 LIGHT SOURCE:**

-SL.WL.24V **FOR 10W OPTION**

CCT	COLOR RANGE	CRI	INPUT VOLTAGE	RATED CURRENT (A/m)	RATED POWER	MAXIMUM POWER
2200 K	2100-2300 K	>90	24	0.4 (0.12A/ft)	10 (3.05W/ft)	11 (3.35W/ft)
2700 K	2600-2830 K					
3000 K	2920-3170 K					
4000 K	3770-4220 K					

LUMENS	STANDARD LENGTH	REMARK
870 (265LM/ft) 1030 (314LM/ft) 1090 (332LM/ft) 1145 (349LM/ft)	10000mm (32.8ft)	1LED/6.25mm

-SL.WL.24V **FOR 15W OPTION**

CCT	COLOR RANGE	CRI	INPUT VOLTAGE	RATED CURRENT (A/m)	RATED POWER	MAXIMUM POWER
2200 K	2100-2300 K	>90	24	0.625 (0.19A/ft)	15 (4.57W/ft)	16 (5.03W/ft)
2700 K	2600-2830 K					
3000 K	2920-3170 K					
4000 K	3770-4220 K					

LUMENS	STANDARD LENGTH	REMARK
1213 (370LM/ft) 1467 (447LM/ft) 1508 (460LM/ft) 1491 (455LM/ft)	5000mm (16.4ft)	1LED/6.25mm

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646




991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

**Example:**  
CODE: BB-SLWLPC-CL-SL.WL.24V-AS-AFT1312A4-1000-SLWLPC

BB-SLWLPC-CL-SL.WL.24V-AS-AFT1312A4-1000-SLWLPC

**1 DIMENSIONS:**

A) Length - L: 0.51" (1.3 cm)  
B) Height - H: 0.47" (1.2 cm)

**2 LIGHT SOURCE:**

-SL.WL.48V

CCT	COLOR RANGE	CRI	INPUT VOLTAGE	RATED CURRENT (A/m)	RATED POWER	MAXIMUM POWER
2200 K	2100-2300 K	>90	48	0.2 (0.05A/ft)	10 (3.05W/ft)	11 (3.35W/ft)
2700 K	2600-2830 K					
3000 K	2920-3170 K					
4000 K	3770-4220 K					

LUMENS	STANDARD LENGTH	REMARK
910 (277LM/ft) 1100 (335LM/ft) 1150 (351LM/ft) 1220 (372LM/ft)	20000mm (65.62ft)	2LED/12.5mm

-SL.CCT.1312

CCT	COLOR RANGE	CRI	INPUT VOLTAGE	RATED CURRENT (A/m)	RATED POWER	MAXIMUM POWER
2200 K	2166-2310K	>90	24	0.54 (0.16A/ft)	13 (3.96W/ft)	14.8 (4.51W/ft)
-	-					
6000k	5600K-6500K					

LUMENS	STANDARD LENGTH	REMARK
1300 (396LM/ft)	5000mm (16.4ft)	/

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BB-SLWLPC-CL-SL.WL.24V-AS-AFT1312A4-1000-SLWLPC

BB-SLWLPC-CL-  
SL.WL.24V-AS-  
AFT1312A4-1000-  
SLWLPC

**3 ACCESSORIES FOR -SL.CCT.1312:**

AS-AFT1312A4-1000-SLWLPC	
AS-AFT1312A4-35-SLWLPC	
AS-AFT1312A5-1000-SLWLPC	
AS-NMT1312A-SLWLPC	
AS-NMT1312A-1000-SLWLPC	
AS-NMT1312A-25-SLWLPC	
AS-NMT1312B1-1000-SLWLPC	
AS-NMT1312B1-25-SLWLPC	

AS-NMT1312GH0-EC-SLWLPC	
AS-NMT1312GS0-EC-SLWLPC	
AS-NMT1312GS0-EC-SLWLPC	
AS-NMT1312M-500-SLWLPC	
AS-NMT1312P-1000-SLWLPC	
AS-NMT1312P-25-SLWLPC	

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BB-SLWLPC-CL-SL.WL.24V-AS-AFT1312A4-1000-SLWLPC

BB-SLWLPC-CL-  
SL.WL.24V-AS-  
AFT1312A4-1000-  
SLWLPC

**4 ACCESSORIES FOR -SL.WL.24V:**


AS-AFT1312A4-1000-SLWLPC




AS-NMT1312M-500-SLWLPC



AS-AFT1312A4-35-SLWLPC



AS-NMT1312P-1000-SLWLPC



AS-AFT1312A5-1000-SLWLPC



AS-NMT1312P-25-SLWLPC



AS-NMT1312A-1000-SLWLPC




AS-NMT1312A-25-SLWLPC



AS-NMT1312B1-1000-SLWLPC



AS-NMT1312B1-25-SLWLPC



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BB-SLWLPC-CL-SL.WL.24V-AS-AFT1312A4-1000-SLWLPC

BB-SLWLPC-CL-  
SL.WL.24V-AS-  
AFT1312A4-1000-  
SLWLPC

**5 ACCESSORIES FOR -SL.WL.48V:**


AS-AFT1312A4-1000-SLWLPC



AS-NMT1312M-500-SLWLPC



AS-AFT1312A4-35-SLWLPC



AS-NMT1312P-1000-SLWLPC



AS-AFT1312A5-1000-SLWLPC



AS-NMT1312P-25-SLWLPC



AS-NMT1312A-1000-SLWLPC




AS-NMT1312A-25-SLWLPC



AS-NMT1312B1-1000-SLWLPC



AS-NMT1312B1-25-SLWLPC



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BB-SLWLPC-CL-SL.WL.24V-AS-AFT1312A4-1000-SLWLPC

BB-SLWLPC-CL-  
SL.WL.24V-AS-  
AFT1312A4-1000-  
SLWLPC

**6 BASIC PARAMETERS:**

FOR MODEL: **-SL.WL.24V**

WARRANTY:	7 YEARS
CUTTING UNIT:	6.25 mm
LEDS QTY:	160LEDs/m
TYP. POWER:	10W/M

FOR MODEL: **-SL.WL.48V**

WARRANTY:	7 YEARS
CUTTING UNIT:	12.5 mm
LEDS QTY:	160LEDs/m
TYP. POWER:	10W/M

FOR MODEL: **-SL.CCT.1312**

WARRANTY:	7 YEARS
CUTTING UNIT:	8.33 mm
LEDS QTY:	240LEDs/m
TYP. POWER:	13W/M

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA