



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

NORIE ANGLE Inground Luminaire - Linear Luminaires





FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

Illuminate outdoor spaces with Norie Angle Collection, offering precise inground lights in three models and sizes. With B89 lenses and LED sources, Norie Angle delivers focused illumination with a 10° degree. Rated IK08, Norie Angle ensures durability against impacts.

FIXTURE TYPE:

Inground Luminaire - Linear Luminaires

LIGHTING:

LED

VOLTAGE:

110-277V

MATERIAL:

Extruded aluminium, powder coated

CRI:

80

IP RATING:

IP 67

IK RATING:

IK 08

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646





991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



sales@gordonbullard.com
 www.bullardbollards.com
 1-877-964-4646



991 South Gull Lake Dr
 Richland, MI 49083
 USA

HOW TO ORDER:

CODE:

Example:
 CODE: BB-NEA-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BB-NEA-KPG-IL-
 XB2RKB0635-K30-B27-30-
 B-

1 MODELS:

CODE -XB2RKB0635

DIMENSIONS:

Height - H: 2.95" (7.5 cm)
 Width - W: 3.27" (8.3 cm)
 Length - L: 12.80" (32.5 cm)

LIGHT SOURCE:

LED / 6 x 1.3W / 355 mA / 707 lm / IK 08 / 110-277V

CODE -XB2RKB1235

DIMENSIONS:

Height - H: 2.95" (7.5 cm)
 Width - W: 3.27" (8.3 cm)
 Length - L: 22.24" (56.5 cm)

LIGHT SOURCE:

LED / 12 x 1.3W / 707 mA / 1517 lm / IK 08 / 110-277V

CODE -XB2RKB2435

DIMENSIONS:

Height - H: 2.95" (7.5 cm)
 Width - W: 3.27" (8.3 cm)
 Length - L: 41.14" (104.5 cm)

LIGHT SOURCE:

LED / 24 x 1.3W / 1472 mA / 2977 lm / IK 08 / 110-277V

2 CCT OPTIONS:

-K30 3000K
 -CUS Custom on request*

3 OPTICS:

-B89-8	8°	-B27-30	30°
-B89-12	12°		
-B89-20	20°		
-B89-45	45°		
-B89-12x45	12°x45°		



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-NEA-KPG-IL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BB-NEA-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BB-NEA-KPG-IL-
XB2RKB0635-K30-B27-30-
B-

4 WATER PROOF SOLUTION: (optional)

- B **A Water-Stopper(Included)**
IP-67 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.
- B IP67 Jiffy quick plug/socket connector(Optional)**
IP-67 connector is as an Optional assembly and ensures that water vapor will not enter into luminaires directly.





5 ACCESSORIES:

SLEEVE (INCLUDED)

- 142# - L: 12.80"
- 143# - L: 22.24"
- 144# - L: 41.14"

6 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-NEA-KPG-IL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:







HOW TO ORDER:

CODE:

Example:
CODE: BB-NEA-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BB-NEA-KPG-IL-
XB2RKB0635-K30-B27-30-
B-

7 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA