



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

## COMPATTO BOLLARD (STANDARD GRADE)



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



#### GENERAL INFORMATION:

The COMPATTO (Standard Grade) Bollard by Bullard Bollards is a durable aluminum alloy fixture with tempered glass, IP65 protection, and LED options of 6W or 12W (CRI 90) in 2700K, 3000K, or 4000K. Offered in three heights with beam angles of 41° or 91°, multiple dimming controls, and finishes from Anthracite Grey to Black, Bronze, Sand, and more, it delivers sleek, modern illumination for outdoor spaces.

#### FIXTURE TYPE:

Bollard

#### VOLTAGE:

110-277V



#### MATERIAL:

High oxidation-resistant aluminum alloy

#### IP RATING:

IP 65

IP65

#### DRIVER POSITION:

Integral

#### DIFFUSER:

Tempered glass

#### WARRANTY:

LED lighting products are warranted for 5 years

#### APPLIANCE CLASS:

II



#### MAIN FEATURES:

High visual comfort  
Wide range of finishes  
Functional design  
Minimal design  
Shock resistant  
Operating Temperature: -20°C~ +35°C

**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)

[www.bullardbollards.com](http://www.bullardbollards.com)

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD  
BOLLARDS**  
Think Bullard Think Bullard


**CODE:  
BB-GH14-GH**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:

C) 3.14" [8 cm] 4.92" [12.5 cm] B)



LED

IP65



LUTRON

CASAMBI



## HOW TO ORDER:

CODE:

Example:  
CODE: BB-GH14-GH-26-L6-B41-30K-DIM

BB-GH14-GH-26-  
L6-B41-30K-DIM

1

## DIMENSIONS:

-26

|             |    |                 |
|-------------|----|-----------------|
| A) Height - | H: | 11.81" (30 cm)  |
| B) Length - | L: | 4.92" (12.5 cm) |
| C) Width -  | W: | 3.14" (8 cm)    |

-27

|             |    |                 |
|-------------|----|-----------------|
| A) Height - | H: | 19.69" (50 cm)  |
| B) Length - | L: | 4.92" (12.5 cm) |
| C) Width -  | W: | 3.14" (8 cm)    |

-25

|             |    |                 |
|-------------|----|-----------------|
| A) Height - | H: | 31.50" (80 cm)  |
| B) Length - | L: | 4.92" (12.5 cm) |
| C) Width -  | W: | 3.14" (8 cm)    |

2

## LIGHT SOURCE:

-L6 LED / 6W / 110-277V / CRI 90

-L12 LED / 12W / 110-277V / CRI 90

3

## BEAM ANGLE:

-B41 41°

-B91 91°

4

## CCT:

-27K 2700K

-30K 3000K

-40K 4000K

5

## DIMMING OPTIONS:

-NON NON-Dimmable

-DIM 0-10V

-CAS Casambi

-LUT Lutron

-DL DALI

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**CODE:  
BB-GH14-GH**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BB-GH14-GH-26-L6-B41-30K-DIM

BB-GH14-GH-26-  
L6-B41-30K-DIM

**6**

**FINISH OPTIONS:**

- |     |                      |  |
|-----|----------------------|--|
| -05 | Anthracite grey matt |  |
| -19 | Light grey           |  |
| -01 | White matt           |  |
| -02 | Black matt           |  |
| -45 | Corten matt          |  |
| -26 | Bronze               |  |
| -62 | Antique grey matt    |  |
| -65 | Blue matt            |  |
| -80 | Sand matt            |  |
| -83 | Green matt           |  |

**LED**

**IP65**



**LUTRON**

**CASAMBI**



**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)

[www.bullardbollards.com](http://www.bullardbollards.com)

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA