



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

BUNNY BOLD AS



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



GENERAL INFORMATION:

BUNNY BOLD AS is a series of recessed wall luminaires with reduced recessed depth. They are designed for lighting of paths, stairs and passages with diffused light. The construction of the body, in aluminum alloy with high resistance to oxidation, treated with nano-bonderite and protected with polyester powder-coating, make the product resistant to atmospheric agents and UV rays, guaranteeing maximum protection over the years. The silicone gaskets ensure maximum sealing in all operating and temperature conditions. The diffuser in tempered sodium calcium glass finished with silk-screen printing and beveled edge gives a touch of class to the fixture. The product is installed with stainless steel rough-in housing and is suitable for both concrete and conventional walls or plasterboard.

FIXTURE TYPE:

Recessed wall luminaire

VOLTAGE:

110-277V



MATERIAL:

Extruded aluminum EN AW-6060 T5 high resistance to oxidation, Die-cast aluminum EN AB 44100 highly resistant to oxidation

IP RATING:

IP 67



WARRANTY:

LED lighting products are warranted for 5 years.

DRIVER POSITION:

Remote

MAIN FEATURES:

- High visual comfort
- Reduced depth of recess
- Wide range of finishes.
- Minimal design

IK RATING

IK 07

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
 www.bullardbollards.com
 1-877-964-4646



991 South Gull Lake Dr
 Richland, MI 49083
 USA



FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:

Example:
CODE: BB-2907.00BBAS-GH-R50-B5489-1-
NON-AG

BB-2907.00BBAS-
GH-R50-
B5489-1-NON-
AG

1 MODELS:

-R50

DIMENSIONS:

- A) Diameter - Ø: 2.63" (6.7 cm)
- B) Height - H: 3.54" (9 cm)
- C) Width - W: 2.20" (5.6 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B5489-1	54°	1 x .41W	3000K	1 x 36 lm	24 V DC
-B5489-2	X 89°	1 x .41W	4000K	1 x 38 lm	24 V DC



-RS50

DIMENSIONS:

- A) Height - H: 2.44" (6.2 cm)
- B) Width - W: 2.20" (5.6 cm)
- C) Length - L: 2.20" (5.6 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B5489-1	54°	1 x .41W	3000K	1 x 36 lm	24 V DC
-B5489-2	X 89°	1 x .41W	4000K	1 x 38 lm	24 V DC



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:

Example:
CODE: BB-2907.00BBAS-GH-R50-B5489-1-NON-AG

BB-2907.00BBAS-
GH-R50-
B5489-1-NON-
AG

1 MODELS:

-R100

DIMENSIONS:

- A) Diameter - Ø: 2.63" (6.7 cm)
- B) Height - H: 3.54" (9 cm)
- C) Width - W: 2.20" (5.6 cm)
- D) Length - L: 4.13" (10.5 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B119101-1	119°	1 x 1.25W	3000K	1 x 109 lm	24 V DC
-B119101-2	X 101°	1 x 1.25W	4000K	1 x 114 lm	24 V DC



-RS100

DIMENSIONS:

- A) Height - H: 2.44" (6.2 cm)
- B) Width - W: 2.20" (5.6 cm)
- C) Length - L: 4.13" (10.5 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B119101-1	119°	1 x 1.24W	3000K	1 x 109 lm	24 V DC
-B119101-2	X 101°	1 x 1.24W	4000K	1 x 114 lm	24 V DC



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646





991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-2907.00BBAS-GH-R50-B5489-1-NON-AG

BB-2907.00BBAS-
GH-R50-
B5489-1-NON-
AG

1 **MODELS:**

-R150
DIMENSIONS:

- A) Diameter - Ø: 2.63" (6.7 cm)
- B) Height - H: 3.54" (9 cm)
- C) Width - W: 2.20" (5.6 cm)
- D) Length - L: 6.22" (15.8 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B138102-1	138°	1 x 2.06W	3000K	1 x 181 lm	24 V DC
-B138102-2	X 102°	1 x 2.06W	4000K	1 x 189 lm	24 V DC

-RS150
DIMENSIONS:

- A) Height - H: 2.44" (6.2 cm)
- B) Width - W: 2.20" (5.6 cm)
- C) Length - L: 6.22" (15.8 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B138102-1	138°	1 x 2.06W	3000K	1 x 181 lm	24 V DC
-B138102-2	X 102°	1 x 2.06W	4000K	1 x 189 lm	24 V DC

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-2907.00BBAS-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:

Example:
CODE: BB-2907.00BBAS-GH-R50-B5489-1-
NON-AG

BB-2907.00BBAS-
GH-R50-
B5489-1-NON-
AG

1 MODELS:

-R180

DIMENSIONS:

- A) Diameter - Ø: 2.63" (6.7 cm)
- B) Height - H: 3.54" (9 cm)
- C) Width - W: 2.20" (5.6 cm)
- D) Length - L: 7.24" (18.4 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B54106-1	54°	1 x 10.5W	3000K	1 x 982 lm	24 V DC
-B54106-2	X 106°	1 x 10.5W	4000K	1 x 1090 lm	24 V DC



-RS180

DIMENSIONS:

- A) Height - H: 2.44" (6.2 cm)
- B) Width - W: 2.20" (5.6 cm)
- C) Length - L: 7.24" (18.4 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B54106-1	54°	1 x 10.5W	3000K	1 x 982 lm	24 V DC
-B54106-2	X 106°	1 x 10.5W	4000K	1 x 1090 lm	24 V DC



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

**Example:
CODE: BB-2907.00BBAS-GH-R50-B5489-1-
NON-AG**



BB-2907.00BBAS-
GH-R50-
B5489-1-NON-
AG

2 DIMMING OPTIONS:

-NON NON-Dimmable
-DIM 0-10V

3 FINISH OPTIONS:

STANDARD FINISHES

-AG Anthracite grey(matt) 
-LG Light grey(matt) 

CUSTOM REQUEST FINISHES

-WM White matt 
-BR Bronze 
-AGM Antique grey matt 
-SM Sand matt 
-BM Black matt 
-CM Corten matt 
-BLM Blue matt 
-GM Green matt 

4 ACCESSORIES:

-AC663



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA