



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

SPIKY
BB-90112-BL





**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-90112-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The Spiky Bollard by Bullard Bollards (Model BB-90112-BL) is a sleek, high-performance lighting fixture designed for contemporary outdoor environments. Featuring a tall, narrow profile with a full-length frosted acrylic lens, it combines modern aesthetics with robust construction in stainless steel or aluminum (IP66 rated). The Spiky offers various output configurations up to 100W, customizable heights, and a range of color temperatures (2700K–4000K). Compatible with multiple dimming systems including Casambi, it delivers precision lighting with optional 180° beam angle. Its clean design, finish options, and durability make it ideal for architectural pathways, urban plazas, and sophisticated landscapes.

FIXTURE TYPE:

Bollard / Column

VOLTAGE:

110-277V



MATERIAL:

Stainless Steel or Aluminum

IP RATING:

IP 66



DRIVER POSITION:

Remote

LENS:


PMMA

WARRANTY:

LED lighting products are warranted for 5 years.

MAIN FEATURES:

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design
- Shock resistant
- Operating Temperature: -22°F~122°F



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646





991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER: CODE:

Example:
CODE: BB-90112-BL-BH1-SH1-SS-K30-BL-WH-DIM-LSB15

BB-9072-BL-BH1-BW1-SH1-SS-K30-BL-WH-DIM-LSB6

1 BODY HEIGHT:

- BH1 H: 20" (51 cm)
- BH2 H: 24" (61 cm)
- BH3 H: 36" (91 cm)
- BH4 H: 48" (122 cm)
- BH5 H: 56" (142 cm)
- BH6 H: 96" (244 cm)
- BH7 H: 120" (305 cm)
- BH8 H: 168" (427 cm)
- BH9 H: 192" (488 cm)
- BH10 Custom on request*

2 BASE HEIGHT:

- SH1 H: 4" (10 cm)
- SH2 H: 6" (15 cm)
- SH3 H: 8" (20 cm)
- SH4 H: 12" (30 cm)
- SH5 H: 16" (41 cm)
- SH6 H: 18" (46 cm)
- SH7 H: 24" (61 cm)
- SHC Custom on request*

3 BODY LENGTH & WIDTH:

A) L: 8" (20.32 cm) x B) W: 8" (20.32 cm)

4 BODY MATERIAL:

- SS Stainless Steel
- AL Aluminum

5 CCT:

- K27 2700K
- K30 3000K
- K35 3500K
- K40 4000K
- RGBW RGWB

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER: _____ **CODE:** _____

Example:
CODE: BB-9072-BL-BH1-BW1-SH1-SS-K30-BL-WH-DIM-LSB15

BB-9072-BL-BH1-BW1-SH1-SS-K30-BL-WH-DIM-LSB15

6 BASE FINISH OPTIONS:

- WH White (RAL 9010) ●
- GR Green (RAL 6010) ●
- CO Corten (RAL 8023) ●
- LGR Light Grey (RAL 7047) ●
- DGR Dark Grey (RAL 7021) ●
- BL Black (RAL 9005) ●
- CUS Custom on request* ●

7 BODY FINISH OPTIONS:

Stainless powder coated standard colors:

- WH White (RAL 9010) ●
- GR Green (RAL 6010) ●
- CO Corten (RAL 8023) ●
- LGR Light Grey (RAL 7047) ●
- DGR Dark Grey (RAL 7021) ●
- BL Black (RAL 9005) ●
- CUS Custom on request* ●

Wood:

- BW Black+ Brown wood Painted detail ●
- LW Black+ Light wood Painted detail ●
- DW Black+ Dark wood Painted detail ●

-M316 316 Stainless steel with a #4 swirl brushed stainless surface finish

Custom:

-CUS Custom on request* ●

8 DIMMING OPTIONS:

- NON NON-Dimmable
- DIM 0-10V
- CAS Casambi
- LUT Lutron
- DAL Dali

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER: _____ **CODE:** _____

Example:
CODE: BB-9072-BL-BH1-BW1-SH1-SS-K30-BL-WH-DIM-LSB15


BB-9072-BL-BH1-
BW1-SH1-SS-K30-
BL-WH-DIM-LSB15

9 LIGHT SOURCE OUTPUT BOLLARD: _____

- LSB15** LED / 15 W / 1800 lm / CRI 90
- LSB17** LED / 17 W / 2040 lm / CRI 90
- LSB20** LED / 20 W / 2400 lm / CRI 90
- LSB30** LED / 30 W / 3600 lm / CRI 90

10 LIGHT SOURCE OUTPUT COLUMN: _____

- LSC40** LED / 40W / 4800 lm / CRI 90
- LSC55** LED / 55 W / 6600 lm / CRI 90
- LSC65** LED / 65 W / 7800 lm / CRI 90
- LSC80** LED / 80 W / 9600 lm / CRI 90
- LSC100** LED / 100 W / 12,000 lm / CRI 90
- LSC120** LED / 120 W / 14,000 lm / CRI 90



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA