

**FANNY**  
**Surface Mounting Wall Luminaires**  
**Floodlight**



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

The FANNY Surface Mounting Wall Luminaire by Bullard Outdoor is a compact floodlight built for durability and performance. Made from 12# die-cast aluminum with a tempered glass lens (T=3mm), it provides efficient LED lighting at 110–277V. With a CRI of 80, IP65 weather resistance, and IK06 impact rating, it ensures long-lasting reliability. Finishes include Sanded Bronze, Sanded Dark Gray, Sanded Black, and Sanded White.

**FIXTURE TYPE:**

Surface Mounting Wall Luminaires - Floodlight

**LIGHTING**

LED

LED

**VOLTAGE:**

110-277V



**MATERIAL:**

12# Die-casting aluminum finishing

**LENS:**

Tempered glass.T=3mm

**CRI:**

80

**IP RATING:**

IP 65

IP65

**IK RATING:**

IK 06

**FINISHING:**

- Sanded Bronze
- Sanded Dark Gray
- Sanded Black
- Sanded White

sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:

**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BO-FNY-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-FNY-KPG-SMW-  
R7DJM0169T-K30-DIM-  
KAP7008-R17-12-CA3021-  
Mh082

**1 MODELS:**

CODE -R7DJM0169T

DIMENSIONS:

Diameter - Ø: 3.54" (9 cm)  
Depth - P: 6.96" (17.7 cm)

LIGHT SOURCE:

LED / 1 x 16W / 145 mA / 1763 lm / 110-277V

CODE -R7CJM0171T

DIMENSIONS:

Diameter - Ø: 4.72" (12 cm)  
Depth - P: 9" (23 cm)

LIGHT SOURCE:

LED / 1 x 20W / 205 mA / 2409 lm / 110-277V

CODE -R7BJM0176T

DIMENSIONS:

Diameter - Ø: 6.29" (16 cm)  
Depth - P: 10.62" (27 cm)

LIGHT SOURCE:

LED / 1 x 40W / 372 mA / 4455 lm / 110-277V

**2 CCT OPTIONS:**

-K30 3000K  
-CUS Custom on request\*


**3 DIMMING OPTIONS:**

-DIM 1-10V  
-PWM Pulse Width Modulation  
-DALI DALI (Digital Addressable Lighting Interface)


**4 FINISH OPTIONS:**

-KAP7008 Sanded Bronze  
-KAP7037 Sanded Dark Gray  
-RAL 9005 Sanded Black  
-RAL9003 Sanded White


-R7DJM0169T



-R7CJM0171T



-R7BJM0176T



sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**HOW TO ORDER:**

**CODE:**

Example:  
 CODE: BO-FNY-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-FNY-KPG-SMW-  
 R7DJM0169T-K30-DIM-  
 KAP7008-R17-12-CA3021-  
 Mh082

**5 BEAM ANGLE:**

available only for -R7DJM0169T model		available only for -R7CJM0171T model		available only for -R7BJM0176T model	
-R17-12	12°	-R19-10	10°	-R16-12	12°
-R17-18	18°	-R19-22	22°	-R16-25	25°
-R17-32	32°	-R19-38	38°	-R16-38	38°

**6 ACCESSORIES:**

**BEVEL CUT HOOD**

- CA3021 R7DJM0169T
- CA3020 R7CJM0171T
- CA3019 R7BJM0176T




**HONEYCOMB LOUVER**


- Mh082 R7DJM0169T
- Mh083 R7CJM0171T
- Mh084 R7BJM0176T



**7 DIAGRAM OF INSTRUCTION:**



**8 PHOTOMETRIC INFO:**



sales@gordonbullard.com  
 www.bullardoutdoor.com  
 1-877-964-4646



991 South Gull Lake Dr  
 Richland, MI 49083  
 USA