






**BULLARD
BOLLARDS**
Think Bollard Think Bullard

TANGO ROUND
BB-TNG-RND-BL



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The Tango Round Bollard from Bullard Bollards is a versatile and durable outdoor lighting solution, designed to enhance various environments with its modern aesthetic and reliable performance. Equipped with a 15W LED, the Tango Round delivers a luminous output of 1200 lumens, providing bright and efficient lighting for outdoor spaces. Supports dimming mode, allowing for adjustable lighting levels to suit different ambiance requirements. Boasts an IP65 rating, making it suitable for various weather conditions and ensuring reliable performance outdoors.

FIXTURE TYPE:

Bollard

VOLTAGE:

110-277V



MATERIAL:

Stainless Steel / Aluminum

IP RATING:

IP65



LENS:

Clear glass

WARRANTY:

LED lighting products are warranted for 5 years.

MAIN FEATURES:

- High visual comfort
- Available in a wide range of finishes
- Functional and minimalistic design
- Shock-resistant construction
- Operating Temperature: -104°F to +140°F.

LIGHTING DISTRIBUTIONS:

36°

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646





991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER: CODE:

Example:
CODE: BB-TNG-RND-BL-BH1-SH1-D1-SS-K35-M316-LSB9

BB-TNG-RND-BL-BH1-SH1-D1-SS-K35-M316-LSB9

1 BODY HEIGHT:

- BH1 H: 24" (61 cm)
- BH2 H: 36" (91 cm)
- BH3 H: 48" (122 cm)
- BH4 H: 56" (142 cm)
- BH5 H: 96" (244 cm)
- BH6 H: 120" (305 cm)
- BH7 H: 168" (427 cm)
- BH8 H: 192" (488 cm)
- BHC CUS*

2 BASE HEIGHT:

- SH1 H: 4" (10 cm)
- SH2 H: 6" (15 cm)
- SH3 H: 8" (20 cm)
- SH4 H: 12" (30 cm)
- SH5 H: 16" (41 cm)
- SH6 H: 18" (46 cm)
- SH7 H: 24" (61 cm)
- SHC CUS*

3 DIAMETER:

- D1 \varnothing : 6" (15 cm)
- D2 \varnothing : 8" (20 cm)
- D3 \varnothing : 10" (25 cm)
- D4 \varnothing : 12" (30 cm)
- DC CUS*

4 BODY MATERIAL:

- SS Stainless Steel
- AL Aluminum

5 CCT:

- K27 2700K
- K30 3000K
- K35 3500K
- K40 4000K
- RGBW RGWB

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646





991 South Gull Lake Dr
Richland, MI 49083
USA



**CODE:
BB-TNGR-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER: CODE:

Example:
CODE: BB-TNGR-BL-BH1-SH1-D1-SS-K35-M316-LSB9

BB-TNGR-BL-BH1-SH1-D1-SS-K35-M316-LSB9

6 BODY FINISH OPTIONS:

Stainless powder coated standard colors:

- WH White ●
- GR Green ●
- CO Corten ●
- GR Grey ●
- BL Black ●

-M316 316 Stainless steel with a #4 swirl brushed stainless surface finish

-CUS Custom on request* ● ● ● ● ●

7 DIMMING OPTIONS:

- NON NON-Dimmable
- DIM 0-10V
- CAS Casambi
- LUT Lutron
- DAL Dali

8 LIGHT SOURCE OUTPUT BOLLARD:

- LSB2 2 W / 110 lm
- LSB3 3 W / 200 lm
- LSB5 5W / 294 lm
- LSB6 6 W / 396 lm
- LSB9 9 W / 580 lm
- LSB10 10 W / 590 lm
- LSB15 15 W / 880 lm
- LSBC Custom Lumen packages on request*

9 LIGHT SOURCE OUTPUT COLUMN:

- LSC14 14 W / 970 lm
- LSC17 17 W / 1200 lm
- LSC20 20 W / 1400 lm
- LSC27 27 W / 1780 lm
- LSC40 40W / 2600 lm
- LSC55 55 W / 3200 lm
- LSC65 65 W / 3810 lm

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA