





**BULLARD
BOLLARDS**
Think Bollard Think Bullard

BUNNY GROUND FLAT



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

BUNNY GROUND FLAT is a compact recessed fixture with shallow depth, designed as a discreet walkway and step light with soft, diffused illumination. Constructed from anodized, high-resistance aluminum for long-term durability, it features silicone gaskets for reliable sealing and an opal tempered glass diffuser for comfortable light distribution. The finishing frame is made of machined stainless steel. Equipped with the water-lock system to prevent cable condensation, it is supplied with a polypropylene rough-in housing or can be installed in a 503 recessed box or drywall using a spring system. Walk-over rated for non-traffic areas; not suitable for pools or fountains.

FIXTURE TYPE:

Inground

VOLTAGE:

110-277V



MATERIAL:

Stainless steel AISI 316L, Extruded aluminum EN AW-6060 T5 high resistance to oxidation

IP RATING:

IP 68



DIFFUSER:

Tempered glass (5mm)

WARRANTY:

LED lighting products are warranted for 5 years.

DRIVER POSITION:

Remote

MAIN FEATURES:

- High visual comfort
- Available in a wide choice of optics
- Functional and minimalistic design
- Shock-resistant construction
- Operating Temperature: -4°F to +122°F.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-1117.00BAXW300EC-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____


HOW TO ORDER:

CODE:

Example:
CODE: BB-1117.00BAXW300EC-GH-32-RD-
B115-1-DAL-SS

BB-1117.00BAXW3
00EC-GH-32-RD-
B115-1-DAL-SS

1 **MODELS:**



-32-RD (round)
-32-SQ (square)

DIMENSIONS:

A) Diameter - Ø: 1.26" (3.2 cm)
B) Height - H: 4.13" (10.5 cm)

LIGHT SOURCE:

	CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
	-B115-1	115°	1 x 1W	3000 K	1 x 105 lm	350 mA
	-B115-2			3000 K	1 x 105 lm	24 V DC
	-B115-3			4000 K	1 x 116 lm	350 mA
	-B115-4			4000 K	1 x 116 lm	24 V DC
Only for -32-RD model	-B115-5	115°	1 x 1W	BLUE	1 x 40 lm	350 mA
	-B115-6			BLUE	1 x 40 lm	24 V DC



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-1117.00BAXW300EC-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____


HOW TO ORDER:

CODE:

Example:
CODE: BB-1117.00BAXW300EC-GH-32-RD-
B115-1-DAL-SS

BB-1117.00BAXW3
00EC-GH-32-RD-
B115-1-DAL-SS

1 **MODELS:**



-45-RD (round)
-45-SQ (square)

DIMENSIONS:

A) Diameter - Ø: 1.77" (4.5 cm)
B) Height - H: 4.13" (10.5 cm)

LIGHT SOURCE:

	CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
	-B115-1	115°	1 x 1W	3000 K	1 x 105 lm	350 mA
	-B115-2			3000 K	1 x 105 lm	24 V DC
	-B115-3			4000 K	1 x 116 lm	350 mA
	-B115-4			4000 K	1 x 116 lm	24 V DC
Only for -45-RD model	-B115-5	115°	1 x 1W	BLUE	1 x 40 lm	350 mA
	-B115-6			BLUE	1 x 40 lm	24 V DC



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-1117.00BAXW300EC-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____


HOW TO ORDER:

CODE:

Example:
CODE: BB-1117.00BAXW300EC-GH-32-RD-
B115-1-DAL-SS

BB-1117.00BAXW3
00EC-GH-32-RD-
B115-1-DAL-SS

1 **MODELS:**



-55-RD (round)
-55-SQ (square)

DIMENSIONS:

A) Diameter - Ø: 2.16" (5.5 cm)
B) Height - H: 4.13" (10.5 cm)

LIGHT SOURCE:

	CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
	-B115-1	115°	1 x 1W	3000 K	1 x 105 lm	350 mA
	-B115-2			3000 K	1 x 105 lm	24 V DC
	-B115-3			4000 K	1 x 116 lm	350 mA
	-B115-4			4000 K	1 x 116 lm	24 V DC
Only for -55-RD model	-B115-5	115°	1 x 1W	BLUE	1 x 40 lm	350 mA
	-B115-6			BLUE	1 x 40 lm	24 V DC



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA




**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-1117.00BAXW300EC-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:




Example:
CODE: BB-1117.00BAXW300EC-GH-32-RD-B115-1-DAL-SS

BB-1117.00BAXW300EC-GH-32-RD-B115-1-DAL-SS

2 DIMMING OPTIONS:

- NON NON-Dimmable
- DIM 0-10V
- DAL Dali

3 FINISH OPTIONS:

- SS Stainless Steel 
- NB Natural Bronze 
- CUS Custom on request* 

4 ACCESSORIES:

-AC205-IP66

IP66 remote power supply box



-AC610 *Only for 32 models

Rough-in housing 30x105



-AC611 *Only for 45 models

Rough-in housing 40x105



-AC612 *Only for 55 models

Rough-in housing 50x105



-AC204

IP 68 fast connector 4P



THINK BOLLARD - THINK BULLARD


sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-1117.00BAXW300EC-GH-32-RD-
B115-1-DAL-SS

BB-1117.00BAXW3
00EC-GH-32-RD-
B115-1-DAL-SS

4 ACCESSORIES:

-AC295 *Only for 32 models
Wall recessed rough-in housing 503



-AC296 *Only for 45 models
Wall recessed rough-in housing 503



-AC297 *Only for 55 models
Wall recessed rough-in housing 503



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA