




**BULLARD
BOLLARDS**
Think Bollard Think Bullard

ASTRYX
BB-0801-BL





**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-0801-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The Astrix Bollard from Bullard Outdoor is a robust LED bollard light featuring a square, upward-facing light design. With a power output of 10W and an input voltage range of 110-277V, it is crafted from pure aluminum and gasket materials, providing high corrosion and compression resistance with an IP65 protection rating. Ideal for outdoor settings such as gardens, parks, paths, and villas, this bollard is simple to install and energy-efficient. Measuring H: 21.65" (55 cm), L: 7.87" (20 cm), and W: 4.72" (12 cm), it offers CCT options of 2700K, 3000K, 4000K, and 5000K, a 120° beam angle, and a CRI of 80 or 90.

FIXTURE TYPE:

Bollard

LIGHTING:

LED



VOLTAGE:

110-277V



MATERIAL:

Aluminum

IP:

IP 65



BEAM ANGLE:

120°

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-0801-BL-K30-C80-DIM-CUS

BB-0801-BL-K30-
C80-DIM-CUS

1 DIMENSIONS

A) Height - H: 21.65" (55 cm)
B) Length - L: 7.87" (20 cm)
C) Width - W: 4.72" (12 cm)

2 LIGHT SOURCE:

LED / 10W / 85 lm/W

3 CCT:

-K27 2700K
-K30 3000K
-K40 4000K
-K50 5000K

4 CRI:

-C80 CRI 80
-C90 CRI 90

5 DIMMING OPTIONS:

-NON NON-Dimmable
-DIM 1-10V
-DMX DMX512
-RDM RDM

6 FINISH OPTIONS:

-WH White
-BL Black
-CUS Custom on request*

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA