





**BULLARD
BOLLARDS**
Think Bollard Think Bullard

BUNNY DOT



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

BUNNY DOT is a versatile recessed lighting series for façades, trees, shrubs, columns, and architectural accents. Available in various sizes, optics, and wattages, it provides precise and durable illumination for landscape and architectural use. The high-resistance aluminum body with nano-bonderite treatment and textured powder coating ensures long-term protection against UV and weather conditions. Silicone gaskets and an ultra-clear tempered glass diffuser guarantee optimal sealing and maximum light output, complemented by stainless-steel trim and hardware. A water-lock system prevents cable condensation, and a polypropylene rough-in housing allows safe ground installation. Suitable for low-speed drive-over areas (max 10 km/h); not for pools or fountains.

FIXTURE TYPE:

Inground

VOLTAGE:

110-277V



MATERIAL:

Stainless steel AISI 316L, Extruded aluminum EN AW-6060 T5 high resistance to oxidation

IP RATING:

IP 68



DIFFUSER:

Tempered glass (8mm for 90 models, 12mm for 115/155/233 models and 15 mm for 245 models)

WARRANTY:

LED lighting products are warranted for 5 years.

DRIVER POSITION:

Remote

MAIN FEATURES:

- High visual comfort
- Available in a wide choice of optics
- Functional and minimalistic design
- Shock-resistant construction
- Operating Temperature: -4°F to +122°F.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-5953.00CASTTUNEC-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____


HOW TO ORDER:

CODE:

Example:
CODE: BB-5953.00CASTTUNEC-GH-90-RD-
B19-1-DAL-SS

BB-5953.00CASTTUNEC-GH-90-RD-
B19-1-DAL-SS

1 MODELS:



-90-RD (round)
-90-SQ (square)

DIMENSIONS:

A) Diameter - Ø: 3.54" (9 cm)
B) Height - H: 5.31" (13.5 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B19-1	19°	1 x 9W	2700-6500 K	1 x 912 lm	500 mA
-B19-2		1 x 6W	3000 K	1 x 845 lm	350 mA
-B19-3		1 x 9W	3000 K	1 x 1173 lm	500 mA
-B19-4		1 x 9W	3000 K	1 x 1173 lm	24 V DC
-B19-5		1 x 6W	4000 K	1 x 877 lm	350 mA
-B19-6		1 x 9W	4000 K	1 x 1218 lm	500 mA
-B19-7		1 x 9W	4000 K	1 x 1218 lm	24 V DC
-B40-1	40°	1 x 6W	3000 K	1 x 845 lm	350mA
-B40-2		1 x 9W	3000 K	1 x 1173 lm	500 mA
-B40-3		1 x 9W	3000 K	1 x 1173 lm	24 V DC
-B40-4		1 x 6W	4000 K	1 x 877 lm	350 mA
-B40-5		1 x 9W	4000 K	1 x 1218 lm	500 mA
-B40-6		1 x 9W	4000 K	1 x 1218 lm	24 V DC



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-5953.00CASTTUNEC-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____


HOW TO ORDER:

CODE:

Example:
CODE: BB-5953.00CASTTUNEC-GH-90-RD-
B19-1-DAL-SS

BB-5953.00CASTTUNEC-GH-90-RD-
B19-1-DAL-SS

1 MODELS:



-115-RD (round)
-115-SQ (square)

DIMENSIONS:

A) Diameter - Ø: 5.31" (13.5 cm)
B) Height - H: 4.52" (11.5 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B24-1		1 x 18W	2700-6500 K	1 x 2080 lm	500 mA
-B24-2	24°	1 x 16.5W	3000 K	1 x 2410 lm	
-B24-3		1 x 16.5W	4000 K	1 x 2592 lm	
-B40-1		1 x 18W	2700-6500 K	1 x 2080 lm	500 mA
-B40-2	40°	1 x 16.5W	3000 K	1 x 2410 lm	
-B40-3		1 x 16.5W	4000 K	1 x 2592 lm	
-B58-1		1 x 18W	2700-6500 K	1 x 2080 lm	500 mA
-B58-2	58°	1 x 16.5W	3000 K	1 x 2410 lm	
-B58-3		1 x 16.5W	4000 K	1 x 2592 lm	



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-5953.00CASTTUNEC-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____


HOW TO ORDER:

CODE:

Example:
CODE: BB-5953.00CASTTUNEC-GH-90-RD-B19-1-DAL-SS

BB-5953.00CASTTUNEC-GH-90-RD-B19-1-DAL-SS

1 **MODELS:**



-155-RD (round)
-155-SQ (square)

DIMENSIONS:

A) Diameter - Ø: 5.31" (13.5 cm)
B) Height - H: 6.10" (15.5 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B24-1	24°	1 x 6.3W	3000 K	1 x 998 lm	110-277 V
-B24-2			4000 K	1 x 1073 lm	
-B40-1	40°	1 x 6.3W	3000 K	1 x 998 lm	110-277 V
-B40-2			4000 K	1 x 1073 lm	
-B58-1	58°	1 x 6.3W	3000 K	1 x 998 lm	110-277 V
-B58-2			4000 K	1 x 1073 lm	



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____


HOW TO ORDER:

CODE:

Example:
CODE: BB-5953.00CASTTUNEC-GH-90-RD-B19-1-DAL-SS

BB-5953.00CASTTUNEC-GH-90-RD-B19-1-DAL-SS

1 **MODELS:**



-233-RD (round)
-233-SQ (square)

DIMENSIONS:

A) Diameter - Ø: 5.31" (13.5 cm)
B) Height - H: 9.17" (23.3 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B24-1	24°	1 x 11.3W	3000 K	1 x 1715 lm	110-277 V
-B24-2			4000 K	1 x 1844 lm	
-B40-1	40°	1 x 11.3W	3000 K	1 x 1715 lm	110-277 V
-B40-2			4000 K	1 x 1844 lm	
-B58-1	58°	1 x 11.3W	3000 K	1 x 1715 lm	110-277 V
-B58-2			4000 K	1 x 1844 lm	



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____


HOW TO ORDER:

CODE:

Example:
CODE: BB-5953.00CASTTUNEC-GH-90-RD-B19-1-DAL-SS

BB-5953.00CASTTUNEC-GH-90-RD-B19-1-DAL-SS

1 MODELS:



-245-RD (round)
-245-SQ (square)

DIMENSIONS:

A) Diameter - Ø: 9.64" (24.5 cm)
B) Height - H: 12.59" (32 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B8-1	8°	1 x 23.7W	3000 K	1 x 3306 lm	110-277 V
-B8-2		1 x 16.5W	4000 K	1 x 2592 lm	
-B15-1	15°	1 x 16.5W	3000 K	1 x 2410 lm	110-277 V
-B15-2		1 x 23.7W	3000 K	1 x 3306 lm	
-B15-3		1 x 31.9W	3000 K	1 x 4459 lm	
-B15-4		1 x 16.5W	4000 K	1 x 2592 lm	
-B15-5		1 x 23.7W	4000 K	1 x 3555 lm	
-B15-6		1 x 31.9W	4000 K	1 x 4933 lm	
-B37-1	37°	1 x 16.5W	3000 K	1 x 2410 lm	110-277 V
-B37-2		1 x 23.7W	3000 K	1 x 3306 lm	
-B37-3		1 x 31.9W	3000 K	1 x 4459 lm	
-B37-4		1 x 16.5W	4000 K	1 x 2592 lm	
-B37-5		1 x 23.7W	4000 K	1 x 3555 lm	
-B37-6		1 x 31.9W	4000 K	1 x 4933 lm	
-B74-1	74°	1 x 16.5W	3000 K	1 x 2410 lm	110-277 V
-B74-2		1 x 23.7W	3000 K	1 x 3306 lm	
-B74-3		1 x 31.9W	3000 K	1 x 4459 lm	
-B74-4		1 x 16.5W	4000 K	1 x 2592 lm	
-B74-5		1 x 23.7W	4000 K	1 x 3555 lm	
-B74-6		1 x 31.9W	4000 K	1 x 4933 lm	



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-5953.00CASTTUNEC-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:




Example:
CODE: BB-5953.00CASTTUNEC-GH-90-RD-
B19-1-DAL-SS

BB-5953.00CASTT
UNEC-GH-90-RD-
B19-1-DAL-SS

2 DIMMING OPTIONS:

- NON NON-Dimmable
- DIM 0-10V
- DAL Dali

3 FINISH OPTIONS:

- SS Stainless Steel 
- NB Natural Bronze 
- CUS Custom on request* 

4 ACCESSORIES:

-AC205-IP66
IP66 remote power supply box



-AC013 *Only for 90 models
Rough-in housing 81x135



-AC014 *Only for 115 models
Rough-in housing 125x115



-AC015 *Only for 155 models
Rough-in housing 125x155



-AC016 *Only for 233 models
Rough-in housing 125x233



-AC019 *Only for 245 models
Rough-in housing 225x320



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-5953.00CASTTUNEC-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:


CODE:

Example:
CODE: BB-5953.00CASTTUNEC-GH-90-RD-
B19-1-DAL-SS

BB-5953.00CASTT
UNEC-GH-90-RD-
B19-1-DAL-SS

4 ACCESSORIES:

-AC159 *Only for 115, 155 and 233 models
Anti-glare screen



-AC105 *Only for 245-RD model
Antislip diffuser



-AC325 *Only for 245 models
Louvre screen anti glare



-AC204 *Only for 115, 155, 233 and 245
IP 68 fast connector 4P



-AC204-5P *Only for 245 models
IP 68 fast connector 5P



-AC279 *Only for 245 models
IP 68 connector for through wiring 4P



-AC279-5P *Only for 245 models
IP 68 connector for through wiring 5P



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA