



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**FORGE L  
SPOTLIGHT**





**BULLARD  
BOLLARDS**  
Think Bullard Think Bullard

**CODE:  
BB-FRGL-SP-GH**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



LED

IP67



CASAMBI

#### GENERAL INFORMATION:

The Forge L Spotlight is a robust and versatile outdoor LED fixture designed to deliver precise, high-quality illumination for architectural and landscape applications. Constructed from durable die-cast aluminum with stainless steel hardware and an IP67 rating, it is built to withstand demanding outdoor conditions while maintaining long-term performance. The adjustable head offers excellent aiming flexibility with 350° rotation and ±90° swivel, complemented by multiple beam angles ranging from 17° to 61° for controlled accent or medium flood lighting. Available in high-output 3000K and 4000K options with CRI >80, the Forge L provides comfortable, well-defined light. With an integral driver, multiple dimming options, and a wide range of finishes and accessories, it is an ideal solution for highlighting façades, landscape features, and architectural details with strength and precision.

#### FIXTURE TYPE:

Spot Lights

#### LIGHTING:

LED

#### VOLTAGE:

110-277V



#### GASKETS:

Silicone gaskets

#### MATERIAL:

Die-cast aluminum EN AB 44100 highly resistant to oxidation

#### EXTERNAL SCREWS:

Stainless steel A4-70 treated with highly antioxidant water-repellent lubricating solution

#### DIFFUSER MATERIAL:

Tempered glass 6mm

#### OPTICS:

Reflector in anti-UV technopolymer with super pure aluminum metallization

**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)

[www.bullardbollards.com](http://www.bullardbollards.com)

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD  
BOLLARDS**  
Think Bullard Think Bullard

**CODE:  
BB-FRGL-SP-GH**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



LED

IP67



CASAMBI

**IP RATING:**

IP 67

IP67

**APPLINCE CLASS:**

|||

**DRIVER POSITION:**

Integral

**CRI:**

>80

**SWIVEL:**

+/- 90°

**ROTATION:**

350°

**LIGHT DISTRIBUTION:**

17° - Symmetrical medium flood (15 ° - 45 °)  
37° - Symmetrical medium flood (15 ° - 45 °)  
61° - Symmetrical medium flood (15 ° - 45 °)

**BEAM DIRECTIONABILITY:**

Adjustable

**WARRANTY:**

LED lighting products are warranted for 5 years.

**MAIN FEATURES:**

High visual comfort  
Wide range of finishes  
Functional design  
Minimal design  
Shock resistant  
Operating Temperature: -22°F~122°F

**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)

[www.bullardbollards.com](http://www.bullardbollards.com)

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA






**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**CODE:  
BB-FRGL-SP-GH**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



## HOW TO ORDER:

CODE:

Example:

CODE:

BB-FRGL-SP-GH-L4-B2-NON-02-AC204

BB-FRGL-SP-GH-  
L4-B2-NON-02-  
AC204

1

### DIMENSIONS:

- A) Diameter - Ø: 4.92" (12.5 cm)  
B) Length - L: 4.76" (12.1 cm)  
C) Height - H: 7.60" (19.3 cm)

2

### LIGHT SOURCE:

- L1 LED / 1 x 12.6 W / 3000 K / 1 x 1722 lm  
-L2 LED / 1 x 18.9 W / 3000 K / 1 x 2324 lm  
-L3 LED / 1 x 23.6 W / 3000 K / 1 x 2889 lm  
-L4 LED / 1 x 28.4 W / 3000 K / 1 x 3292 lm  
-L5 LED / 1 x 12.6 W / 4000 K / 1 x 1722 lm  
-L6 LED / 1 x 18.9 W / 4000 K / 1 x 2324 lm  
-L7 LED / 1 x 23.6 W / 4000 K / 1 x 2889 lm  
-L8 LED / 1 x 28.4 W / 4000 K / 1 x 3292 lm

3

### BEAM ANGLE:

- B1 17°  
-B2 37°  
-B3 61°

4

### DIMMING OPTIONS:

- NON NON-Dimmable  
-DIM 0-10V  
-CAS Casambi  
-DAL Dali

5

### FINISH OPTIONS:

- |                          |                       |
|--------------------------|-----------------------|
| -01 White matt           | -45 Corten matt       |
| -02 Black matt           | -62 Antique grey matt |
| -05 Anthracite grey matt | -65 Blue matt         |
| -19 Light grey matt      | -80 Sand matt         |
| -26 Bronze               | -83 Green matt        |

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

Updated 05/02/2026




**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**CODE:  
BB-FRGL-SP-GH**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

Example:  
CODE:  
BB-FRGL-SP-GH-L4-B2-NON-02-AC204

BB-FRGL-SP-GH-  
L4-B2-NON-02-  
AC204

**6 ACCESSORIES:**

**-AC204**

IP 68 fast connector 4P



**-AC204-5P**

IP 68 fast connector 5P



**-AC279**

IP 68 connector for  
through wiring 4P



**-AC279-5P**

IP 68 connector for  
through wiring 5P



**-AC711**

Stake 220mm




**-AC135**

Hood FORGE



**-AC136**

Anti glare louver FORGE



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

Updated 05/02/2026