



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard


**SLICK WILLY ELITE FLEX**  
BB-SLWLEF-CL






FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_  
SL.WL.EF.24V



SL.WL.EF.48V



**GENERAL INFORMATION:**

The SLICK WILLY ELITE FLEX Neon is engineered for precision, durability, and superior lighting performance. Featuring DC24V single-LED cutting every 6.25 mm, it offers unlimited length customization and maximum installation flexibility for architectural and design applications. High-efficiency LEDs combined with a patented optical structure deliver up to 110 lm/W, increasing brightness while reducing energy consumption. Manufactured with gas-phase silicone extrusion, the neon provides exceptional UV resistance and long-term outdoor durability. A reinforced structure with anti-tensile PC support and parallel LED technology ensures reliable performance even in demanding environments. With IP67 protection and SDCM < 5 color consistency, Slick Willy LED Neon delivers uniform, high-quality illumination designed for professional lighting projects.

**FIXTURE TYPE:**

Arch LED Neon

**MATERIAL:**

Gas-Phase Silicone Extrusion

**IP RATING:**

IP67

IP67

**IK RATING:**

IK08

IK08

**WARRANTY:**

7 year warranty, high reliability

**DRIVER POSITION:**

Remote

**MAIN FEATURES:**

- Cut-To-Size: Accurate fit for easy installation
- Ultra High Light Efficiency & more energy saving
- UV and Yellowing Resistance
- Dual-Layer Protective Terminal
- Anti-Breakage PCB
- Precision Controlled Color Temperature after Silicone Coated



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646




991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

**Example:**  
CODE: BB-SLWLEF-CL-SL.WL.EF.48V-AS-CP1-GBB-EF48

BB-SLWLEF-CL-SL.WL.EF.48V-AS-CP1-GBB-EF48

**1 DIMENSIONS:**

A) Length - L: 0.78" (2 cm)  
B) Height - H: 0.78" (2 cm)

**2 LIGHT SOURCE:**

SL.WL.EF.24V

CCT	COLOR RANGE	CRI	INPUT VOLTAGE	RATED CURRENT (A/m)	RATED POWER	MAXIMUM POWER
2200 K	2166-2310 K	>90	24	0.4 (0.12A/ft)	10 (3.05W/ft)	11 (3.35W/ft)
2700 K	2630-2830 K					
3000 K	2920-3170 K					
4000 K	3770-4220 K					

LUMENS	STANDARD LENGTH	REMARK
770 (235LM/ft) 935 (285LM/ft) 990 (302LM/ft) 980 (299LM/ft)	10000mm (32.8ft)	1LED/6.25mm

SL.WL.EF.48V

CCT	COLOR RANGE	CRI	INPUT VOLTAGE	RATED CURRENT (A/m)	RATED POWER	MAXIMUM POWER
2200 K	2100-2300 K	>90	48	0.2 (0.06A/ft)	10 (3.05W/ft)	11 (3.35W/ft)
2700 K	2600-2830 K					
3000 K	2920-3170 K					
4000 K	3770-4220 K					

LUMENS	STANDARD LENGTH	REMARK
850(259LM/ft) 1020(311 LM/ft) 1150(351 LM/ft) 1150(351 LM/ft)	20000mm (65.62ft)	2LED/12.5mm

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BB-SLWLEF-CL-SL.WL.EF.48V-AS-CP1-GBB-EF48

BB-SLWLEF-CL-  
SL.WL.EF.48V-AS-  
CP1-GBB-EF48

**4 ACCESSORIES FOR -SL.WL.PT.24V:**

AS-JD-001-EF24



AS-WS-0008-EF24



AS-NNT1615A-EF24



AS-CP1-GBA-EF24



AS-NNT1615A-EF24



AS-CP1-GBB-EF24



AS-NNT1615GH0-EF24



AS-CR1-GBA-EF24



AS-NNT1615P-EF24



AS-R6-1-EF24




AS-NNT1615P-EF24



AS-PG-0002-EF24



AS-WS-0007-EF24



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BB-SLWLEF-CL-SL.WL.EF.48V-AS-CP1-GBB-EF48

BB-SLWLEF-CL-  
SL.WL.EF.48V-AS-  
CP1-GBB-EF48

**4 ACCESSORIES FOR -SL.WL.PT.48V:**

AS-JD-001-EF48



AS-WS-0008-EF48



AS-NNT1615A-EF48



AS-CP1-GBA-EF48



AS-NNT1615A-EF48



AS-CP1-GBB-EF48



AS-NNT1615GH0-EF48



AS-CR1-GBA-EF48



AS-NNT1615P-EF48



AS-R6-1-EF48




AS-NNT1615P-EF48



AS-PG-0002-EF48



AS-WS-0007-EF48



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BB-SLWLEF-CL-SL.WL.EF.48V-AS-CP1-GBB-EF48

BB-SLWLEF-CL-  
SL.WL.EF.48V-AS-  
CP1-GBB-EF48

**6**

**BASIC PARAMETERS:**

FOR MODEL: **-SL.WL.EF.24V**

WARRANTY:	7 YEARS
CUTTING UNIT:	6.25 mm
LEDS QTY:	160LEDs/m
TYP. POWER:	10W/M

FOR MODEL: **-SL.WL.EF.48V**

WARRANTY:	7 YEARS
CUTTING UNIT:	12.5 mm
LEDS QTY:	160LEDs/m
TYP. POWER:	10W/M

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA