



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

# MEGA AXIS SQ 55 SPOTLIGHT





**BULLARD  
BOLLARDS**  
Think Bullard Think Bullard

**CODE:  
BB-MGAXS-SQ55-SP-GH**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



LED

IP67



CASAMBI

#### GENERAL INFORMATION:

The Mega Axis SQ 55 Spotlight is a compact yet powerful architectural outdoor fixture designed for precise accent and landscape lighting. Featuring a distinctive square housing, it delivers high visual comfort with crisp, controlled beam options while maintaining a clean, minimal aesthetic. Constructed from durable stainless steel and extruded aluminum with an IP67 rating, it is built to withstand demanding outdoor environments. The adjustable swivel and rotation allow accurate aiming for façades, trees, pathways, or feature elements, while multiple beam angles, finishes, and dimming options provide design flexibility. Ideal for professional landscape and architectural applications, the Mega Axis SQ 55 combines refined form with robust performance and long-term reliability

#### FIXTURE TYPE:

Spot Lights

#### LIGHTING:

LED

#### GASKETS:

Silicone gaskets

#### APPLICATION FIELD:

Series of spot lights to be mounted on floor, wall, spike, tree with belt system or on a pole system.

#### VOLTAGE:

110-277V



#### MATERIAL:

Stainless steel AISI 316L

Extruded aluminum EN AW-6063 T5 high resistance to oxidation

#### EXTERNAL SCREWS:

Stainless steel A4-70 treated with highly antioxidant water-repellent lubricating solution

#### DIFFUSER MATERIAL:

Tempered glass 4mm

#### IP RATING:

IP 67

IP67

**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)

[www.bullardbollards.com](http://www.bullardbollards.com)

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**CODE:  
BB-MGAXS-SQ55-SP-GH**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**LED**

**IP67**



**CASAMBI**

**APPLINCE CLASS:**

|||

**DRIVER POSITION:**

Remote

**CRI:**

>90

**CONTROL GEAR TYPE:**

Electronic

**CABLE ENTRY:**

Brass cable gland M12 Ø 3.5/7 mm

**CORD LENGTH:**

0.5m

**SWIVEL:**

+/- 90°

**LIGHT DISTRIBUTION:**

18° - Symmetrical medium flood (15 ° - 45 °)

38° - Symmetrical medium flood (15 ° - 45 °)

60° - Symmetrical medium flood (15 ° - 45 °)

**BEAM DIRECTIONABILITY:**

Adjustable

**OPTICS:**

Anti UV technopolymer lens

**WARRANTY:**

LED lighting products are warranted for 5 years.

**MAIN FEATURES:**

High visual comfort / Wide range of finishes / Functional design

Minimal design / Shock resistant

Operating Temperature: -22°F~122°F

**THINK BOLLARD - THINK BULLARD**

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)

[www.bullardbollards.com](http://www.bullardbollards.com)

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA






**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**CODE:  
BB-MGAXS-SQ55-SP-GH**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



#### HOW TO ORDER:

CODE:

Example:

CODE: BB-MGAXS-SQ55-SP-GH-L1-B2-DIM  
-05-AC204

BB-MGAXS-SQ55-  
SP-GH-L1-B2-DIM  
-05-AC204

#### 1 DIMENSIONS:

A) Width - W: 2.17" (5.5 cm)  
B) Length - L: 2.17" (5.5 cm)  
C) Height - H: 3.35" (8.5 cm)

#### 2 LIGHT SOURCE:

-L1 LED / 1 x 8 W / 3000K / 740 lm  
-L2 LED / 1 x 8W / 4000K / 790 lm

#### 3 BEAM ANGLE:

-B1 18°  
-B2 38°  
-B3 60°

#### 4 DIMMING OPTIONS:

-NON NON-Dimmable  
-DIM 0-10V  
-CAS Casambi  
-DAL Dali

#### 5 FINISH OPTIONS:

-01	White matt	-45	Corten matt
-02	Black matt	-62	Antique grey matt
-05	Anthracite grey matt	-65	Blue matt
-19	Light grey matt	-80	Sand matt
-26	Bronze	-83	Green matt

#### 6 ACCESSORIES:

-AC204 IP 68 fast connector 4P  
-AC203 Stake 170mm



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA