



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

POWER
BB-PWR-BL





FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The Power Bollard by Bullard Bollards is a sleek and durable outdoor solution that combines illumination with power accessibility. Constructed from high-quality aluminum with a powder-coated finish in multiple color options, it is available in heights of 38", 42", and 46". Featuring an energy-efficient 7W LED system with optional color temperatures of 3000K, 3500K, or 4000K, it provides clear and even lighting through its acrylic lens. Designed for versatility, it operates on 110V–277V and integrates seamlessly into modern landscapes, making it ideal for public spaces, pathways, and commercial areas requiring both lighting and power access.

FIXTURE TYPE:

Bollard

VOLTAGE:

110-277V



MATERIAL:

Aluminum body powder-coated with durable, outdoor-rated paint and acrylic lense.

IP RATING:

IP 65



DRIVER POSITION:

Integral

WARRANTY:

LED lighting products are warranted for 5 years.

MAIN FEATURES:

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design
- Shock resistant
- Operating Temperature: -25°C..+60°C

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-PWR-BL-H1-CO1-K30-BL-DIM

BB-PWR-BL-H1-CO1-K30-BL-DIM

1 BODY HEIGHT:

- H1 H: 38" (96.52 cm)
- H2 H: 42" (106.68 cm)
- H3 H: 46" (116.84 cm)

2 BODY LENGTH & WIDTH:

A) L: 8" (20.32 cm) x B) W: 6" (15.24 cm)

3 LIGHT SOURCE:

LED / 7W / 90 CRI / 110-277V

Power and lighting are prewired on separate circuits*

4 CHARGING OPTIONS:

- CO1 2-gang, Unwired
- CO2 2-gang, 2 4-port USB Outlets
- CO3 2-gang, 2 Duplex GFCI Receptacles
- CO4 2-gang, 1 Duplex GFCI Receptacle & 1 4-Port USB Outlet
- CO5 3-gang, Unwired
- CO6 3-gang, 1 Duplex GFCI Receptacle & 2 4-Port USB Outlets
- CO7 3-gang, 2 Duplex GFCI Receptacles & 1 4-Port USB Outlet

5 CCT:

- K27 2700K
- K30 3000K
- K35 3500K
- K40 4000K

6 FINISH OPTIONS:

- WH White (RAL 9010)
- GR Green (RAL 6010)
- CO Corten (RAL 8023)
- LGR Light Grey (RAL 7047)
- DGR Dark Grey (RAL 7021)
- BL Black (RAL 9005)
- CUS Custom on request*

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-PWR-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-PWR-BL-H1-CO1-K30-BL-DIM

BB-PWR-BL-H1-
CO1-K30-BL-DIM

7 DIMMING OPTIONS:

- NON NON-Dimmable
- DIM 0-10V
- CAS Casambi
- LUT Lutron
- DAL Dali

LED
IP65

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA