

LUNOX
Surface Mounting Wall Luminaires
Wall Washer



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The LUNOX Surface Mounting Wall Luminaire by Bullard Outdoor is an asymmetrical wall washer designed for sleek, modern outdoor lighting. Built from extruded aluminum alloy with a tempered glass lens (T=4mm, C20), it operates on 110–277V LED power for efficient, even illumination. With a CRI of 80, IP65 protection, and IK08 impact rating, it ensures durability and performance. Finishes include Sanded Bronze, Sanded Dark Gray, Sanded Black, and Sanded White.

FIXTURE TYPE:

Surface Mounting Wall Luminaires - Wall Washer

LIGHTING

LED

LED

VOLTAGE:

110-277V



MATERIAL:

Extruded aluminum alloy #6063

REFLECTOR:

OPTICS reflector. efficiency≥85%

CRI:

80

IP RATING:

IP 65

IP65

IK RATING:

IK 05 / IK 06 / IK 10

FINISHING:

Sanded Bronze
Sanded Dark Gray
Sanded Black
Sanded White

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

HOW TO ORDER:

CODE:

Example:
CODE: BO-LNX-KPG-SMW-XXX-XXX-XXX-XXX-XX

BO-LNX-KPG-SMW-
B7DH0124-K30-DIM-
B54-15-KAP7008

1

MODELS:

CODE -B7DH0124

DIMENSIONS:

Height - H: 5.11" (13 cm)
Diameter - Ø: 2.36" (6 cm)
Depth - P: 3.7" (9.4 cm)

LIGHT SOURCE:

LED / 1 x 4.5W / 48 mA / 282 lm / 110-277V / IK 05

CODE -R7CH0173

DIMENSIONS:

Height - H: 9.5" (24.15 cm)
Diameter - Ø: 5.1" (13 cm)
Depth - P: 7.16" (18.2 cm)

LIGHT SOURCE:

LED / 1 x 25W / 270 mA / 2967 lm / 110-277V / IK 10

CODE -R7EH0176

DIMENSIONS:

Height - H: 11.81" (24.1 cm)
Diameter - Ø: 6.3" (16 cm)
Depth - P: 8.7" (22.1 cm)

LIGHT SOURCE:

LED / 1 x 40W / 372 mA / 4030 lm / 110-277V / IK 06

2


CCT OPTIONS:

-K30 3000K
-CUS Custom on request*

3

DIMMING OPTIONS:

-DIM 1-10V
-PWM Pulse Width Modulation
-DALI DALI (Digital Addressable Lighting Interface)



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-LNX-KPG-SMW-XXX-XXX-XXX-XXX-XXX-XX

BO-LNX-KPG-SMW-
B7DH0124-K30-DIM-
B54-15-KAP7008


4 BEAM ANGLE:

available only for -B7DH0124 model		available only for -R7CH0173 model		available only for -R7EH0176 model	
-B54-15	15°	-R19-10	10°	-R16-15	15°
-B54-24	24°	-R19-22	22°	-R16-25	25°
-B54-38	38°	-R19-38	38°	-R16-38	38°


5 FINISH OPTIONS:

- KAP7008 Sanded Bronze
- KAP7037 Sanded Dark Gray
- RAL 9005 Sanded Black
- RAL9003 Sanded White

6 DIAGRAM OF INSTRUCTION:



7 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA