



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

NOVIRA
BB-0701-BL





FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The Novira Bollard from Bullard Outdoor is a sleek, square LED bollard light with an upward-facing light design, offering a power output of 5W and an input voltage range of 110-277V. Made from durable pure aluminum and gasket materials, it provides high corrosion and compression resistance and is rated IP65 for outdoor durability. Perfect for illuminating gardens, parks, paths, and villas, this energy-efficient bollard is easy to install. Measuring H: 31.5" (80 cm), L: 3" (7.6 cm), and W: 3" (7.6 cm), it offers CCT options of 2700K, 3000K, 4000K, and 5000K with beam angles of 40° or 120°, and a CRI of 80 or 90.

FIXTURE TYPE:

Bollard

LIGHTING:

LED

LED

VOLTAGE:

110-277V



MATERIAL:

Iron Pipe

IP:

IP 65

IP65

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-0701-BL-K30-B40-C80-DIM-CUS

BO-0701-BL-K30-B40-C80-DIM-CUS

1 DIMENSIONS:

A) Height - H: 31.5" (80 cm)
B) Length - L: 3" (7.6 cm)
C) Width - W: 3" (7.6 cm)

2 LIGHT SOURCE:

LED / 5W / 85 lm/W

3 CCT:

-K27 2700K
-K30 3000K
-K40 4000K
-K50 5000K

4 BEAM ANGLE:

-B40 40°
-B120 120°

5 CRI:

-C80 CRI 80
-C90 CRI 90

6 DIMMING OPTIONS:

-NON NON-Dimmable
-DIM 1-10V
-DMX DMX512
-RDM RDM

7 FINISH OPTIONS:

-WH White 
-BL Black 
-CUS Custom on request* 

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA