



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

TOTEM 2
BB-T202-BL





**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-T202-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



LED

IP65



LUTRON

CASAMBI

GENERAL INFORMATION:

Enhance your outdoor spaces with the Totem 2 Bollards by Bullard Bollards—a perfect blend of durability, functionality, and modern design. These high-quality bollards are available in multiple heights, finishes, and LED configurations, making them ideal for commercial, residential, and urban applications. Customize your fixture with precision-cut decorative patterns, various lens sizes, and multiple mounting options to achieve the perfect lighting effect. Built with premium materials and backed by a 5-year warranty, Totem 2 bollards offer both style and long-lasting performance. Explore our range of customization options and create a lighting solution tailored to your project's unique needs.

FIXTURE TYPE:

Bollards

VOLTAGE:

110-277V



MATERIAL:

Stainless steel / Aluminum

IP RATING:

IP 65

IP65

WARRANTY:

LED lighting products are warranted for 5 years.

APPLIANCE CLASS:

II



DRIVER POSITION:

Integrate

MAIN FEATURES:

High visual comfort
Available in a wide range of finishes
Functional and minimalistic design
Shock-resistant construction
Operating Temperature: -104°F to +140°F.

LIGHT DISTRIBUTION:

360°

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA




**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-T202-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:

CODE: BB-T202-BL-BH1-LS1-D1-SS-FAL-K27-WH-DIM-LSC14-SQR

BB-T202-BL-BH1-LS1-D1-SS-FAL-K27-WH-DIM-LSC14-SQR

1 BODY HEIGHT:

- BH1 H: 24" (61 cm)
- BH2 H: 36" (91.44 cm)
- BH3 H: 48" (121.92 cm)
- BH4 H: 56" (142.24 cm)
- BH5 H: 96" (243.84 cm)
- BH6 H: 120" (304.8 cm)
- BH7 H: 168" (426.72 cm)
- BH8 H: 192" (487.68 cm)
- BHC CUS*

2 LENS SIZE:

- LS1 H: 4" (10.16 cm)
- LS2 H: 6" (15.24 cm)
- LS3 H: 8" (20.32 cm)
- LS4 H: 12" (30.48 cm)
- LS5 H: 16" (40.64 cm)
- LS6 H: 18" (45.72 cm)
- LS7 H: 24" (61 cm)
- LS8 H: 48" (121.92 cm)
- LSC CUS*

3 DIAMETER:

- D1 Ø: 6" (15 cm)
- D2 Ø: 8" (20 cm)
- D3 Ø: 10" (25 cm)
- D4 Ø: 12" (30 cm)
- DC CUS*

4 BODY MATERIAL:

- SS Stainless Steel
- AL Aluminum

5 LENS MATERIAL:

- FAL Frosted acrylic lens
- CL Clear lens

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA




**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-T202-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:

CODE: BB-T202-BL-BH1-LS1-D1-SS-FAL-K27-WH-DIM-LSC14-SQR

BB-T202-BL-BH1-LS1-D1-SS-FAL-K27-WH-DIM-LSC14-SQR

6

CCT:

-K27 2700K
-K30 3000K
-K35 3500K
-K40 4000K
-K50 5000K
-RGBW RGWB

8

BODY FINISH OPTIONS:

-WH White
-GR Green
-CO Corten
-GR Grey
-BL Black

Wood:

-BW Black+ Brown wood Painted detail
-LW Black+ Light wood Painted detail
-DW Black+ Dark wood Painted detail

Matt:

-M316 316 Stainless steel with a #4 swirl brushed stainless surface finish

Custom:

-CUS Custom on request*

9

DIMMING OPTIONS:

-NON NON-Dimmable
-DIM 0-10V
-CAS Casambi
-LUT Lutron
-DAL Dali

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2024 All Rights Reserved

Updated 04/14/2026





**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-T202-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:

CODE: BB-T202-BL-BH1-LS1-D1-SS-FAL-K27-WH-DIM-LSC14-SQR

BB-T202-BL-BH1-LS1-D1-SS-FAL-K27-WH-DIM-LSC14-SQR

10

LIGHT SOURCE OUTPUT BOLLARD:

- LSB6 6 W / 396 lm
- LSB9 9 W / 580 lm
- LSB10 10 W / 590 lm
- LSB15 15 W / 880 lm
- LSCB Custom Lumen packages on request*

11

LIGHT SOURCE OUTPUT COLUMN:

- LSC14 14 W / 970 lm
- LSC17 17 W / 1200 lm
- LSC20 20 W / 1400 lm
- LSC27 27 W / 1780 lm
- LSC40 40 W / 2600 lm
- LSC55 55 W / 3200 lm
- LSC65 65 W / 3810 lm

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-T202-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:


Example:

CODE: BB-T202-BL-BH1-LS1-D1-SS-FAL-K27-WH-DIM-LSC14-SQR


BB-T202-BL-BH1-LS1-D1-SS-FAL-K27-WH-DIM-LSC14-SQR

LENS COVER ON REQUEST:


-SQR




-CRV




-CRC




-TRB



-TRT



-HNC



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2024 All Rights Reserved

Updated 04/14/2026