



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**VERTEX 150
SPOTLIGHT**





**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-VRTX150-SP-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED

IP67



CASAMBI



GENERAL INFORMATION:

The Vertex 150 Spotlight is a high-performance architectural LED fixture designed for precise exterior accent and façade lighting. Built with a robust die-cast aluminum housing, stainless steel hardware, and an IP67 rating, it delivers long-term reliability in demanding outdoor environments. The adjustable head provides exceptional aiming flexibility with 350° rotation and ±90° tilt, while beam options of 11° for narrow accents or 47° for wider washes allow tailored light distribution. Available in multiple lumen packages with 3000K or 4000K color temperatures and CRI >90, the Vertex 150 offers excellent visual clarity and comfort. With an integral driver, multiple dimming options, and a wide range of finishes and accessories, it is ideal for highlighting façades, columns, and architectural details with precision and control.

FIXTURE TYPE:

Spot Lights

LIGHTING:

LED

VOLTAGE:

110-277V



GASKETS:

Silicone gaskets

MATERIAL:

Die-cast aluminum EN AB 44100 highly resistant to oxidation

EXTERNAL SCREWS:

Stainless steel A4-70 treated with highly antioxidant water-repellent lubricating solution

DIFFUSER MATERIAL:

Tempered glass 5mm

OPTICS:

Reflector in anti-UV technopolymer with super pure aluminum metallization

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-VRTX150-SP-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED

IP67



CASAMBI



IP RATING:

IP 67

IP67

APPLINCE CLASS:

|||

DRIVER POSITION:

Integral

CRI:

>90

SWIVEL:

+/- 90°

ROTATION:

350°

LIGHT DISTRIBUTION:

11° - Symmetrical narrow beam (<=15°)

47° - Symmetrical medium flood (15° - 45°)

BEAM DIRECTIONABILITY:

Adjustable

CABLE ENTRY:

Brass cable gland M16 Ø 5/10 mm

CABLE TYPE :

H07RN8-F 3x1mm²

WARRANTY:

LED lighting products are warranted for 5 years.

MAIN FEATURES:

High visual comfort

Wide range of finishes

Functional design

Minimal design

Shock resistant

Operating Temperature: -22°F~122°F

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA




**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-VRTX150-SP-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE:
BB-VRTX150-SP-GH-L3-B2-DIM-05-AC227

BB-VRTX150-SP-
GH-L3-B2-DIM-05-
AC227

1 DIMENSIONS:

A) Diameter - Ø: 5.91" (15 cm)
B) Height - H: 11.02" (28 cm)

2 LIGHT SOURCE:

- L1 LED / 1 x 16.5 W / 3000 K / 1 x 2410 lm
- L2 LED / 1 x 23.7 W / 3000 K / 1 x 3306 lm
- L3 LED / 1 x 31.3 W / 3000 K / 1 x 4166 lm
- L4 LED / 1 x 16.5 W / 4000 K / 1 x 2592 lm
- L5 LED / 1 x 23.7 W / 4000 K / 1 x 3555 lm
- L6 LED / 1 x 31.3 W / 4000 K / 1 x 4479 lm

3 BEAM ANGLE:

- B1 11°
- B2 47°

4 DIMMING OPTIONS:

- NON NON-Dimmable
- DIM 0-10V
- CAS Casambi
- DAL Dali

5 FINISH OPTIONS:

- 01 White matt
- 02 Black matt
- 05 Anthracite grey matt
- 19 Light grey matt
- 26 Bronze
- 45 Corten matt
- 62 Antique grey matt
- 65 Blue matt
- 80 Sand matt
- 83 Green matt

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA




**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-VRTX150-SP-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

**Example:
CODE:
BB-VRTX150-SP-GH-L3-B2-DIM-05-AC227**

BB-VRTX150-SP-
GH-L3-B2-DIM-05-
AC227

6

ACCESSORIES:

-AC227

Hood VERTEX




-AC229

Elipsoidal lens VERTEX



-AC233

Anti glare louver VERTEX



-AC234

Microprismatic lens VERTEX



-AC230

Polyester fixing strap
with buckle (3 m)



-AC711

Stake 220mm



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

Updated 05/02/2026

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-VRTX150-SP-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:


CODE:

Example:
CODE:
BB-VRTX150-SP-GH-L3-B2-DIM-05-AC227

BB-VRTX150-SP-
GH-L3-B2-DIM-05-
AC227


PHOTOMETRY:

11° / 3000K




H(m)	φ (m)	lux med. 3000 K	lux max. 3000 K
5	1.0	614	1002
4	0.8	959	1566
3	0.6	1705	2783
2	0.4	3837	6262
1	0.2	15347	25050

11° / 4000K




H(m)	φ (m)	lux med. 4000 K	lux max. 4000 K
5	1.0	1069	1744
4	0.8	1670	2725
3	0.6	2969	4845
2	0.4	6679	10902
1	0.2	26717	43606

47° / 3000K



H(m)	φ (m)	lux med. 3000 K	lux max. 3000 K
5	4.4	74	115
4	3.5	116	180
3	2.6	206	321
2	1.7	463	722
1	0.9	1851	2887

47° / 4000K



H(m)	φ (m)	lux med. 4000 K	lux max. 4000 K
5	4.4	129	201
4	3.5	201	314
3	2.6	358	558
2	1.7	805	1256
1	0.9	3222	5025

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2026 All Rights Reserved

Updated 05/02/2026