









**BULLARD
BOLLARDS**
Think Bollard Think Bullard

BUNNY GROUND



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

BUNNY GROUND is a compact recessed lighting series with a shallow installation depth, ideal for façades, low walls, plants, bushes, and small architectural details. Available in multiple sizes, optics, and wattages, it delivers precise accent lighting in discreet applications. Constructed from anodized, high-resistance aluminum for long-term durability, it features silicone gaskets for reliable sealing and an ultra-clear tempered glass diffuser for maximum light transmission. The finishing frame is in machined stainless steel, with an optional natural bronze trim available. Equipped with water-lock system to prevent cable condensation and supplied with a polypropylene rough-in housing for safe ground installation. Walk-over rated for non-traffic areas; not suitable for pools or fountains.

FIXTURE TYPE:

Inground

VOLTAGE:

110-277V



MATERIAL:

Stainless steel AISI 316L, Extruded aluminum EN AW-6060 T5 high resistance to oxidation

IP RATING:

IP 68



DIFFUSER:

Tempered glass (8mm for 90 models and 15mm for 135/245 models)

WARRANTY:

LED lighting products are warranted for 5 years.

DRIVER POSITION:

Remote

MAIN FEATURES:

- High visual comfort
- Available in a wide choice of optics
- Functional and minimalistic design
- Shock-resistant construction
- Operating Temperature: -4°F to +122°F.

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

CODE:

BB-1007.00BAST300EC-GH

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:

Example:

**CODE: BB-1007.00BAST300EC-GH-32-RD-
B21-1-DAL-SS**

BB-1007.00BAST300
EC-GH-32-RD-
B21-1-DAL-SS

1

MODELS:

-32-RD (round)

-32-SQ (square)


DIMENSIONS:

A) Diameter - Ø: 1.26" (3.2 cm)

B) Height - H: 3.93" (10 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B21-1	20°	1 x 1.5W	3000 K	1 x 146 lm	500 mA
-B21-2			3000 K	1 x 146 lm	24 V DC
-B21-3			4000 K	1 x 162 lm	500 mA
-B21-4			4000 K	1 x 162 lm	24 V DC
-B31-1	31°	1 x 1.5W	3000 K	1 x 146 lm	500 mA
-B31-2			3000 K	1 x 146 lm	24 V DC
-B31-3			4000 K	1 x 162 lm	500 mA
-B31-4			4000 K	1 x 162 lm	24 V DC



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

CODE:

BB-1007.00BAST300EC-GH

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:


Example:

**CODE: BB-1007.00BAST300EC-GH-32-RD-
B21-1-DAL-SS**

BB-1007.00BAST300
EC-GH-32-RD-
B21-1-DAL-SS

1

MODELS:



-45-RD (round)

-45-SQ (square)

DIMENSIONS:

A) Diameter - Ø: 1.77" (4.5 cm)

B) Height - H: 3.93" (10 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B13-1	13°	1 x 2.1W	3000 K	1 x 196 lm	700 mA
-B13-2			3000 K	1 x 196 lm	24 V DC
-B13-3			4000 K	1 x 218 lm	700 mA
-B13-4			4000 K	1 x 218 lm	24 V DC
-B25-1	25°	1 x 2.1W	3000 K	1 x 196 lm	700 mA
-B25-2			3000 K	1 x 196 lm	24 V DC
-B25-3			4000 K	1 x 218 lm	700 mA
-B25-4			4000 K	1 x 218 lm	24 V DC
-B46-1	46°	1 x 2.1W	3000 K	1 x 196 lm	700 mA
-B46-2			3000 K	1 x 196 lm	24 V DC
-B46-3			4000 K	1 x 218 lm	700 mA
-B46-4			4000 K	1 x 218 lm	24 V DC



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

CODE:

BB-1007.00BAST300EC-GH

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:

Example:

**CODE: BB-1007.00BAST300EC-GH-32-RD-
B21-1-DAL-SS**

**BB-1007.00BAST300
OEC-GH-32-RD-
B21-1-DAL-SS**

1

MODELS:

-55-RD (round)


-55-SQ (square)

DIMENSIONS:

A) Diameter - Ø: 2.16" (5.5 cm)

B) Height - H: 3.93" (10 cm)

LIGHT SOURCE:



CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE	
-B14-1	14°	1 x 2.1W	3000 K	1 x 196 lm	24 V DC	
-B14-2		1 x 3.2W	3000 K	1 x 277 lm	1050 mA	
-B14-3		1 x 2.1W	4000 K	1 x 218 lm	24 V DC	
-B14-4		1 x 3.2W	4000 K	1 x 307 lm	1050 mA	
-B17-1	17°	1 x 2.1W	3000 K	1 x 196 lm	24 V DC	
-B17-2		1 x 3.2W	3000 K	1 x 277 lm	1050 mA	
-B17-3		1 x 2.1W	4000 K	1 x 218 lm	24 V DC	
-B17-4		1 x 3.2W	4000 K	1 x 307 lm	1050 mA	
-B25-1	25°	1 x 6W	3000 K	1 x 845 lm	350 mA	
-B25-2			3000 K	1 x 845 lm	24 V DC	
-B25-3			4000 K	1 x 877 lm	350 mA	
-B25-4			4000 K	1 x 877 lm	24 V DC	
-B36-1	36°	1 x 2.1W	3000 K	1 x 196 lm	24 V DC	
-B36-2		1 x 3.2W	3000 K	1 x 277 lm	1050 mA	
-B36-3		1 x 2.1W	4000 K	1 x 218 lm	24 V DC	
-B36-4		1 x 3.2W	4000 K	1 x 307 lm	1050 mA	
-B55-1	55°	1 x 6W	3000 K	1 x 845 lm	350 mA	
-B55-2			3000 K	1 x 845 lm	24 V DC	
-B55-3			4000 K	1 x 877 lm	350 mA	
-B55-4			4000 K	1 x 877 lm	24 V DC	
Only for -55-RD model	-B14-5	14°	1 x 1W	BLUE	1 x 40 lm	1050 mA
	-B17-5	17°	1 x 1W	BLUE	1 x 40 lm	1050 mA
	-B36-5	36°	1 x 1W	BLUE	1 x 40 lm	1050 mA
	-B42x55-1	55°	1 x 2.1W	3000 K	1 x 196 lm	24 V DC
	-B42x55-2		1 x 3.2W	3000 K	1 x 277 lm	1050 mA
-B42x55-3	1 x 2.1W		4000 K	1 x 218 lm	24 V DC	
-B42x55-4	1 x 3.2W		4000 K	1 x 307 lm	1050 mA	

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA




**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-1007.00BAST300EC-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:




Example:
CODE: BB-1007.00BAST300EC-GH-32-RD-B21-1-DAL-SS

BB-1007.00BAST300EC-GH-32-RD-B21-1-DAL-SS

2 DIMMING OPTIONS:

- NON NON-Dimmable
- DIM 0-10V
- DAL Dali

3 FINISH OPTIONS:

- SS Stainless Steel 
- NB Natural Bronze 
- CUS Custom on request* 

4 ACCESSORIES:

-AC205-IP66
IP66 remote power supply box



-AC610 *Only for 32 models
Rough-in housing 30x105



-AC611 *Only for 45 models
Rough-in housing 40x105



-AC612 *Only for 55 models
Rough-in housing 50x105



-AC204
IP 68 fast connector 4P



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA