



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard


**SLEVO  
PENDANT**





FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

The SLEVO by BULLARD BOLLARDS is a robust linear luminaire designed for outdoor environments requiring protection against dust and splashing water. Its minimalist design houses high-efficiency LEDs with a color temperature of 3000K and a CRI greater than 80, ensuring quality illumination. Available in two sizes—approximately 45.5" (21W, 1780 lm) and 89.6" (45W, 3560 lm)—it features a satin-finish PMMA diffuser for uniform, diffuse light distribution. Constructed with a natural anodized extruded aluminum body and die-cast aluminum end caps, the SLEVO combines aesthetic appeal with durability, making it ideal for sheltered outdoor areas such as industrial sites, study zones, and transportation hubs.

**FIXTURE TYPE:**

Pendant

**VOLTAGE:**

110-277V

**MATERIAL:**

Natural anodised extruded aluminium structure.  
Die-cast aluminium end caps.

**IP RATING:**

IP 54

IP54

**WARRANTY:**

LED lighting products are warranted for 5 years.

**DRIVER POSITION:**

Integral

**MAIN FEATURES:**

- High visual comfort
- Available in a wide range of finishes
- Functional and minimalistic design
- Shock-resistant construction

**FINISHING:**

Powder painting after passivation.

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_


PROJECT NAME: \_\_\_\_\_

NOTES:

**HOW TO ORDER:**

**CODE:**

<b>Example:</b> <b>CODE: BB-SLV-CI-S-DIM</b>	<b>BB-SLV-CI-S-DIM</b>
<b>1</b> <b>MODELS:</b>	




**-S**

**DIMENSIONS:**

A) Height -	H:	5.7" (14.5 cm)
B) Length -	L:	61.26" (155.6 cm)
C) Width -	W:	3.37" (8.6 cm)

**LIGHT SOURCE:**

LED / 21W / 1780 lm/ 110-277V / 3000K / CRI 80



**-M**

**DIMENSIONS:**

A) Height -	H:	5.7" (14.5 cm)
B) Length -	L:	89.61" (227.6 cm)
C) Width -	W:	3.37" (8.6 cm)

**LIGHT SOURCE:**

LED / 45W / 3560 lm/ 110-277V / 3000K / CRI 80

<b>2</b> <b>DIMMING OPTIONS:</b>	
----------------------------------	--

<b>-NON</b>	NON-Dimmable
<b>-DIM</b>	0-10V
<b>-CAS</b>	Casambi
<b>-LUT</b>	Lutron
<b>-DAL</b>	Dali

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA