



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard



**BUNNY POP C**





FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

BUNNY POP C Series of recessed ceiling luminaires with reduced depth characterized by excellent visual comfort. Available in two sizes with protruding frame or trimless. Designed for the illumination of both external and internal environments thanks to the wide availability of optics and powers. The body construction is in aluminum alloy with high oxidation resistance subjected to treatment with nano-bonderite and textured polyester powder coating, making the product resistant to atmospheric agents and UV rays, guaranteeing maximum protection over the years. The silicone gaskets ensure maximum sealing in all operating and temperature conditions. The ultra-transparent tempered sodium calcium glass diffuser that guarantees maximum light transmittance, is finished with a silkscreen-printed edge. The product is easy to install in all types of hanging ceilings or plasterboard false ceilings.

**FIXTURE TYPE:**

Ceiling

**VOLTAGE:**

110-277V



**MATERIAL:**

Stainless steel AISI 316L, Extruded aluminum EN AW-6060 T5 high resistance to oxidation

**IP RATING:**

IP 68



**DIFFUSER:**

Tempered glass (5mm for 2000 and 2015 models, and 6mm for 2001 models)

**WARRANTY:**

LED lighting products are warranted for 5 years.

**DRIVER POSITION:**

Remote

**MAIN FEATURES:**

High visual comfort  
Available in a wide choice of optics  
Functional and minimalistic design  
Operating Temperature: -4°F to +122°F.

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646




991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

**Example:**  
CODE: BB-2000.00BRGT-GH-2000-B17-1-NON-BG

BB-2000.00BRGT-GH-2000-B17-1-NON-BG

**1 MODELS:**

**-2000**

**DIMENSIONS:**

A) Length - L: 4.72" (12 cm)  
B) Height - H: 3.35" (8.5 cm)

**LIGHT SOURCE:**

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B17-1	17°	1 x 13.5W	3000 K	1 x 1312 lm	500mA
-B17-2		1 x 19W	3000 K	1 x 1768 lm	700mA
-B17-3		1 x 9.5W	3000 K	1 x 944 lm	350mA
-B17-4		1 x 13.5W	4000 K	1 x 1455 lm	500mA
-B37-1	37°	1 x 13.5W	3000 K	1 x 1312 lm	500mA
-B37-2		1 x 19W	3000 K	1 x 1768 lm	700mA
-B37-3		1 x 9.5W	3000 K	1 x 944 lm	350mA
-B37-4		1 x 13.5W	4000 K	1 x 1455 lm	500mA
-B50-1	50°	1 x 13.5W	3000 K	1 x 1312 lm	500mA
-B50-2		1 x 19W	3000 K	1 x 1768 lm	700mA
-B50-3		1 x 9.5W	3000 K	1 x 944 lm	350mA
-B50-4		1 x 13.5W	4000 K	1 x 1455 lm	500mA
-B19x32-1	19° x 32°	1 x 13.5W	3000 K	1 x 1312 lm	500mA
-B19x32-2		1 x 19W	3000 K	1 x 1768 lm	700mA
-B19x32-3		1 x 9.5W	3000 K	1 x 944 lm	350mA

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646




991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BB-2000.00BRGT-GH-2000-B17-1-  
NON-BG

BB-2000.00BRGT-  
GH-2000-B17-1-  
NON-BG

**1 MODELS:**

**-2001**

**DIMENSIONS:**

A) Length - L: 7.48" (19 cm)  
B) Height - H: 3.54" (9 cm)

**LIGHT SOURCE:**

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B17-1	17°	1 x 21W	3000 K	1 x 2097 lm	700mA
-B17-2		1 x 30W	3000 K	1 x 2915 lm	1050mA
-B17-3		1 x 21W	4000 K	1 x 2326 lm	700mA
-B17-4		1 x 30W	4000 K	1 x 3234 lm	1050mA
-B37-1	37°	1 x 21W	3000 K	1 x 2097 lm	700mA
-B37-2		1 x 30W	3000 K	1 x 2915 lm	1050mA
-B37-3		1 x 42W	3000 K	1 x 3930 lm	1400mA
-B37-4		1 x 21W	4000 K	1 x 2326 lm	700mA
-B37-5		1 x 30W	4000 K	1 x 3234 lm	1050mA
-B37-6		1 x 42W	4000 K	1 x 4360 lm	1400mA
-B50-1	50°	1 x 21W	3000 K	1 x 2097 lm	700mA
-B50-2		1 x 30W	3000 K	1 x 2915 lm	1050mA
-B50-3		1 x 42W	3000 K	1 x 3930 lm	1400mA
-B50-4		1 x 21W	4000 K	1 x 2326 lm	700mA
-B50-5		1 x 30W	4000 K	1 x 3234 lm	1050mA

**THINK BOLLARD - THINK BULLARD**


sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

**Example:**  
CODE: BB-2000.00BRGT-GH-2000-B17-1-NON-BG

BB-2000.00BRGT-GH-2000-B17-1-NON-BG

**1 MODELS:**

**-2015**

**DIMENSIONS:**

A) Length - L: 5.2" (13.2 cm)  
B) Height - H: 3.9" (9.9 cm)

**LIGHT SOURCE:**

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B15-1	15°	1 x 11.3W	3000 K	1 x 1715 lm	350mA
-B15-2		1 x 16.5W	3000 K	1 x 2410 lm	500mA
-B15-3		1 x 23.7W	3000 K	1 x 3306 lm	700mA
-B15-4		1 x 11.3W	4000 K	1 x 1844 lm	350mA
-B15-5		1 x 16.5W	4000 K	1 x 2592 lm	500mA
-B37-1	37°	1 x 11.3W	3000 K	1 x 1715 lm	350mA
-B37-2		1 x 16.5W	3000 K	1 x 2410 lm	500mA
-B37-3		1 x 23.7W	3000 K	1 x 3306 lm	700mA
-B37-4		1 x 11.3W	4000 K	1 x 1844 lm	350mA
-B37-5		1 x 16.5W	4000 K	1 x 2592 lm	500mA
-B61-1	61°	1 x 11.3W	3000 K	1 x 1715 lm	350mA
-B61-2		1 x 11.3W	3000 K	1 x 1715 lm	350mA
-B61-3		1 x 23.7W	3000 K	1 x 3306 lm	700mA
-B61-4		1 x 11.3W	4000 K	1 x 1844 lm	350mA
-B61-5		1 x 16.5W	4000 K	1 x 2592 lm	500mA

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646





991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**



**Example:**  
CODE: BB-2000.00BRGT-GH-2000-B17-1-  
NON-BG

BB-2000.00BRGT-  
GH-2000-B17-1-  
NON-BG

**2 DIMMING OPTIONS:**

- NON NON-Dimmable
- DIM 0-10V
- DALI Dali


**3 FINISH OPTIONS:**

- WG White Glass 
- BG Black Glass 

**4 ACCESSORIES:**


**-AC486**

Accessory for installation 2000 models



**-AC460**

Accessory for installation 2001 models



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA