



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**PRIME SPOT 150
(SPOTLIGHT)**



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



GENERAL INFORMATION:

The Bullard Bollards PRIME SPOT 150 (BB-PRM150-GH-SP) is a powerful and elegant architectural spotlight engineered to articulate space with crisp, directional illumination that enhances façades, landscape features, and structural details. Its robust yet refined aluminum body with a premium finish and ultra-clear lens offers durability and visual clarity in demanding exterior environments. With precision optics and adjustable aim, it allows designers to craft layered lighting compositions with striking depth and definition. Merging minimalist aesthetics with professional-grade performance, this fixture elevates premium outdoor lighting schemes with both function and style.

FIXTURE TYPE:

Spot Lights

LIGHTING:

LED

INPUT VOLTAGE:

110-277V

MATERIAL:

Extruded aluminum EN AW-6060 T5 high resistance to oxidation
Die-cast aluminum EN AB 44100 highly resistant to oxidation

FINISH AND PROTECTION:

Primary treatment with nanoceramic conversion.
Protection with textured polyester powder coating resistant to weathering and UV rays

IP RATING:

IP66

DRIVER POSITION:

Integral

APPLINCE CLASS:

I

CRI:

>90



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



ROTATION:

359°

CABLE TYPE:

H05RN-F 0.03 cm²

CABLE ENTRY:

Brass cable gland M16 Ø 0.5/1.0 cm

GASKETS:

Silicone gaskets

SWIVEL:

+/- 90°

LIGHT DISTRIBUTION:

12°	Symmetrical narrow beam (<=15°)
25°	Symmetrical medium flood (15° - 45°)
50°	Symmetrical wide beam (45° - 125°)
14°x 47°	2 Axis symmetrical

BEAM DIRECTIONABILITY:

Adjustable

OPTICS:

Anti UV technopolymer lens

SECONDARY OPTICS:

Black anti UV technopolymer reflector

EXTERNAL SCREWS:

Stainless steel

DIFFUSER MATERIAL:

Tempered glass 0.4 cm

WARRANTY:

LED lighting products are warranted for 5 years.

MAIN FEATURES:

- High visual comfort
- Wide choice of optics
- Self-cleaning diffuser
- Ease of installation and aiming
- Operating Temperature: -4°F to +122°F



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-PRM150-GH-SP-K30-B1-
DIM-02-AC204-ED-05

BB-PRM150-
GH-SP-K30-B1-
DIM-02-AC204-ED-05

1 DIMENSIONS:

Length - L: 6.3" (16 cm)
Height - H: 3.62" (9.2 cm)
Width - W: 1.69" (4.3 cm)

2 LIGHT SOURCE:

LED / 1 x 10.5 W / 110-277 V / 60 Hz

3 CCT&LUMENS:

-K30 3000K = 982 lm
-K40 4000K = 1090 lm

4 BEAM ANGLE:

-B1 12°
-B2 25°
-B3 50°
-B4 14°x 47°

5 DIMMING OPTIONS:

-NON NON-Dimmable
-DIM 0-10V
-CAS Casambi
-LT Lutron
-DALI Dali

6 FINISH OPTIONS:

-01 White matt
-02 Black matt
-05 Anthracite grey matt
-19 Light grey matt
-26 Bronze
-45 Corten matt
-62 Antique grey matt
-65 Blue matt
-80 Sand matt
-83 Green matt



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:

Example:
CODE: BB-PRM150-GH-SP-K30-B1-
DIM-02-AC204-ED-05

BB-PRM150-
GH-SP-K30-B1-
DIM-02-AC204-ED-05

7 ACCESSORIES:

-AC204

IP 68 fast connector 4P



-AC204-5P

IP 68 fast connector 5P



-ED-05

DALI Optional



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



FIXTURE TYPE: _____

PROJECT NAME: _____









HOW TO ORDER:

CODE:

**Example:
CODE: BB-PRM150-GH-SP-K30-B1-
DIM-02-AC204-ED-05**

BB-PRM150-
GH-SP-K30-B1-
DIM-02-AC204-ED-05

8 PHOTOMETRY:



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA