



**BULLARD
BOLLARDS**
Think Bollard Think Bullard



BUNNY LINE 180 (INGROUND LUMINAIRES)



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



GENERAL INFORMATION:

The Bunny Line 180 is a compact, high-performance in-ground luminaire designed for precise architectural and landscape illumination where space is limited but visual impact is essential. Engineered with a robust extruded aluminum housing and tempered glass diffuser, it delivers IP67-rated protection for long-lasting durability in demanding outdoor environments. Operating at 24V DC with a remote driver, this fixture offers multiple beam distributions—including symmetric and asymmetric options—for tailored lighting effects on walls, façades, and pathways. High CRI (>90) LED technology ensures excellent color rendering and visual comfort, while available dimming options (Non-Dimmable, 0–10V, Casambi, or DALI) provide flexible control. With its minimal profile, clean linear design, and professional-grade construction, the Bunny Line 18 integrates seamlessly into contemporary architectural applications requiring discreet yet powerful illumination.

LIGHTING:

LED 

VOLTAGE:

110-277V 

GASKETS:

Silicone gaskets

FIXTURE TYPE:

Inground Luminaires

MATERIAL:

Extruded aluminum EN AW-6060 T5 high resistance to oxidation,
Die-cast aluminum EN AB 44100 highly resistant to oxidation

EXTERNAL SCREWS:

Stainless steel A4-70 treated with highly antioxidant water-repellent lubricating solution

DIFFUSER MATERIAL:

Tempered glass 8mm

IP RATING:

IP 67 

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



APPLINCE CLASS:

|||

OPERATION RANGE:

24 V DC

DRIVER POSITION:

Remote

CRI:

>90

CABLE ENTRY / CABLE TYPE:

Brass cable gland M12 Ø 3.5/7 mm / FR5FOEM7-AD8 2x0.5mm2

CORD LENGTH:

0.5m

LIGHT DISTRIBUTION:

28° - Symmetrical medium flood (15° - 45°)
39° x 19° - 2 Axis symmetrical
69° x 139° - 2 Axis symmetrical

BEAM DIRECTIONABILITY:

Fixed optics

OPTICS:

Anti UV technopolymer lens

WARRANTY:

LED lighting products are warranted for 5 years.

MAIN FEATURES:

High visual comfort / Wide range of finishes
Functional design / Minimal design
Shock resistant / Operating Temperature: -22°F~122°F

FINISH OPTIONS:

Glass

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-001508.BAXO-GH-B69-139-1-DIM-AC551

BB-001508.BAXO-GH-B69-139-1-DIM-AC551

1 MODELS:

- A) Recessed depth - Ø: 2.76" (7 cm)
- B) Length - L: 7.09" (18 cm)
- C) Width - W: 1.38" (3.5 cm)

2 LIGHT SOURCE:

CODE BEAM ANGLE | WATTAGE | KELVINS | LUMENS

-B69-139-1	69°x139	1 x 1.74W	3000 K	1 x 208 lm	24 V DC
-B69-139-2		1 x 3 W	3000 K	1 x 321 lm	24 V DC
-B69-139-3		1 x 1.74W	4000 K	1 x 228 lm	24 V DC
-B69-139-4		1 x 3 W	4000 K	1 x 332 lm	24 V DC

-B39-19-1	39°x19°	1 x 4.5 W	3000 K	1 x 438 lm	24 V DC
-B39-19-2		1 x 4.5 W	4000 K	1 x 486 lm	24 V DC

-B28-1	28°	1 x 4.5 W	3000 K	1 x 438 lm	24 V DC
-B28-2		1 x 4.5 W	4000 K	1 x 486 lm	24 V DC

3 DIMMING OPTIONS:

- NON** NON-Dimmable
- DIM** 0-10V
- CAS** Casambi
- DAL** Dali

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:

**Example:
CODE: BB-001508.BAXO-GH-B69-139-1-
DIM-AC551**

BB-001508.BAXO-
GH-B69-139-1-
DIM-AC551

4

ACCESSORIES:

-AC205-IP66

IP66 remote power supply box



-AC279

IP 68 connector for through wiring 4P




-AC332

Rough-in housing 180mm



-AC551

Extraction tool Traccia



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA