



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard


**THE LILAS**  
BB-LLS-BL





FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

The Lilas bollard from Bullard Bollards is a sleek and modern outdoor lighting solution designed to enhance pathways, gardens, and public spaces with elegant illumination. Equipped with energy-efficient LED technology, The Lilas provides uniform, glare-free lighting while ensuring long-lasting performance in diverse weather conditions. With easy installation options for surface mounting or recessed integration, this bollard is both a functional and stylish addition to any outdoor environment.

**FIXTURE TYPE:**

Bollard

**VOLTAGE:**

110-277V



**MATERIAL:**

Die-casting powder coated aluminum.

**IP RATING:**

IP65



**LENS:**

PMMA

**WARRANTY:**

LED lighting products are warranted for 5 years.

**DRIVER POSITION:**

Remote

**MAIN FEATURES:**

- High visual comfort
- Available in a wide range of finishes
- Functional and minimalistic design
- Shock-resistant construction
- Operating Temperature: -104°F to +140°F.

**LIGHTING DISTRIBUTIONS:**

180°

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646





991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

Example: CODE: BB-LLS-BL-H1-30K-DIM-DG-JC3001	BB-LLS-BL- H1-30K-DIM- DG-JC3001
---	--

**1 BODY HEIGHT:**

- H1 H: 11.81" (30 cm)
- H2 H: 21.65" (55 cm)
- H3 H: 31.49" (80 cm)

**2 DIAMETER:**

A) Ø1: 4.33" (11 cm)

**3 LIGHT SOURCE:**

LED / 8.6W / 73 mA / 450 lm / 80 CRI

**4 CCT:**

- 30K 3000K
- 40K 4000K
- 50K 5000K
- CUS Custom on request

**5 DIMMING OPTIONS:**

- NON NON-Dimmable
- DIM 0-10V
- CAS Casambi
- LUT Lutron
- DAL Dali

**6 FINISH OPTIONS:**

- SB Sanded Black (RAL 9005)
- DG Sanded Dark Grey (Kap 7037)
- LSG Sanded Bronze (KAP 7008)
- CUS Custom on request\*

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**

**CODE:**



Example:  
CODE:  
BB-LLS-BL-H1-30K-DIM-DG-JC3001

BB-LLS-BL-  
H1-30K-DIM-  
DG-JC3001

**7 INSTALLATION BASE:**

Flange Base  
(included)\*

Ø: 5.91" (15 cm)






\*Flange base is a basic part you need to assemble the landing base.

Inground Base  
(option)

Code: **-JC3001**



L: 10.16" (25.8 cm)  
H: 8.27" (21 cm)  
Ø 1: 6.30" (16 cm)  
Ø 2: 3.54" (9 cm)



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**CODE:  
BB-LLS-BL**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**



**CODE:**

Example:  
CODE:  
BB-LLS-BL-H1-30K-DIM-DG-JC3001

BB-LLS-BL-  
H1-30K-DIM-  
DG-JC3001



**PHOTOMETRICS:**



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA