




**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**MAXI QUADRO**  
BB-XQDR-BL






**BULLARD  
BOLLARDS**  
Think Bullard Think Bullard

**CODE:  
BB-XQDR-BL**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

The MAXI QUADRO bollard offers a balanced blend of performance and design, making it an excellent choice for urban landscapes, commercial properties, and public spaces. Engineered for reliability, it features a robust die-cast aluminum body and tempered glass lens for enhanced durability. With its geometric diffuser and square top, it provides uniform light distribution and visual appeal. Designed to withstand harsh environments, the QUADRO ensures consistent operation in a wide temperature range with an IP65 rating for all-weather resilience.

**FIXTURE TYPE:**

Bollard

**VOLTAGE:**

110-277V



**MATERIAL:**

Die-cast aluminum

**LENS:**

Tempered glass

**IP RATING:**

IP 65



**DRIVER POSITION:**

Remote

**WARRANTY:**

LED lighting products are warranted for 5 years.

**MAIN FEATURES:**

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design
- Shock resistant
- Operating Temperature: -22°F~122°F

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

<b>Example:</b> CODE: BB-XQDR-BL-H5-K30-D18-WH-DIM	BB-XQDR-BL-H5-K30-D18-WH-DIM
--	------------------------------

<b>1</b>	<b>HEIGHT:</b>	<input type="text"/>
----------	----------------	----------------------

- H2 H: 8.66" (22 cm)
- H8 H: 31.5" (80 cm)
- H11 H: 43.3" (110 cm)

<b>2</b>	<b>LENGTH / WIDTH:</b>	<input type="text"/>
----------	------------------------	----------------------

L: 6.5" (16.5 cm) x W: 6.5" (16.5 cm)

<b>3</b>	<b>LIGHT SOURCE</b>	<input type="text"/>
----------	---------------------	----------------------

LED / 35 W / 3150 lm / CRI 90 / 110-277V

<b>4</b>	<b>CCT:</b>	<input type="text"/>
----------	-------------	----------------------

- K30 3000K
- K40 4000K

<b>5</b>	<b>LIGHT DISTRIBUTION:</b>	<input type="text"/>
----------	----------------------------	----------------------

- D18 180°
- D36 360°

<b>6</b>	<b>FINISH OPTIONS:</b>	<input type="text"/>
----------	------------------------	----------------------

- AG Anthracite grey (matt)
- LG Light grey (matt)
- WM White matt
- BM Black matt
- CM Corten matt
- BR Bronze
- AGM Antique grey (matt)
- BM Blue matt
- SM Sand matt
- GM Green matt

<b>7</b>	<b>DIMMING OPTIONS:</b>	<input type="text"/>
----------	-------------------------	----------------------

- NON NON-Dimmable
- DIM 0-10V
- CAS Casambi
- LUT Lutron
- DAL Dali

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA