



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**THE NAVI**  
BB-NV-BL





FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

The Navi Collection from Bullard Bollards offers a versatile range of outdoor lighting solutions, meticulously crafted to enhance both aesthetics and functionality. Constructed from die-cast aluminum, these bollards are available in three distinct sizes: 17.16" (43.6 cm), 32.9" (83.6 cm), 33.7" (85.6 cm). Each bollard operates efficiently on a voltage range of 110-277V and features LED technology, ensuring energy-efficient illumination. With an IP65 rating, they are designed to withstand various weather conditions, making them suitable for diverse outdoor environments. Finish options include Sanded Black, Dark Grey, and Light Sanded Grey, allowing seamless integration into different architectural styles.

**FIXTURE TYPE:**

Bollard

**VOLTAGE:**

110-277V



**MATERIAL:**

Die-casting powder coated aluminum.

**IP RATING:**

IP65



**LENS:**

PMMA

**WARRANTY:**


LED lighting products are warranted for 5 years.

**MAIN FEATURES:**

- High visual comfort
- Available in a wide range of finishes
- Functional and minimalistic design
- Shock-resistant construction
- Operating Temperature: -104°F to +140°F.

**LIGHTING DISTRIBUTIONS:**

50°



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**

**CODE:**

Example:  
CODE:  
BB-NV-BL-S-K30-DIM-SB-JC3001

BB-NV-BL-S-K30-  
DIM-SB-JC3001

**1 MODELS:**

**-S**

- A) Height - H: 17.17" (43.6 cm)
- B) Width head- W: 5.12" (13 cm)
- C) Length - L: 10.47" (26.6 cm)
- D) Diameter base - Ø: 5.12" (13 cm)

**LIGHT SOURCE:**



LED / 14.2W / 115 mA / 1210 lm / 80 CRI / 110-277V

**-M**

- A) Height - H: 32.91" (83.6 cm)
- B) Width head- W: 5.12" (13 cm)
- C) Length - L: 10.47" (27.6 cm)
- D) Diameter base - Ø: 5.91" (15 cm)

**LIGHT SOURCE:**

LED / 14.2W / 115 mA / 1210 lm / 80 CRI / 110-277V



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

**HOW TO ORDER:**

**CODE:**

<b>Example:</b> <b>CODE:</b> <b>BB-NV-BL-S-K30-DIM-SB-JC3001</b>	<b>BB-NV-BL-S-K30-DIM-SB-JC3001</b>
--	-------------------------------------

<b>2</b>	<b>CCT:</b>	
----------	-------------	--

- K30** 3000K
- K40** 4000K

<b>3</b>	<b>DIMMING OPTIONS:</b>	
----------	-------------------------	--

- NON** NON-Dimmable
- DIM** 0-10V
- CAS** Casambi
- LUT** Lutron
- DAL** Dali



<b>4</b>	<b>FINISH OPTIONS:</b>	
----------	------------------------	--

- SB** Sanded Black (RAL 9005)
- DG** Sanded Dark Grey (Kap 7037)
- LSG** Sanded Bronze (KAP 7008)
- CUS** Custom on request\*

<b>5</b>	<b>INSTALLATION BASE:</b>	
----------	---------------------------	--

Flange Base (included)

Ø: 5.91" (15 cm)




Inground Base (option)



Code: **-JC3001**



- L: 10.16" (25.8 cm)
- H: 8.27" (21 cm)
- Ø 1: 6.30" (16 cm)
- Ø 2: 3.54" (9 cm)



\*Flange base is a basic part you need to assemble the landing base.



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**CODE:  
BB-NV-BL**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_




**HOW TO ORDER:**

**CODE:**


Example:  
CODE:  
BB-NV-BL-S-K30-DIM-SB-JC3001

BB-NV-BL-S-K30-  
DIM-SB-JC3001

**PHOTOMETRICS:**






**ADJUSTABLE BEAM DIRECTION:**



-S

-M



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA