



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

RETTANGOLO WOOD

BB-RTW-BL





**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-RTW-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The Rettangolo Wood collection by Bullard Bollards features modern rectangular bollard lights designed for pathways, gardens, and parks with a glare-free illumination. Available in Rettangolo Wood S (4.3W) and Rettangolo Wood M (7.2W), these fixtures combine a high oxidation-resistant aluminum alloy with a realistic wood finish for durability and style. A polycarbonate diffuser enhances vandal resistance, while silicone gaskets ensure a weatherproof seal.

FIXTURE TYPE:

Bollard

VOLTAGE:

110-277V



MATERIAL:

Extruded aluminum EN AW-6060 T5 high resistance to oxidation

IP RATING:

IP 65



DRIVER POSITION:

Remote

DIFFUSER:

Polycarbonate

WARRANTY:

LED lighting products are warranted for 5 years

APPLIANCE CLASS:

II



MAIN FEATURES:

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design
- Shock resistant
- Operating Temperature: -20°C~ +35°C

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:


HOW TO ORDER:

CODE:

Example:
CODE: BB-RTW-BL-S-K30-DIM

BB-RTW-BL-S-
K30-DIM

1 MODELS:



-S

DIMENSIONS:

A) Height - H: 11.81" (30 cm)
 B) Length - L: 4.66" (12.4 cm)
 C) Width - W: 1.51" (4.1 cm)

LIGHT SOURCE:

LED / 4.3W / CRI 90 / 110-277V / 14.4 lm

BEAM ANGLE:

103° x 114°

-M

DIMENSIONS:

A) Height - H: 19.69" (50 cm)
 B) Length - L: 4.66" (12.4 cm)
 C) Width - W: 1.51" (4.1 cm)

LIGHT SOURCE:

LED / 7.2W / CRI 90 / 110-277V / 14.4 lm

BEAM ANGLE:

103° x 114°



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
 www.bullardbollards.com
 1-877-964-4646



991 South Gull Lake Dr
 Richland, MI 49083
 USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BB-RTW-BL-S-K30-DIM

BB-RTW-BL-S-K30-DIM

2 CCT:

| | |
|------|-------|
| -K30 | 3000K |
| -K40 | 4000K |

3 DIMMING OPTIONS:

| | |
|------|--------------|
| -NON | NON-Dimmable |
| -DIM | 0-10V |
| -CAS | Casambi |
| -LUT | Lutron |
| -DL | DALI |

4 FINISH OPTION:

Oak



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA