




**BULLARD
BOLLARDS**
Think Bollard Think Bullard

ZOOM SP STANDARD GRADE





**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-60-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

Series of spot lights to be mounted on floor, wall, spike, tree with belt or on a pole system. Available in various sizes inclinable on the vertical axis, they are designed for lighting facades, small, medium and tall trees, bushes, statues, columns and other architectural elements in general thanks to a wide range of optics and wattage. Zoom comes with a series of accessories that ensure different type of mounting and beam control.

FIXTURE TYPE:

Urban Lights

VOLTAGE:

110-277V



MATERIAL:

Stainless steel 316

OPTICAL:

24° / 37°

IP RATING:

IP 65



DRIVER POSITION:

Integral

LENS:


Anti-glare ring and protective glass, Polycarbonate

WARRANTY:

LED lighting products are warranted for 5 years.

MAIN FEATURES:

High visual comfort
Wide range of finishes
Functional design
Minimal design
Shock resistant
Operating Temperature: -22°F~122°F



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-60-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:

Example:

CODE: BB-60-GH-1-K30-AG-DIM-AC039-60-AC946

BB-60-GH-1-K30-
AG-DIM-AC039-60-
AC946

1

MODELS:

-0

DIMENSIONS:

Head Diameter - Ø: 3.6" (9.1 cm)
Head Over Height - H: 6.45" (16.4 cm)
Head Length - L: 4.45" (11.3 cm)

LIGHT SOURCE

LED / 16.5W / 2410 lm / CRI 90 / 24°

-1

DIMENSIONS:

Head Diameter - Ø: 3.6" (9.1 cm)
Head Over Height - H: 6.45" (16.4 cm)
Head Length - L: 4.45" (11.3 cm)

LIGHT SOURCE

LED / 23.7W / 3306 lm / CRI 90 / 37°

2

CCT:

-K27 2700K
-K30 3000K
-K40 4000K

3


FINISH OPTIONS:

-AG Anthracite grey (matt)
-LG Light grey (matt)
-WM White matt
-BM Black matt
-CM Corten matt
-BR Bronze
-AGM Antique grey (matt)
-BM Blue matt
-SM Sand matt
-GM Green matt


4

DIMMING OPTIONS:

-NON NON-Dimmable
-DIM 0-10V
-CAS Casambi
-LUT Lutron
-DAL Dali



-0



-1

LED

IP65



LUTRON

CASAMBI

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

Example:
CODE: BB-60-GH-1-K30-AG-DIM-AC039-60-AC946

CODE:

BB-60-GH-1-K30-
AG-DIM-AC039-60-
AC946

5

ACCESSORIES:

-AC039-60

Adapter for Ø60mm
MiniZoom/Zoom column



-AC039-76

Adapter for Ø76mm
MiniZoom/Zoom column



-AC039-89

Adapter for Ø89mm
MiniZoom/Zoom column



-AC039-102

Adapter for Ø102mm
MiniZoom/Zoom column



-AC133

MiniZoom/Zoom wrap
around pole bracket Ø
60mm - Single



-AC137

MiniZoom/Zoom wrap
around pole bracket Ø
60mm - Double




-AC135

Hood Zoom



-AC136

Anti glare louver Zoom





FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:

Example:
CODE: BB-60-GH-1-K30-AG-DIM-AC039-60-AC946

BB-60-GH-1-K30-
AG-DIM-AC039-60-
AC946

6

POLLS:

-AC946

Cylindrical piles to be
buried Ø2.36" / H: 9.85'



-AC950

Cylindrical piles to be
buried Ø3.54" / H: 13.13'



-AC951

Cylindrical piles to be
buried Ø3.54" / H: 14.76'




-AC953

Cylindrical piles to be buried
Ø3.54" / H: 16.4'




-AC956

Cylindrical piles to be buried
Ø3.93" / 19'




-AC959

Cylindrical piles to be buried
Ø3.93" / H: 23'



-AC962

Cylindrical piles to be buried
Ø3.93" / H: 26'



-AC969

Cylindrical poles with
base Ø2.3" / H: 13'



-AC970

Cylindrical poles with
base Ø3.54" / H: 13'



-AC971

Cylindrical poles with
base Ø3.54" / H: 15'




-AC972

Cylindrical poles with
base Ø3.54" / H: 16.5'



-AC973

Cylindrical poles with base
Ø3.93" / H: 16.5'



sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA