




**BULLARD
BOLLARDS**
Think Bollard Think Bullard

MAPLETON
BB-6165-GLC



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The Mapleton is a sleek 23.62" bollard crafted from stainless steel with a clear tempered glass diffuser. It features a 5W LED with CCT options of 3000K, 4000K, or 6000K and multiple dimming choices including 0-10V, Casambi, Lutron, and DALI. With an IP65 rating, shock resistance, and a wide range of finishes such as matte black, dark grey, matt grey, and gray metal sand grain, it delivers durability, modern design, and reliable performance backed by a 5-year warranty.

FIXTURE TYPE:

Bollard

VOLTAGE:

110-277V



MATERIAL:

Stainless steel

COATING:

Anti-corrosion and UV-proof powder coating

REFLECTOR:

Professional optical reflector

IP RATING:

IP 65



DRIVER POSITION:

Integral

DIFFUSER:

Clear tempered glass

WARRANTY:

LED lighting products are warranted for 5 years

APPLIANCE CLASS:

I



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646














991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER: _____ CODE: _____

Example:
CODE: BB-6165-GLC-40K-DIM-DG BB-6165-GLC-40K-DIM-DG

1 DIMENSIONS:

- A) Height - H: 23.62" (60 cm)
- B) Length - L: 6.50" (16.6 cm)
- C) Width - W: 3.27" (8.3 cm)

2 LIGHT SOURCE:

LED / 5W / 110-277V / CRI ≥80

3 CCT:

- 30K 3000K
- 40K 4000K
- 60K 6000K

4 DIMMING OPTIONS:

- NON NON-Dimmable
- DIM 0-10V
- CAS Casambi
- LUT Lutron
- DL DALI

5 FINISH OPTIONS:

- MB Matt Black 
- DG Dark Grey 
- MG Matt Grey 
- GM-SG Gray Metal Sand Grain 

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
 www.bullardbollards.com
 1-877-964-4646



991 South Gull Lake Dr
 Richland, MI 49083
 USA