



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**LEREN**  
BB-10203-BL





FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

The LEREN bollard stands 31.5" tall with a 5.91" diameter, featuring LED lighting with CCT options of 3000K or 4000K and dimming options of non-dimmable or 0-10V. Available in satin black (RAL9005) and graphite (RAL7024), it has an aluminum housing and PMMA optic material, finished with powder coating. It offers a 360° beam angle, an IP65 rating, and a 5-year warranty. Designed for high visual comfort and minimal design, it is shock resistant and operates in temperatures ranging from -40° to +60°. Appliance class II.

**FIXTURE TYPE:**

Bollard

**VOLTAGE:**

110-277V



**MATERIAL:**

Optic material -	PMMA
Housing material -	Aluminum
Product surface finishing -	Powder coating

**IP RATING:**

IP 65



**WARRANTY:**

LED lighting products are warranted for 5 years.

**APPLIANCE CLASS:**

II



**MAIN FEATURES:**

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design
- Shock resistant
- Operating Temperature: -40°~ +60°

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646




991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BB-10203-BL-K30-DIM-RAL9005

BB-10203-BL-K30-DIM-RAL9005

**1 DIMENSIONS:**

A) Height - H: 31.5" (80 cm)  
B) Diameter - Ø: 5.91" (15 cm)

**2 LIGHT SOURCE:**

LED / 10W / 1000 lm / CRI 80 / 360°

**3 CCT:**

-K30 3000K  
-K40 4000K

**4 DIMMING OPTIONS:**

-NON NON-Dimmable  
-DIM 0-10V

**5 FINISH OPTIONS:**

-RAL9005 Satin Black  
-RAL7024 Graphite



**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA