



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

SOLIN
BB-12001-UL





FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The SOLIN urban light fixture stands at 118" (300 cm) in height with a diameter of 4.72" (12 cm). It features an LED light source with CCT options of 3000K or 4000K, and dimming choices of non-dimmable or 0-10V. Available in satin black (RAL9005) or graphite (RAL7024), the housing is made of aluminum and steel with a PMMA optic material, all finished with powder coating. It provides a 90° beam angle and is IP65-rated for outdoor durability.

The fixture is shock-resistant, operates in temperatures from -40° to +60°, and comes with a 5-year warranty. Appliance class II.

FIXTURE TYPE:

Urban Light

VOLTAGE:

110-277V



MATERIAL:

Optic material -	PMMA
Housing material -	Aluminum + steel
Product surface finishing -	Powder coating

IP RATING:

IP 65



WARRANTY:

LED lighting products are warranted for 5 years.

APPLIANCE CLASS:

III



MAIN FEATURES:

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design
- Shock resistant
- Operating Temperature: -40°~ +60°

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-12001-UL-K30-DIM-RAL9005

BB-12001-UL-K30-
DIM-RAL9005

1 DIMENSIONS:

- A) Tot. Height - H: 118" (300 cm)
- B) Base Height - H: 69.90" (175 cm)
- C) Diameter - Ø: 4.72" (12 cm)

2 LIGHT SOURCE:

LED / 30W / 3000 lm / CRI 80 / 90° /

3 CCT:

- K30 3000K
- K40 4000K

4 DIMMING OPTIONS:

- NON NON-Dimmable
- DIM 0-10V

5 FINISH OPTIONS:

- RAL9005 Satin Black
- RAL7024 Graphite

LED

IP65



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA