



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

ALCOR Spotlight - Medium Power Spotlights





FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The ALCOR Medium Power Spotlight by Bullard Outdoor is a robust LED fixture crafted from 12# die-cast aluminum with a tempered glass lens (T=3mm). Operating on 110–277V, it provides efficient, high-quality illumination with a CRI of 80. Rated IP66 and IK07, it ensures durability and performance in any outdoor environment. Available in Sanded Bronze, Dark Gray, Black, and White finishes, ALCOR delivers reliable, stylish lighting for architectural and landscape applications.

FIXTURE TYPE:

Spotlight - Medium Power Spotlights

LIGHTING

LED

LED

VOLTAGE:

110-277V



MATERIAL:

12# Die-casting aluminum finishing

LENS:

Tempered glass.T=3mm

CRI:

80

IP RATING:

IP 66

IP66

IK RATING:

IK 05 / 06

FINISHING:

- Sanded Bronze
- Sanded Dark Gray
- Sanded Black
- Sanded White

CABLE GLAND:

IP68 PG-9 PA66

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

HOW TO ORDER:

CODE:

Example:
CODE: BB-ALR-KPG-SPT-XXX-XXX-XXX-XXX

BB-ALR-KPG-SPT-R3EJU0126-
K30-KAP7008-DIM-R8-15-
B-17B-CA3022

1 MODELS:

-R3EJU0126

Ø7cm (2.75")	10.4cm (4.09")
13.4cm (5.27")	
4.8cm (1.96")	4cm (1.57")

-R3DJU0169

Ø9cm (3.54")	13cm (5.11")
15cm (5.9")	
6cm (2.36")	5cm (2")

-R3CJU0171

Ø12cm (4.72")	17.3cm (6.81")
7.80" (19.8 cm)	
3.07" (7.8cm)	6.5cm (2.55")

-R3BJU0176

Ø16cm (6.3")	23.2cm (9.13")
25cm 9.85"	
10cm (3.93)	8.2cm (2.22")

CODE -R3EJU0126

DIMENSIONS:

Diameter - Ø: 2.75" (7 cm)
Height - H: 5.27" (13.4 cm)
Length - L: 4.09" (10.4 cm)

LIGHT SOURCE:

LED / 1 x 6W / 65 mA / 646 lm / 110-277V / IK 05

CODE -R3DJU0169

DIMENSIONS:

Diameter - Ø: 3.54" (9 cm)
Height - H: 5.9" (15 cm)
Length - L: 5.11" (13 cm)

LIGHT SOURCE:

LED / 1 x 16W / 145 mA / 1763 lm / 110-277V / IK 06

CODE -R3CJU0171

DIMENSIONS:

Diameter - Ø: 4.72" (12 cm)
Height - H: 7.80" (19.8 cm)
Length - L: 6.81" (17.3 cm)

LIGHT SOURCE:

LED / 1 x 20W / 205 mA / 2409 lm / 110-277V / IK 06

CODE -R3BJU0176

DIMENSIONS:

Diameter - Ø: 6.3" (16 cm)
Height - H: 9.85" (25 cm)
Length - L: 9.13" (23.2 cm)

LIGHT SOURCE:

LED / 1 x 40W / 372 mA / 4455 lm / 110-277V / IK 06

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BB-ALR-KPG-SPT-XXX-XXX-XXX-XXX

BB-ALR-KPG-SPT-R3EJU0126-
K30-KAP7008-DIM-R8-15-
B-17B-CA3022

2 CCT OPTIONS:

- K30 3000K
- CUS Custom on request*

3 FINISH OPTIONS:

- KAP7008 Sanded Bronze
- KAP7037 Sanded Dark Gray
- RAL 9005 Sanded Black
- RAL9003 Sanded White

4 DIMMING OPTIONS:

- DIM 1-10V
- PWM Pulse Width Modulation
- DALI DALI (Digital Addressable Lighting Interface)

5 BEAM ANGLE:


available only for -R3EJU0126 model		available only for -R3DJU0169 model		available only for -R3CJU0171 model	
-B8-15	15°	-R17-12	12°	-R19-10	10°
-B8-24	24°	-R17-18	18°	-R19-22	22°
-B8-38	38°	-R17-32	32°	-R19-38	38°
-B8-60	60°				

available only for
-R3BJU0176 model

-R16-12	12°
-R16-25	25°
-R16-38	38°

6 WATER PROOF SOLUTION: (optional)

- A Water-Stopper(Included)**
A IP-66 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.
- B B IP67 Jiffy quick plug/socket connector(Optional)**
A IP-67 connector is as an optional assembly and ensures that water vapor will not enter into luminaires directly.



sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BB-ALR-KPG-SPT-XXX-XXX-XXX-XXX

BB-ALR-KPG-SPT-R3EJU0126-
K30-KAP7008-DIM-R8-15-
B-17B-CA3022

6 ACCESSORIES:

SPIKE - PC-ABS alloys

-17B

-18C



-17B for R3CJU0171, -R3BJU0176 models
-18C for R3EJU0126, R3DJU0169 models

SPIKE - STAINLESS STEEL

-13B

-12C



-12C for R3EJU0126, R3DJU0169 models
-13B for R3CJU0171, R3BJU0176 models

TREE POLE STRAP

-RD003

-RD002



-RD002 for -R3CJU0171, -R3BJU0176 models
-RD003 for -R3EJU0126, -R3DJU0169 models

BEVEL CUT HOOD

-CA3022 -R3EJU0126

-CA3021 -R3DJU0169

-CA3020 -R3CJU0171

-CA3019 -R3BJU0176

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



BULLARD BOLLARDS
Think Bullard Think Bullard

**CODE:
BB-ALR-KPG-SPT**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

Example:
CODE: BB-ALR-KPG-SPT-XXX-XXX-XXX-XXX

CODE:


BB-ALR-KPG-SPT-R3EJU0126-
K30-KAP7008-DIM-R8-15-
B-17B-CA3022

7 FEATURE:



Gear: The gear between the luminaire housing and the U bracket to prevent sliding.

8 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-ALR-KPG-SPT**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:




HOW TO ORDER:

CODE:

Example:
CODE: BB-ALR-KPG-SPT-XXX-XXX-XXX-XXX

BB-ALR-KPG-SPT-R3EJU0126-
K30-KAP7008-DIM-R8-15-
B-17B-CA3022



sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA