



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

SLICK WILLY ARCHIGLOW
BB-SLWLAG-CL






**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-SLWLAG-CL**

FIXTURE TYPE: _____

PROJECT NAME: _____

-24V.3D1717.LFT



GENERAL INFORMATION:

Engineered for architectural excellence, this high-performance silicone neon LED delivers refined, shadow-free illumination with exceptional durability across demanding environments. Featuring a high-efficiency light source (LM80 certified) and a precision optical distribution design, it ensures perfectly uniform light with no visible dots or shadows; pure, continuous elegance. Crafted using an advanced three-color silicone extrusion process, the strip offers superior flexibility, clean cutting accuracy, and a sleek, dust-resistant finish. Compared to traditional PVC solutions, its premium silicone body provides enhanced resilience and a more sophisticated aesthetic. Built to endure, it resists UV exposure, corrosion, saline environments, acids, and alkalis, making it ideal for both indoor and outdoor architectural applications.

FIXTURE TYPE:

Arch LED Neon

MATERIAL:

Three-color silicone extrusion process

IP RATING:

IP67

IP67

IK RATING:

IK08

IK08

WARRANTY:

5 year warranty, high reliability

DRIVER POSITION:

Remote

MAIN FEATURES:

Light source: High luminous efficiency, LM80 proved.
Optical Design: Unique optical light distribution structure design.
Product Certification: UL, CE, ROHS, UKCA, CB
Working/Storage Temperature: Ta:-25~50°C / 0°C~60°C.
Product application: Signage lighting, Outdoor/indoor lighting, Architectural contour lighting.



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-SLWLAG-CL-24V.3D1717.LFT-2K24-ASAG-0001

BB-SLWLAG-CL-24V.3D1717.LFT-2K24-ASAG-0001

1 DIMENSIONS:

A) Length - L: 0.51" (1.3 cm)
B) Height - H: 0.47" (1.2 cm)

2 LIGHT SOURCE:

	CCT	CRI	INPUT VOLTAGE	RATED CURRENT (A/m)	RATED POWER	MAXIMUM POWER	LUMENS
-2K24	2200K	>90	24	0.4 (0.12A/ft)	9.6 (2.93W/ft)	10.6 (3.23W/ft)	500(152/ft)
-7K24	2700 K						590(179/ft)
-3K24	3000 K						600(182/ft)
-4K24	4000 K						570(173/ft)
-RB24	RGB R 620-630nm G 525-530nm B 465-470nm	/	24	0.5 (0.15A/ft)	12 (3.66W/ft)	13.2 (4.02W/ft)	/



STANDARD LENGTH	REMARK
5000mm (16.4ft) 10000mm (32.8ft)	7LED/50mm
5000mm (16.4ft)	7LED/83.3mm

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-SLWLAG-CL-24V.3D1717.LFT-2K24-ASAG-0001

BB-SLWLAG-
CL-24V.3D1717.LFT-
2K24-ASAG-0001

1 DIMENSIONS:

A) Length - L: 0.51" (1.3 cm)
B) Height - H: 0.47" (1.2 cm)

2 LIGHT SOURCE:

	CCT	CRI	INPUT VOLTAGE	RATED CURRENT (A/m)	RATED POWER	MAXIMUM POWER	LUMENS
-2K48	2200K	>90	48	0.11 (0.3A/ft)	5.3 (1.62W/ft)	5.8 (1.77W/ft)	260(79/ft)
-7K48	2700 K						290(88/ft)
-3K48	3000 K						290(88/ft)
-4K48	4000 K						300(91/ft)
-K248	2200K	>90	48	0.2 (0.06A/ft)	9.6 (2.93W/ft)	10.6 (3.23W/ft)	500(152/ft)
-K748	2700 K						580(176/ft)
-K348	3000 K						600(182/ft)
-K448	4000 K						560(170/ft)



STANDARD LENGTH	REMARK
50000mm (164ft)	12LED/100mm
20000mm (65.6ft)	

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:

Example:
CODE: BB-SLWLAG-CL-24V.3D1717.LFT-2K24-ASAG-0001

BB-SLWLAG-
CL-24V.3D1717.LFT-
2K24-ASAG-0001

3 ACCESSORIES:

ASAG-0001



ASAG-NNT1615A




ASAG-NNT1615A-25



ASAG-NNT1615GH0-EC



ASAG-NNT1615P-1000




ASAG-NNT1615P-25




ASAG-PG-0002



ASAG-WS-0012



ASAG-WS-0012



CP3AG-GBA



CR3AG-GBA



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA