



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**BOLITE PLANT**  
BB-BP-BL





FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**LED**

**IP65**



**GENERAL INFORMATION:**

The Bolite Plant Bollard combines functional lighting with minimalist design, featuring a durable 316# stainless steel housing. It is IP65-rated, operates reliably from -40° to +60°C, and offers high visual comfort with a CRI of 90. With 15W power and 1275 lumens, it's available in 3000K, 3500K, and 4000K color temperatures. The sleek design includes dimming options and comes in finishes like Inox, Browntech, Natural Black or White, making it ideal for contemporary outdoor spaces.

**FIXTURE TYPE:**

Bollard

**VOLTAGE:**

110-277V



**MATERIAL:**

Housing material - 316# Stainless steel

**IP RATING:**

IP 65

**IP65**

**LIGHT DISTRIBUTION:**

180°

**WARRANTY:**

LED lighting products are warranted for 5 years.

**APPLIANCE CLASS:**

III



**MAIN FEATURES:**

- High visual comfort
- Wide range of finishes
- Functional design
- Minimal design
- Shock resistant
- Operating Temperature: -40°~ +60°

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BB-BP-BL-K30-DIM-BL

BB-BP-BL-K30-  
DIM-BL

**1 DIMENSIONS:**

A) Diameter - Ø: 7.63" (19.37 cm)  
B) Height - H: 43.3" (110 cm)

**2 LIGHT SOURCE:**

LED / 15W / 1275 lm / CRI 90

**3 CCT:**

-K30 3000K  
-K35 3500K  
-K40 4000K

**4 DIMMING OPTIONS:**

-NON NON-Dimmable  
-DIM 0-10V

**5 FINISH OPTIONS:**

-IN Inox  
-BR Browntech  
-BL Natural Black  
-WH White

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA