




**BULLARD
BOLLARDS**
Think Bollard Think Bullard

LUMO STRIP CEILING





**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-1500.00LUMSTCL-GH**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



GENERAL INFORMATION:

LUMO STRIP CEILING is series of ceiling surface mounted luminaires with various dimensions. It is available in multiple sizes and it is especially designed for ambient with high level of humidity or for outdoor applications. It is highly recommended for accent lighting of small facades, porches, bathrooms, showers and other architectural elements in general thanks to the wide availability of optics and powers. The construction of the body in aluminum alloy high resistance to corrosion subjected nano-bonderite, make the product resistant and durable over time.

The finish and protection is made of primary treatment with nanoceramic conversion. Protection with textured polyester powder coating resistant to weathering and UV rays.

FIXTURE TYPE:

Ceiling

VOLTAGE:

110-277V



MATERIAL:

Extruded aluminum EN AW-6060 T5 high resistance to oxidation

IP RATING:

IP 66



WARRANTY:

LED lighting products are warranted for 5 years.

DRIVER POSITION:

Remote

MAIN FEATURES:

- High visual comfort
- Available in a wide choice of optics
- Functional and minimalistic design
- Reduced depth of recess
- Operating Temperature: -4°F to +122°F.

IK RATING

IK 10

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-1500.00LUMSTCL-GH-300-
B12-1-NON-AG

BB-1500.00LUMS
TCL-GH-300-
B12-1-NON-AG

1 MODELS:

**-300
DIMENSIONS:**

- A) Length - L: 12.99" (33 cm)
- B) Width - W: 1.69" (4.3 cm)
- C) Height - H: 3.54" (9 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE	
-B69139-1	69°	1 x 12.5W	3000K	1 x 1399 lm	110-277V	
-B69139-2		1 x 5.7 W	3000K	1 x 737 lm		
-B69139-3	139°	1 x 12.2W	4000K	1 x 1591 lm		
-B69139-4		1 x 5.7 W	4000K	1 x 838 lm		
-B12-1	12°	1 x 12.6W	3000K	1 x 1176 lm	110-277V	
-B12-2		1 x 12.6 W	4000K	1 x 1308 lm		
-B25-1	25°	1 x 12.6W	3000K	1 x 1176 lm	110-277V	
-B25-2		1 x 12.6 W	4000K	1 x 1308 lm		
-B50-1	50°	1 x 12.6W	3000K	1 x 1176 lm	110-277V	
-B50-2		1 x 12.6 W	4000K	1 x 1308 lm		
-B1447-1	14°	1 x 12.6W	3000K	1 x 1176 lm	110-277V	
-B1447-2		X	1 x 12.6 W	4000K		1 x 1308 lm
		47°				

THINK BOLLARD - THINK BULLARD


sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-1500.00LUMSTCL-GH-300-B12-1-NON-AG

BB-1500.00LUMS
TCL-GH-300-
B12-1-NON-AG

1 MODELS:

**-600
DIMENSIONS:**

- A) Length - L: 24.21" (61.5 cm)
- B) Width - W: 1.69" (4.3 cm)
- C) Height - H: 3.54" (9 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B69139-1	69°	1 x 24.4W	3000K	1 x 2798 lm	110-277V
-B69139-2	X	1 x 11.4W	3000K	1 x 1474 lm	
-B69139-3	139°	1 x 24.4W	4000K	1 x 3182 lm	
-B69139-4		1 x 5.7W	4000K	1 x 838 lm	
-B12-1	12°	1 x 25.2W	3000K	1 x 2352 lm	110-277V
-B12-2		1 x 25.2W	4000K	1 x 2616 lm	
-B25-1	25°	1 x 25.2W	3000K	1 x 2352 lm	110-277V
-B25-2		1 x 25.2W	4000K	1 x 2616 lm	
-B50-1	50°	1 x 25.2W	3000K	1 x 2352 lm	110-277V
-B50-2		1 x 25.2W	4000K	1 x 2616 lm	
-B1447-1	14° X 47°	1 x 25.2W	3000K	1 x 2352 lm	110-277V
-B1447-2		1 x 25.2W	4000K	1 x 2616 lm	

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-1500.00LUMSTCL-GH-300-B12-1-NON-AG

BB-1500.00LUMS
TCL-GH-300-
B12-1-NON-AG

1 MODELS:

-900

DIMENSIONS:

- A) Length - L: 35.43" (90 cm)
- B) Width - W: 1.69" (4.3 cm)
- C) Height - H: 3.54" (9 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B69139-1	69°	1 x 36.6W	3000K	1 x 4197 lm	110-277V
-B69139-2	X	1 x 17.1W	3000K	1 x 2211 lm	
-B69139-3	139°	1 x 36.6W	4000K	1 x 4773 lm	
-B12-1	12°	1 x 37.8W	3000K	1 x 3528 lm	110-277V
-B12-2		1 x 37.8W	4000K	1 x 3924 lm	
-B25-1	25°	1 x 37.8W	3000K	1 x 3528 lm	110-277V
-B25-2		1 x 37.8W	4000K	1 x 3924 lm	
-B50-1	50°	1 x 37.8W	3000K	1 x 3528 lm	110-277V
-B50-2		1 x 37.8W	4000K	1 x 3924 lm	
-B1447-1	14° X 47°	1 x 37.8W	3000K	1 x 3528 lm	110-277V
-B1447-2		1 x 37.8W	4000K	1 x 3924 lm	

THINK BOLLARD - THINK BULLARD


sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-1500.00LUMSTCL-GH-300-B12-1-NON-AG

BB-1500.00LUMS
TCL-GH-300-
B12-1-NON-AG

1 MODELS:

-1200

DIMENSIONS:

- A) Length - L: 47.24" (120 cm)
- B) Width - W: 1.69" (4.3 cm)
- C) Height - H: 3.54" (9 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B69139-1	69°	1 x 48.8W	3000K	1 x 5596 lm	110-277V
-B69139-2	X	1 x 22.8W	3000K	1 x 2948 lm	
-B69139-3	139°	1 x 48.8W	4000K	1 x 6364 lm	
-B69139-4		1 x 22.8W	4000K	1 x 3352 lm	
-B12-1	12°	1 x 50.4W	3000K	1 x 4704 lm	110-277V
-B12-2		1 x 50.4W	4000K	1 x 5232 lm	
-B25-1	25°	1 x 50.4W	3000K	1 x 4704 lm	110-277V
-B25-2		1 x 50.4W	4000K	1 x 5232 lm	
-B50-1	50°	1 x 50.4W	4000K	1 x 5232 lm	110-277V
-B1447-1	14°	1 x 50.4W	3000K	1 x 4704 lm	110-277V
-B1447-2	X	1 x 50.4W	4000K	1 x 5232 lm	
	47°				

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-1500.00LUMSTCL-GH-300-B12-1-NON-AG

BB-1500.00LUMS
TCL-GH-300-
B12-1-NON-AG

1 MODELS:

-1500

DIMENSIONS:

A) Length - L: 47.24" (120 cm)

B) Width - W: 1.69" (4.3 cm)

C) Height - H: 3.54" (9 cm)

LIGHT SOURCE:

CODE	BEAM ANGLE	WATTAGE	KELVINS	LUMENS	OPERATION RANGE
-B69139-1	69°	1 x 61 W	3000K	1 x 6995 lm	110-277V
-B69139-2	X	1 x 28.5W	3000K	1 x 3685 lm	
-B69139-3	139°	1 x 61 W	4000K	1 x 7955 lm	
-B69139-4		1 x 28.5W	4000K	1 x 4190 lm	
-B12-1	12°	1 x 63 W	3000K	1 x 5880 lm	110-277V
-B12-2		1 x 63 W	4000K	1 x 6540 lm	
-B25-1	25°	1 x 63 W	3000K	1 x 5880 lm	110-277V
-B25-2		1 x 63 W	4000K	1 x 6540 lm	
-B50-1	50°	1 x 63 W	4000K	1 x 6540 lm	110-277V
-B1447-1	14°	1 x 63 W	3000K	1 x 5880 lm	110-277V
-B1447-2	X	1 x 63 W	4000K	1 x 6540 lm	
	47°				

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BB-1500.00LUMSTCL-GH-300-
B12-1-NON-AG



BB-1500.00LUMS
TCL-GH-300-
B12-1-NON-AG

2 DIMMING OPTIONS:

-NON NON-Dimmable
-DIM 0-10V

3 FINISH OPTIONS:

STANDARD FINISHES

-AG Anthracite grey(matt) 
-LG Light grey(matt) 

CUSTOM REQUEST FINISHES

-WM White matt 
-BR Bronze 
-AGM Antique grey matt 
-SM Sand matt 
-BM Black matt 
-CM Corten matt 
-BLM Blue matt 
-GM Green matt 

4 ACCESSORIES:

-AC205-IP66
IP66 remote power supply box



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA