



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

THE CUBY-S

Park/Urban/Garden Pole Luminaires





FIXTURE TYPE: _____

PROJECT NAME: _____

-CS.00.1960



-CS.00.1958



-CS.00.1956



GENERAL INFORMATION:

Series of pole luminaires designed for lighting of pathways, cycle paths and green areas. The body is constructed of high oxidation resistant aluminum alloy which is subjected to nano-bonderite treatment and finished with texturized polyester powder paint, making the product resistant to atmospheric agents and UV rays, guaranteeing maximum protection over the years. Silicone gaskets ensure maximum sealing in all operating and temperature conditions. The ultra transparent tempered sodium calcium glass diffuser ensures maximum light transmittance and is finished with a silkscreen border. All the external screws are in stainless steel.

FIXTURE TYPE:

Urban Luminaires

LIGHTING

LED **LED**

VOLTAGE:

110-277V

MATERIAL:

Die-casting aluminum finishing

CRI:

>90

IP RATING:

IP 66 **IP66**

IK RATING:

IK 10

BUILT FOR THE STORM



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

HOW TO ORDER:

CODE:

Example:
CODE: BB-CS-GN-PL-CS.00.1960-BRFT.300-AG-AC204

BB-CS-GN-PL-
CS.00.1960-BRFT.300-
AG-AC204

1

MODELS:

-CS.00.1960



-CS.00.1958



-CS.00.1956




CODE -CS.00.1960

-BRFT.300

DIMENSIONS:

Length: 3.54" [9 cm]
Width: 3.54" [9 cm]
Height/Projection (H): 4.92" [12.5 cm]



LIGHT SOURCE:

LED / 11.9 W / 3000K / 1635 lm
Luminaire efficiency: 83.4 lm/W
Fixture consumption: 14 W
Luminaire emission[lm]: 1X1168


OPTICAL:

Beam angle: 32°
Light distribution: Symmetrical wide beam (45° - 125°)
Beam directionability: Fixed optics

-AHFT.300

DIMENSIONS:

Length: 3.54" [9 cm]
Width: 3.54" [9 cm]
Height/Projection (H): 4.92" [12.5 cm]



LIGHT SOURCE:

LED / 5.8 W / 3000K / 872 lm
Luminaire efficiency: 91.3 lm/W
Fixture consumption: 6.8 W
Luminaire emission[lm]: 1X623

OPTICAL:

Beam angle: 32°
Light distribution: Symmetrical wide beam (45° - 125°)
Beam directionability: Fixed optics



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-CS.00.1960



-CS.00.1958



-CS.00.1956



HOW TO ORDER:

CODE:

Example:
CODE: BB-CS-GN-PL-CS.00.1960-BRFT.300-AG-AC204

BB-CS-GN-PL-
CS.00.1960-BRFT.300-
AG-AC204


1 MODELS:

CODE -R.00.1131

-BRFT.400

DIMENSIONS:

Length: 3.54" [9 cm]
Width: 3.54" [9 cm]
Height/Projection (H): 4.92" [12.5 cm]



LIGHT SOURCE:

LED / 11.9 W / 4000K / 1768 lm
Luminaire efficiency: 90.2 lm/W
Fixture consumption: 14 W
Luminaire emission[lm]: 1X1263


OPTICAL:

Beam angle: 32°
Light distribution: Symmetrical wide beam (45° - 125°)
Beam directionability: Fixed optics

-AHFT.400

DIMENSIONS:

Length: 3.54" [9 cm]
Width: 3.54" [9 cm]
Height/Projection (H): 4.92" [12.5 cm]



LIGHT SOURCE:

LED / 5.8 W / 4000 K / 942 lm
Luminaire efficiency: 98.6 lm/W
Fixture consumption: 6.8 W
Luminaire emission[lm]: 1X673

OPTICAL:

Beam angle: 32°
Light distribution: Symmetrical wide beam (45° - 125°)
Beam directionability: Fixed optics



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

HOW TO ORDER:

CODE:

Example:
CODE: BB-CS-GN-PL-CS.00.1960-BRFT.300-AG-AC204

BB-CS-GN-PL-
CS.00.1960-BRFT.300-
AG-AC204

1

MODELS:

-CS.00.1960



-CS.00.1958



-CS.00.1956




CODE -CS.00.1958

-FAFT.300

DIMENSIONS:

Length: 4.92" [12.5 cm]
Width: 4.92" [12.5 cm]
Height/Projection (H): 6.96" [17.7 cm]



LIGHT SOURCE:

LED / 14.7 W / 3000K / 2181 lm
Luminaire efficiency: 90.6 lm/W
Fixture consumption: 17.3 W
Luminaire emission[lm]: 1X1567


OPTICAL:

Beam angle: 37°
Light distribution: Symmetrical medium flood (15° - 45°)
Beam directionability: Fixed optics

-LRPT.300

DIMENSIONS:

Length: 4.92" [12.5 cm]
Width: 4.92" [12.5 cm]
Height/Projection (H): 6.96" [17.7 cm]



LIGHT SOURCE:

LED / 17 W / 3000K / 1930 lm
Luminaire efficiency: 74.5 lm/W
Fixture consumption: 20 W
Luminaire emission[lm]: 1X1490

OPTICAL:

Beam angle: 53°
Light distribution: Symmetrical wide beam (45° - 125°)
Beam directionability: Fixed optics



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-CS.00.1960



-CS.00.1958



-CS.00.1956



HOW TO ORDER:

CODE:

Example:
CODE: BB-CS-GN-PL-CS.00.1960-BRFT.300-AG-AC204

BB-CS-GN-PL-
CS.00.1960-BRFT.300-
AG-AC204


1 MODELS:

CODE -R.00.1958

-FAFT.400

DIMENSIONS:

Length: 4.92" [12.5 cm]
Width: 4.92" [12.5 cm]
Height/Projection (H): 6.96" [17.7 cm]



LIGHT SOURCE:

LED / 14.7 W / 4000K / 2345 lm
Luminaire efficiency: 97.4 lm/W
Fixture consumption: 17.3 W
Luminaire emission[lm]: 1X1685


OPTICAL:

Beam angle: 35°
Light distribution: Symmetrical medium flood (15° - 45°)
Beam directionability: Fixed optics

-LRPT.400

DIMENSIONS:

Length: 4.92" [12.5 cm]
Width: 4.92" [12.5 cm]
Height/Projection (H): 6.96" [17.7 cm]



LIGHT SOURCE:

LED / 17 W / 4000 K / 2116 lm
Luminaire efficiency: 81.7 lm/W
Fixture consumption: 20 W
Luminaire emission[lm]: 1X1634

OPTICAL:

Beam angle: 53°
Light distribution: Symmetrical wide beam (45° - 125°)
Beam directionability: Fixed optics



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

HOW TO ORDER:

CODE:

Example:
CODE: BB-CS-GN-PL-CS.00.1960-BRFT.300-AG-AC204

BB-CS-GN-PL-
CS.00.1960-BRFT.300-
AG-AC204

1

MODELS:

-CS.00.1960



-CS.00.1958



-CS.00.1956




CODE -CS.00.1956

-CGFT.300

DIMENSIONS:

Length: 7.87" [20 cm]
Width: 7.87" [20 cm]
Height/Projection (H): 11.02" [28 cm]



LIGHT SOURCE:

LED / 23.7 W / 3000K / 3306 lm
Luminaire efficiency: 97.3 lm/W
Fixture consumption: 26.9 W
Luminaire emission[lm]: 1X2621


OPTICAL:

Beam angle: 74°
Light distribution: Symmetrical wide beam (45° - 125°)
Beam directionability: Fixed optics

-CGAT.300

DIMENSIONS:

Length: 7.87" [20 cm]
Width: 7.87" [20 cm]
Height/Projection (H): 11.02" [28 cm]



LIGHT SOURCE:

LED / 23.7 W / 3000K / 3306 lm
Luminaire efficiency: 106.5 lm/W
Fixture consumption: 26.9 W
Luminaire emission[lm]: 1X2867

OPTICAL:

Beam angle: 64° x 82° x 20°
Light distribution: Asymmetric flood (wall washer)
Beam directionability: Fixed optics



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-CS.00.1960



-CS.00.1958



-CS.00.1956



HOW TO ORDER:

CODE:

Example:
CODE: BB-CS-GN-PL-CS.00.1960-BRFT.300-AG-AC204

BB-CS-GN-PL-
CS.00.1960-BRFT.300-
AG-AC204

1 MODELS:

CODE -R.00.1956


-CGFT.400

DIMENSIONS:

Length: 7.87" [20 cm]

Width: 7.87" [20 cm]

Height/Projection (H): 11.02" [28 cm]



LIGHT SOURCE:

LED / 23.7 W / 4000K / 3555 lm

Luminaire efficiency: 104.6 lm/W

Fixture consumption: 26.9 W

Luminaire emission[lm]: 1X2818

OPTICAL:

Beam angle: 74°

Light distribution: Symmetrical wide beam (45° - 125°)

Beam directionability: Fixed optics


-CGAT.400

DIMENSIONS:

Length: 7.87" [20 cm]

Width: 7.87" [20 cm]

Height/Projection (H): 11.02" [28 cm]



LIGHT SOURCE:

LED / 23.7 W / 4000K / 3555 lm

Luminaire efficiency: 114.5 lm/W

Fixture consumption: 26.9 W

Luminaire emission[lm]: 1X3083

OPTICAL:

Beam angle: 64° x 82° x 20°

Light distribution: Asymmetric flood (wall washer)

Beam directionability: Fixed optics



sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

HOW TO ORDER:

CODE:

Example:
 CODE:BB-CS-GN-PL-CS.00.1960-BRFT.300-AG-AC204

BB-CS-GN-PL-
 CS.00.1960-BRFT.300-
 AG-AC204

2

DRAWINGS

-CS.00.1960




-CS.00.1958




-CS.00.1956




CODE -R.00.1131



CODE -R.00.1151



CODE -R.00.1135



sales@gordonbullard.com
 www.bullardoutdoor.com
 1-877-964-4646



991 South Gull Lake Dr
 Richland, MI 49083
 USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-R.00.1131



-R.00.1135



-R.00.1151



HOW TO ORDER:

CODE:

Example:
CODE: BB-CS-GN-PL-CS.00.1960-BRFT.300-AG-AC204

BB-CS-GN-PL-
CS.00.1960-BRFT.300-
AG-AC204

3 FINISH OPTIONS:

STANDARD FINISHES


- AG Anthracite grey(matt)
- LG Light grey(matt)

CUSTOM REQUEST FINISHES


- WM White matt
- BR Bronze
- AGM Antique grey matt
- SM Sand matt
- BM Black matt
- CM Corten matt
- BLM Blue matt
- GM Green matt

4 ACCESSORIES


-AC180



-AC181



-AC182



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-R.00.1131



-R.00.1135



-R.00.1151



HOW TO ORDER:


CODE:

Example:
CODE:BB-CS-GN-PL-CS.00.1960-BRFT.300-AG-AC204

BB-CS-GN-PL-
CS.00.1960-BRFT.300-
AG-AC204

4 ACCESSORIES

-AC184



-AC185




-AC204




-AC409



-AC410



-AC900



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-R.00.1131



-R.00.1135



-R.00.1151



HOW TO ORDER:


CODE:

Example:
CODE: BB-CS-GN-PL-CS.00.1960-BRFT.300-AG-AC204


BB-CS-GN-PL-
CS.00.1960-BRFT.300-
AG-AC204

4 ACCESSORIES


-AC903



-AC969



-AC979



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

THE MONOCOLO

Park/Urban/Garden Pole Luminaires





FIXTURE TYPE: _____

PROJECT NAME: _____

-M.00.600



-M.00.601



GENERAL INFORMATION:

Series of spot lights to be mounted on floor, wall, spike, tree with belt or on a pole system. Available in various sizes inclinable on the vertical axis, they are designed for lighting facades, small, medium and tall trees, bushes, statues, columns and other architectural elements in general thanks to a wide range of optics and wattage. MONOCOLO comes with a series of accessories that ensure different type of mounting and beam control. The body and diffuser closure ring are constructed of high oxidation resistant aluminum alloy which is subjected to nano-bonderite treatment and finished with textured polyester powder paint, making the product resistant to atmospheric agents and UV rays, guaranteeing maximum protection over the years. Silicone gaskets ensure maximum sealing in all operating and temperature conditions. The ultra transparent tempered sodium calcium glass diffuser ensures maximum light transmittance and is finished with a silkscreen border. All the external screws are in stainless steel.

FIXTURE TYPE:

Urban Luminaires

LIGHTING

LED

VOLTAGE:

110-277V

MATERIAL:

Die-casting aluminum finishing

LENS:

B57

CRI:

80

IP RATING:

IP 66

IK RATING:

IK 08



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646

BUILT FOR THE STORM



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-M.00.600



-M.00.601



HOW TO ORDER:

CODE:

Example:
CODE: BB-MO-GN-PL-M.00.600-BRFT.300-AG-AC133

BB-MO-GN-PL-
M.00.600-BRFT.300-
AG-AC133

1

MODELS:

CODE-M.00.600

-BRFT.300

DIMENSIONS:

Length: 3.54" [9 cm]

Width: 4.44" [11.3 cm]

Height/Projection (H): 6.53" [16.6 cm]

LIGHT SOURCE:

LED / 16.5 W / 3000K / 2410 lm

Luminaire efficiency: 111.4 lm/W

Fixture consumption: 19.4 W

Luminaire emission[lm]: 1X2163

OPTICAL:

Beam angle: 24°

Light distribution: Symmetrical medium flood (15 ° - 45 °)

Beam directionability: Adjustable

CODE-M.00.601

-NGMT.300

DIMENSIONS:

Length: 4.90" [12.45 cm]

Width: 4.76" [12.1 cm]

Height/Projection (H): 7.87" [20 cm]

LIGHT SOURCE:

LED / 23.7 W / 3000K / 3306 lm

Luminaire efficiency: 95.6 lm/W

Fixture consumption: 26.9 W

Luminaire emission[lm]: 1X2163

OPTICAL:

Beam angle: 37°

Light distribution: Symmetrical medium flood (15 ° - 45 °)

Beam directionability: Adjustable



sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-M.00.600



-M.00.601



HOW TO ORDER:


CODE:

Example:
CODE: BB-MO-GN-PL-M.00.600-BRFT.300-AG-AC133


BB-MO-GN-PL-
M.00.600-BRFT.300-
AG-AC133

2 DRAWINGS:

CODE-M.00.600



CODE -M.00.601



3 FINISH OPTIONS:

STANDARD FINISHES

- AG Anthracite grey(matt)
- LG Light grey(matt)

CUSTOM REQUEST FINISHES

- WM White matt
- BR Bronze
- AGM Antique grey matt
- SM Sand matt
- BM Black matt
- CM Corten matt
- BLM Blue matt
- GM Green matt



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-MO-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-R.00.1131



-R.00.1135



-R.00.1151



HOW TO ORDER:

CODE:

Example:
CODE: BB-MO-GN-PL-M.00.600-BRFT.300-AG-AC133

BB-MO-GN-PL-
M.00.600-BRFT.300-
AG-AC133

4 ACCESSORIES

-AC039.102




-AC039.60



-AC039.76



-AC039.89



-AC133



-AC137



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-R.00.1131



-R.00.1135



-R.00.1151



HOW TO ORDER:

CODE:

Example:
CODE: BB-MO-GN-PL-M.00.600-BRFT.300-AG-AC133


BB-MO-GN-PL-
M.00.600-BRFT.300-
AG-AC133

4 ACCESSORIES


-AC135




-AC136




-AC946




-AC950



-AC951



-AC953



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-MO-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-R.00.1131



-R.00.1135



-R.00.1151



HOW TO ORDER:


CODE:

Example:
CODE: BB-MO-GN-PL-M.00.600-BRFT.300-AG-AC133


BB-MO-GN-PL-
M.00.600-BRFT.300-
AG-AC133

4 ACCESSORIES


-AC956




-AC959




-AC962




-AC969



-AC970



-AC971



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-MO-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-R.00.1131



-R.00.1135



-R.00.1151



HOW TO ORDER:


CODE:

Example:
CODE: BB-MO-GN-PL-M.00.600-BRFT.300-AG-AC133


BB-MO-GN-PL-
M.00.600-BRFT.300-
AG-AC133

4 ACCESSORIES


-AC972




-AC973




-AC974




-AC975



-AC976



-AC978



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA