



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

CASTOR Spotlight - Asymmetrical Wall Washer





FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The CASTOR Asymmetrical Wall Washer by Bullard Outdoor is a durable LED fixture made from die-cast aluminum with a tempered glass lens. Operating on 110–277V with IP66 and IK06 ratings, it delivers efficient, high-quality wall illumination and comes in Sanded Bronze, Dark Gray, Black, and White finishes.

FIXTURE TYPE:

Spotlight - Asymmetrical Wall Washer

LIGHTING

LED



VOLTAGE:

110-277V



MATERIAL:

12# Die-casting aluminum finishing

LENS:

Tempered glass.T=3mm

CRI:

80

IP RATING:

IP 66



IK RATING:

IK 06

FINISHING:

- Sanded Bronze
- Sanded Dark Gray
- Sanded Black
- Sanded White

CABLE GLAND:

IP68 PG-9 PA66

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____


PROJECT NAME: _____

NOTES:


-C3FKA1057

22cm
(8.66")

12.7cm
(5")




16.2cm
(6.37")




-C3GKA1257

28.5cm
(11.22")

15.8cm
(6.22)




19.8cm
(7.80")




-C3HKA2157

35cm(13.77")

20.5cm
(8")



24.6cm
(9.68")



HOW TO ORDER:

CODE:

Example:
CODE: BO-CST-KPG-SPT-XXX-XXX-XXX-XXX

BO-CST-KPG-SPT-
C3FKA1057-K30-KAP7008-
C20-B

1 MODELS:

CODE -C3FKA1057

DIMENSIONS:

Length - L: 8.66" (22 cm)
Height - H: 6.37" (16.2 cm)

LIGHT SOURCE:

LED / 10 x 1.5W / 174 mA / 1516 lm / 110-277V

CODE -C3GKA1257

DIMENSIONS:

Length - L: 11.22" (28.5 cm)
Height - H: 7.80" (19.8 cm)

LIGHT SOURCE:

LED / 12 x 2W / 211 mA / 1808 lm / 110-277V

CODE -C3HKA2157

DIMENSIONS:

Length - L: 13.77" (35 cm)
Height - H: 9.68" (24.6 cm)

LIGHT SOURCE:

LED / 21 x 1.7W / 360 mA / 2960 lm / 110-277V

2 CCT OPTIONS:

-K30 3000K
-CUS Custom on request*

3 FINISH OPTIONS:

-KAP7008 Sanded Bronze
-KAP7037 Sanded Dark Gray
-RAL 9005 Sanded Black
-RAL9003 Sanded White



sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-CST-KPG-SPT-XXX-XXX-XXX-XXX

BO-CST-KPG-SPT-
C3FKA1057-K30-KAP7008-
C20-B

4 BEAM ANGLE:

- C20-75 75°
- C20-50 50°

5 WATER PROOF SOLUTION: (optional)

- A Water-Stopper(Included)**
A IP-66 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.
- B IP67 Jiffy quick plug/socket connector(Option)**
A IP-67 connector is as an optional assembly and ensures that water vapor will not enter into luminaires directly.




6 FEATURE:



Gear: The gear between the luminaire housing and the U Bracket to prevent sliding.

7 BEAM DEMO:



sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BO-CST-KPG-SPT**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:




HOW TO ORDER:

CODE:

Example:
CODE: BO-CST-KPG-SPT-XXX-XXX-XXX-XXX

BO-CST-KPG-SPT-
C3FKA1057-K30-KAP7008-
C20-B

8 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA