



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**FRUIT CIRCLE
PENDANT**





**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-P7704-GL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED

IP67



LUTRON

CASAMBI

GENERAL INFORMATION:

FRUIT CIRCLE collection is available in a variety of sizes and mount styles, direct light emission and hundreds of finishing options. Dimmable outdoor rated power supply and IP67 luminaire. Catenary cable, ceiling, and wall mounting options

FIXTURE TYPE:

Pendant

VOLTAGE:

110-277V



MATERIAL:

Extruded, machined, formed and welded 6061-T6 aluminum

OPTICS:

Machined, formed and welded satin PMMA circular integraldiffuser optimal light chamber design for dot-less uniform lighting

IP RATING:

IP 67

IP67

DRIVER POSITION:

Remote

LIGHT DISTRIBUTION:

Direct

WARRANTY:

LED lighting products are warranted for 5 years.

MAIN FEATURES:

High visual comfort
Wide range of finishes
Functional design
Minimal design
Shock resistant
Operating Temperature: -22°F~122°F

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA




**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-P7704-GL**

FIXTURE TYPE: _____

PROJECT NAME: _____



LED

IP67



©LUTRON

CASAMBI

HOW TO ORDER:

CODE:

Example:

CODE: BB-P7704-GL-D1-H1-CR8-K27-DIM-WH-SS

BB-P7704-GL-D1-H1-
CR8-K27-DIM-WH-SS

1

CIRCLE DIAMETER:

-D1	Ø: 24" (61 cm)
-D2	Ø: 36" (91.4 cm)
-D3	Ø: 42" (106.7 cm)
-D4	Ø: 48" (122 cm)
-D5	Ø: 56" (142.2 cm)
-D6	Ø: 60" (152.4 cm)
-D7	Ø: 72" (182.9 cm)
-D8	Ø: 78" (198.1 cm)
-D9	Ø: 84" (213.3 cm)
-D10	Ø: 96" (243.8 cm)
-D11	Ø: 120" (304.8 cm)
-CUS*	Custom on request*

2

CIRCLE HEIGHT:

-H1	H: 1.5" (3.8 cm)
-H2	H: 2" (5.1 cm)
-H3	H: 2.5" (6.35 cm)
-H4	H: 3" (7.6 cm)
-H5	H: 3.5" (8.9 cm)
-H6	H: 4" (10.1 cm)
-H7	H: 5" (12.7 cm)
-H8	H: 6" (15.2 cm)
-CUS*	Custom on request*

3

LED CRI:

-CR8	CRI 80
-CR9	CRI 90

4

SPECIFY CCT:

-K27	2700K
-K30	3000K
-K35	3500K
-K40	4000K
-RGB	RGB
-RGBW	RGBW

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2024 All Rights Reserved

Updated 02/20/2026




**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-P7704-GL**

FIXTURE TYPE: _____

PROJECT NAME: _____



LED

IP67



LUTRON

CASAMBI

HOW TO ORDER:

CODE:

Example:

CODE: BB-P7704-GL-D1-H1-CR8-K27-DIM-WH-SS

BB-P7704-D1-H1-
CR8-K27-DIM-WH-SS

5

DIMMING OPTIONS:

-NON	NON-Dimmable
-DIM	0-10V
-CAS	Casambi
-LUT	Lutron

6

FINISH OPTIONS:

-WH	White (RAL 9010)	
-GR	Green (RAL 6010)	
-CO	Corten (RAL 8023)	
-LGR	Light Grey (RAL 7047)	
-DGR	Dark Grey (RAL 7021)	
-BL	Black (RAL 9005)	
-BW	Black+ Brown wood Painted detail	
-LW	Black+ Light wood Painted detail	
-DW	Black+ Dark wood Painted detail	
-CUS	Custom on request*	

7

LIGHT SOURCE OUTPUT:

LED / 26W / 2,166 lm	for 24" (61 cm) model
LED / 39W / 3,250 lm	for 36" (91.4 cm) model
LED / 45W / 3,735 lm	for 42" (106.7 cm) model
LED / 52W / 4,333 lm	for 48" (122 cm) model
LED / 60W / 4,980 lm	for 56" (142.2 cm) model
LED / 65W / 5,416 lm	for 60" (152.4 cm) model
LED / 78W / 6,500 lm	for 72" (182.9 cm) model
LED / 83W / 6,889 lm	for 78" (198.1 cm) model
LED / 90W / 7,470 lm	for 84" (213.3 cm) model
LED / 104W / 8,666 lm	for 96" (243.8 cm) model
LED / 128W / 10,624 lm	for 120" (304.8 cm) model

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-P7704-GL**

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:


Example:
CODE: BB-P7704-GL-D1-H1-CR8-K27-DIM-WH-SS

BB-P7704-D1-H1-
CR8-K27-DIM-WH-SS


9

INSTALLATION OPTIONS:


-SS




-CS



-CTW (catenary cable wall mounting)



-CTP (catenary cable pole mounting)



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2024 All Rights Reserved

Updated 02/20/2026