



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**RAYZ**

## **Spotlight - Garden Luminaires**





**BULLARD  
BOLLARDS**  
Think Bullard Think Bullard

**CODE:  
BB-RZ-KPG-SPT**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



#### GENERAL INFORMATION:

The RYZ Garden Spotlight by Bullard Outdoor is a sleek and durable LED luminaire designed for outdoor and landscape applications. Built from 12# die-cast aluminum with a tempered glass lens (T=3mm), it operates on 110–277V and delivers reliable, high-quality illumination with a CRI of 80. With IP66 and IK06 protection and a nickel-coated copper cable gland, RYZ offers exceptional performance and longevity. Available in Sanded Bronze, Dark Gray, Black, and White finishes, it combines modern design with rugged outdoor durability.

#### FIXTURE TYPE:

Spotlight - Garden Luminaires

#### LIGHTING

LED

LED

#### VOLTAGE:

110-277V



#### MATERIAL:

12# Die-casting aluminum finishing

#### LENS:

Tempered glass.T=3mm

#### CRI:

80

#### IP RATING:

IP 66

IP66

#### IK RATING:

IK 06

#### FINISHING:

Sanded Bronze  
Sanded Dark Gray  
Sanded Black  
Sanded White

#### CABLE GLAND:

Nickel coated copper

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)

[www.bullardbollards.com](http://www.bullardbollards.com)

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**CODE:  
BB-RZ-KPG-SPT**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:

**HOW TO ORDER:**

**CODE:**

Example:

CODE: BB-RZ-KPG-SPT-XXX-XXX-XXX-XXX-XXX-XXX

BB-RZ-KPG-SPT-B3ACX0158-  
K30-KAP7008-DIM-B33-9-  
B-17B-BS001-Mh021

1

**MODELS:**

**CODE -B3ACX0158**

DIMENSIONS:

Diameter - Ø: 1.77" (4.5 cm)

Height - H: 2.9" (7.3 cm)

Length - L: 3.55" (9 cm)

LIGHT SOURCE:

LED / 1 x 3W / 45 mA / 258 lm / 110-277V

**CODE -B3ADX0127**

DIMENSIONS:

Diameter - Ø: 2.35" (6 cm)

Height - H: 3.9" (10 cm)

Length - L: 4.13" (10.5 cm)

LIGHT SOURCE:

LED / 1 x 8W / 92 mA / 968 lm / 110-277V

**CODE -B3AEX0169**

DIMENSIONS:

Diameter - Ø: 2.95" (7.5 cm)

Height - H: 4.8" (12.2 cm)

Length - L: 5.1" (13 cm)

LIGHT SOURCE:

LED / 1 x 14W / 70 mA / 1689 lm / 110-277V

2

**CCT OPTIONS:**

-K30 3000K

-CUS Custom on request\*

3

**FINISH OPTIONS:**


-KAP7008 Sanded Bronze

-KAP7037 Sanded Dark Gray


-RAL 9005 Sanded Black

-RAL9003 Sanded White


**-B3ACX0158**



**-B3ADX0127**



**-B3AEX0169**



**LED**

**110-  
277V**



**IP66**

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

Updated 01/27/2026

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved



**BULLARD  
BOLLARDS**  
Think Bullard Think Bullard

**CODE:  
BB-RZ-KPG-SPT**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



LED

110-277V

IP66

**HOW TO ORDER: CODE:**

Example:  
CODE: BB-RZ-KPG-SPT-XXX-XXX-XXX-XXX-XXX-XXX

BB-RZ-KPG-SPT-B3ACX0158-K30-KAP7008-DIM-B33-9-B-18C-BS001-Mh021

**4 DIMMING OPTIONS:**


- DIM 1-10V
- PWM Pulse Width Modulation
- DALI DALI (Digital Addressable Lighting Interface)

**5 BEAM ANGLE:**

|                                        |     |                                        |     |
|----------------------------------------|-----|----------------------------------------|-----|
| available only for<br>-B3ACX0158 model |     | available only for<br>-B3ACX0158 model |     |
| -B33-9                                 | 9°  | -B73-30                                | 30° |
| -B33-15                                | 15° |                                        |     |
| -B33-20                                | 20° |                                        |     |
| -B33-30                                | 30° |                                        |     |
| -B33-45                                | 45° |                                        |     |
| -B33-60                                | 60° |                                        |     |
| available only for<br>-B3ADX0127 model |     | available only for<br>-B3AEX0169 model |     |
| -B71-15                                | 15° | -B67-15                                | 15° |
| -B71-24                                | 24° | -B67-25                                | 25° |
| -B71-33                                | 33° | -B67-38                                | 38° |
| -B71-45                                | 45° | -B67-50                                | 50° |
| -B71-60                                | 60° |                                        |     |

**6 WATER PROOF SOLUTION: (optional)**

- A Water-Stopper(Included)**  
A IP-66 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.
- B B IP67 Jiffy quick plug/socket connector(Option)**  
A IP-67 connector is as an optional assembly and ensures that water vapor will not enter into luminaires directly.



sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



**BULLARD  
BOLLARDS**  
Think Bullard Think Bullard

**CODE:  
BB-RZ-KPG-SPT**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



## HOW TO ORDER:

CODE:

Example:

CODE: BB-RZ-KPG-SPT-XXX-XXX-XXX-XXX-XXX-XXX

BB-RZ-KPG-SPT-B3ACX0158-  
K30-KAP7008-DIM-B33-9-  
B-18C-BS001-Mh021

7

## ACCESSORIES:

SPIKE - PC-ABS alloys

-17B



-18C



-17B for B3AEX0169

-18C for B3ACX0158, B3ADX0127 models

SPIKE - STAINLESS STEEL

-13B



-12C



-12C for -B3ACX0158, -B3ADX0127 models

-13B for -B3AEX0169

ROUND SURFACE MOUNTING BASE

-BS001

-B3ACX0158



-BS002

-B3ADX0127



-BS003

-B3AEX0169



HOOD

-CA3038

-B3ACX0158



-CA3039

-B3ADX0127



-CA3040

-B3AEX0169



sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard

**CODE:  
BB-RZ-KPG-SPT**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



**HOW TO ORDER:** \_\_\_\_\_ **CODE:** \_\_\_\_\_

Example:  
CODE: BB-RZ-KPG-SPT-XXX-XXX-XXX-XXX-XXX-XXX

BB-RZ-KPG-SPT-B3ACX0158-  
K30-KAP7008-DIM-B33-9-  
B-18C-BS001-Mh021

**7 ACCESSORIES:**

**HONEYCOMB LOUVER**

- Mh21 -B3ACX0158
- Mh89 -B3ADX0127
- Mh90 -B3AEX0169




**8 FEATURE:**



**Gear:** The gear between the luminaire housing and the U bracket to prevent sliding.

**9 PHOTOMETRIC INFO:**



sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA



**CODE:**  
**BB-RZ-KPG-SPT**

Updated 01/27/2026



**BULLARD  
BOLLARDS**  
Think Bullard Think Bullard

**CODE:  
BB-RZ-KPG-SPT**

FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_

NOTES:



LED

110-277V


IP66

**HOW TO ORDER:**

**CODE:**

Example:  
CODE: BB-RZ-KPG-SPT-XXX-XXX-XXX-XXX-XXX-XXX

BB-RZ-KPG-SPT-B3ACX0158-  
K30-KAP7008-DIM-B33-9-  
B-18C-BS001-Mh021



sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA