



**BULLARD  
BOLLARDS**  
Think Bollard Think Bullard



**TANGO BOLLARD FROSTED**  
BB-TNG-FRS-BL





FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**GENERAL INFORMATION:**

The Tango Frosted Bollard from Bullard Bollards is a contemporary light column designed to deliver powerful outdoor LED illumination for general and area lighting. Constructed from durable aluminum with a powder-coated finish, it ensures longevity and resistance to environmental factors. Offers four different color temperature options, as well as an RGWB option, enabling tailored lighting solutions to suit specific environments. Features stainless steel hardware and an impact-resistant, UV-stabilized acrylic lens, ensuring longevity and stability in outdoor settings.

**FIXTURE TYPE:**

Bollard

**VOLTAGE:**

110-277V



**MATERIAL:**

Stainless Steel / Aluminum

**IP RATING:**

IP65



**LENS:**

PC

**WARRANTY:**

LED lighting products are warranted for 5 years.

**MAIN FEATURES:**

- High visual comfort
- Available in a wide range of finishes
- Functional and minimalistic design
- Shock-resistant construction
- Operating Temperature: -104°F to +140°F.

**LIGHTING DISTRIBUTIONS:**

36°

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646





991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

**Example:**

**CODE:** BB-TNG-FRS-BL-BH1-BW1-SH1-AL-K30-GR-DAL-LSB2-ITS

BB-TNG-FRS-BL-BH1-BW1-SH1-AL-K30-GR-DAL-LSB2-ITS

**1** BODY HEIGHT:

- BH1 H: 24" (61 cm)
- BH2 H: 36" (91 cm)
- BH3 H: 48" (122 cm)
- BH4 H: 56" (142 cm)
- BH5 H: 96" (244 cm)
- BH6 H: 120" (305 cm)
- BH7 H: 168" (427 cm)
- BH9 H: 192" (488 cm)
- BHC CUS\*

**2** BODY WIDTH:

- BW1 W: 6" (15 cm)
- BW2 W: 8" (20 cm)
- BW3 W: 10" (25 cm)
- BW4 W: 12" (30 cm)
- BWC CUS\*

**3** BASE HEIGHT:

- SH1 H: 4" (10 cm)
- SH2 H: 6" (15 cm)
- SH3 H: 8" (20 cm)
- SH4 H: 12" (30 cm)
- SH5 H: 16" (41 cm)
- SH6 H: 18" (46 cm)
- SH7 H: 24" (61 cm)
- SHC CUS\*

**4** BODY MATERIAL:

- SS Stainless Steel
- AL Aluminum

**5** CCT:

- K27 2700K
- K30 3000K
- K35 3500K
- K40 4000K
- RGBW RGWB

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646





991 South Gull Lake Dr  
Richland, MI 49083  
USA



FIXTURE TYPE: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_



**HOW TO ORDER:**

**CODE:**

**Example:**  
CODE: BB-TNG-FRS-BL-BH1-BW1-SH1-AL-K30-GR-DAL-LSB2-ITS

BB-TNG-FRS-BL-BH1-  
BW1-SH1-AL-K30-  
GR-DAL-LSB2-ITS

**6 BODY FINISH OPTIONS:**

Stainless powder coated standard colors:

- SW White
- WH Green
- GR Corten
- CO Grey
- GR Black

**-M316** Matt: 316 Stainless steel with a #4 swirl brushed stainless surface finish

**-CUS** Custom on request\*

**7 DIMMING OPTIONS:**

- NON NON-Dimmable
- DIM 0-10V
- CAS Casambi
- LUT Lutron
- DAL Dali

**8 LIGHT SOURCE OUTPUT BOLLARD:**

- LSB2 2 W / 110 lm
- LSB3 3 W / 200 lm
- LSB5 5W / 294 lm
- LSB6 6 W / 396 lm
- LSB9 9 W / 580 lm
- LSB10 10 W / 590 lm
- LSB15 15 W / 880 lm
- LSBC Custom Lumen packages on request\*

**9 LIGHT SOURCE OUTPUT COLUMN:**

- LSC17 17 W / 1200 lm
- LSC20 20 W / 1400 lm
- LSC27 27 W / 1780 lm
- LSC40 40W / 2600 lm
- LSC55 55 W / 3200 lm
- LSC65 65 W / 3810 lm
- LSC78 78 W / 8188 lm

**THINK BOLLARD - THINK BULLARD**

sales@gordonbullard.com  
www.bullardbollards.com  
1-877-964-4646



991 South Gull Lake Dr  
Richland, MI 49083  
USA