



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

NOIRE MAX

Inground Luminaire - Linear Luminaires





FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

Illuminate your outdoor space with NorieMax Collection, offering powerful in-ground lights in three models and sizes. Featuring precision B33 lenses and efficient LED sources, NorieMax delivers focused illumination with a 20° degree. Rated IK08, NorieMax ensures durability against impacts.

FIXTURE TYPE:

Inground Luminaire - Linear Luminaires

LIGHTING:

LED



VOLTAGE:

110-277V



MATERIAL:

Extruded aluminium, powder coated

CRI:

80

IP RATING:

IP 67



IK RATING:

IK 08

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA



FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
 CODE: BB-NRM-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BB-NRM-KPG-IL-
 B2RKB0657P-K30-B-

1 MODELS:

CODE -B2RKB0657P

DIMENSIONS:

Height - H: 2.95" (7.5 cm)
 Width - W: 3.27" (8.3 cm)
 Length - L: 12.80" (32.5 cm)

LIGHT SOURCE:

LED / 6 x 2W / 625 mA / 1226 lm / IK 08 / 110-277V

CODE -B2RKB1257P

DIMENSIONS:

Height - H: 2.95" (7.5 cm)
 Width - W: 3.27" (8.3 cm)
 Length - L: 22.24" (56.5 cm)

LIGHT SOURCE:

LED / 12 x 2W / 1250 mA / 2432 lm / IK 08 / 110-277V

CODE -B2RKB2457P

DIMENSIONS:

Height - H: 2.95" (7.5 cm)
 Width - W: 3.27" (8.3 cm)
 Length - L: 41.14" (104.5 cm)

LIGHT SOURCE:

LED / 24 x 2W / 2500 mA / 4924 lm / IK 08 / 110-277V

2 CCT OPTIONS:

-K30 3000K
 -CUS Custom on request*

3 OPTICS:

-B33-9 9° (12°)
 -B33-15 15°
 -B33-20 20°
 -B33-60 60° (45°)

sales@gordonbullard.com
 www.bullardbollards.com
 1-877-964-4646



991 South Gull Lake Dr
 Richland, MI 49083
 USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BB-NRM-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BB-NRM-KPG-IL-
B2RKBO657P-K30-B-




4 WATER PROOF SOLUTION: (optional)

- B **A Water-Stopper(Included)**
IP-67 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.
- B IP67 Jiffy quick plug/socket connector(Optional)**
IP-67 connector is as an Optional assembly and ensures that water vapor will not enter into luminaires directly.




5 ACCESSORIES:

SLEEVE (INCLUDED)

-  - 142# - L: 12.80"
-  - 143# - L: 22.24"
-  - 144# - L: 41.14"

6 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-NRM-KPG-IL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:







HOW TO ORDER:

CODE:

Example:
CODE: BB-NRM-KPG-IL-XXX-XXX-XXX-XXX-XXX-XXX

BB-NRM-KPG-IL-
B2RKB0657P-K30-B-

6 PHOTOMETRIC INFO:



sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA