





**BULLARD
BOLLARDS**
Think Bollard Think Bullard

MINI QUADRO DARK WOOD (STANDARD GRADE)





**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-MQD-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The MiniQuadro Dark Wood series by Bullard Bollards offers bollards with a minimalist design, available in various sizes and heights. These fixtures are designed to illuminate avenues, walkways, pathways, terraces, gardens, and parks without causing glare. Constructed from high oxidation-resistant aluminum alloy, they undergo nano-bonderite treatment and are finished with textured polyester powder paint, ensuring resistance to atmospheric agents and UV rays for long-lasting protection.

FIXTURE TYPE:

Bollard

VOLTAGE:

110-277V



MATERIAL:

Extruded aluminum EN AW-6060 T5 high resistance to oxidation

IP RATING:

IP 65

IP65

DRIVER POSITION:

Remote

DIFFUSER:

UV resistant polycarbonate

WARRANTY:

LED lighting products are warranted for 5 years

APPLIANCE CLASS:

II



MAIN FEATURES:

High visual comfort
Wide range of finishes
Functional design
Minimal design
Shock resistant
Operating Temperature: -20°C~ +35°C

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA




**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-MQD-BL**


FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



-S



-M



THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

HOW TO ORDER:

CODE:

Example:
CODE: BB-MQD-BL-S-L1-K30-O1-DIM

BB-MQD-BL-S-
L1-K30-O1-DIM

1 MODELS:

-S

A) Height - H: 11.81" (30 cm)
B) Length - L/W: 2.36" (6 cm)

-M

A) Height - H: 19.69" (50 cm)
B) Length - L/W: 2.36" (6 cm)

2 LIGHT SOURCE:

-L1 LED / 4.2W / CRI 90 / 110-277V / 560 lm
-L2 LED / 8.4W / CRI 90 / 110-277V / 1020 lm

3 CCT:

-K30 3000K
-K40 4000K

4 OPTICAL:

-O1 180°
-O2 360°

5 DIMMING OPTIONS:

-NON NON-Dimmable
-DIM 0-10V
-CAS Casambi
-LUT Lutron
-DL DALI

6 FINISH OPTION:

Oak