




**BULLARD
BOLLARDS**
Think Bollard Think Bullard

NEXEL
BB-1701-BL





**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-1701-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The Nexel bollard from Bullard Outdoor combines a modern and classic design with smart lighting compatibility, supporting DMX512 and RDM systems. Designed for easy installation and low energy consumption, it's perfect for landscapes, lawns, and garden paths. Standing 23.62" (60 cm) tall with a sleek 2.36" (6 cm) width and 5.5" (14 cm) depth, it features a 6W LED light source with an 85 lm/W output, available in multiple color temperatures (2700K–5000K) and beam angles (25°, 40°, 120°). The bollard also has a CRI of 80 or 90 and an IP65 protection rating for outdoor durability.

FIXTURE TYPE:

Bollard

LIGHTING:

LED



VOLTAGE:

110-277V



MATERIAL:

Aluminum + PMMA

IP:

IP 65



BEAM ANGLE:

120°

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA



FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:
CODE: BB-1701-BL-B25-K30-C80-DIM-CUS

BB-1701-BL-B25-K30-C80-DIM-CUS

1 DIMENSIONS:

A) Height - H: 23.62" (60 cm)
B) Length - L: 2.36" (6 cm)
C) Depth - D: 5.5" (14 cm)

2 LIGHT SOURCE:

LED / 6W / 85 lm/W

3 BEAM ANGLE:

-B25 25°
-B40 40°
-B120 120°

4 CCT:

-K27 2700K
-K30 3000K
-K40 4000K
-K50 5000K

5 CRI:

-C80 CRI 80
-C90 CRI 90

6 DIMMING OPTIONS:

-NON NON-Dimmable
-DIM 1-10V
-DMX DMX512
-RDM RDM

7 FINISH OPTIONS:

-WH White
-BL Black
-CUS Custom on request*

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com
www.bullardbollards.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA