

**BULLARD
BOLLARDS**
Think Bollard Think Bullard

THE SPACESHIP

Park/Urban/Garden Pole Luminaires





**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

-SPH.00.5484



-SPH.00.5486



GENERAL INFORMATION:

Series of projection lighting fixtures for pole, wall, and ground installation. Available in two sizes, rotatable and tilting on the vertical axis, designed for lighting parking lots, bike paths, plazas, facades, green areas, perimeter areas and other architectural elements thanks to a wide availability of optics and wattage. THE SPACESHIP comes with a range of accessories that enable different types of mounting. The construction of the luminaire in aluminum alloy with high resistance to oxidation and subjected to treatment with nano-bonderite and textured polyester powder coating make the product resistant to weathering and UV rays, guaranteeing maximum protection over the years. Silicone gaskets ensure maximum sealing in all operating and temperature conditions. The ultra-clear tempered sodium calcic glass diffuser ensures maximum light transmittance. The hardware is completely made of stainless steel.

FIXTURE TYPE:

Urban Luminaires

LIGHTING

LED

LED

VOLTAGE:

110-277V



MATERIAL:

Die-casting aluminum finishing

LENS:

B57

CRI:

80

IP RATING:

IP 65

IP65

IK RATING:

IK 07

BUILT FOR THE STORM



sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved

Updated 01/20/2026



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-SPH.00.5484



-SPH.00.5486



HOW TO ORDER:

CODE:

Example:

CODE: BB-SH-GN-PL-SPH.00.5484-NH1T.300-AG-AC100

BB-SH-GN-PL-
SPH.00.5484-
NH1T.300-AG-AC100

1

MODELS:

CODE -SPH.00.5484

-NH1T.300

DIMENSIONS:

Length: 15.35" [39 cm]

Width: 8.46" [21.5 cm]

Height/Projection (H): 2.48" [6.3 cm]

LIGHT SOURCE:

LED / 33 W / 3000K / 5247 lm

Luminaire efficiency: 97.8 lm/W

Fixture consumption: 37.5 W

Luminaire emission[lm]: 1X3669

OPTICAL:

Beam angle: 147° x 72°

Light distribution: Asymmetrical wide flood

Beam directionability: Fixed optics

-NH2T.300

DIMENSIONS:

Length: 15.35" [39 cm]

Width: 8.46" [21.5 cm]

Height/Projection (H): 2.48" [6.3 cm]

LIGHT SOURCE:

LED / 33 W / 3000K / 5247 lm

Luminaire efficiency: 96.7 lm/W

Fixture consumption: 37.5 W

Luminaire emission[lm]: 1X3626

OPTICAL:

Beam angle: 145° x 72°

Light distribution: Asymmetrical wide flood

Beam directionability: Fixed optics



sales@gordonbullard.com

www.bullardoutdoor.com


1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES: _____

-SPH.00.5484



-SPH.00.5486



HOW TO ORDER:

CODE:

Example:
CODE: BB-SH-GN-PL-SPH.00.5484-NH1T.300-AG-AC100

BB-SH-GN-PL-
SPH.00.5484-
NH1T.300-AG-AC100

1

MODELS:

CODE -SPH.00.5484

-NH3T.300

DIMENSIONS:

Length: 15.35" [39 cm]

Width: 8.46" [21.5 cm]

Height/Projection (H): 2.48" [6.3 cm]

LIGHT SOURCE:

LED / 33 W / 3000K / 5247 lm

Luminaire efficiency: 100.4 lm/W

Fixture consumption: 37.5 W

Luminaire emission[lm]: 1X3764

OPTICAL:

Beam angle: 157° x 92°

Light distribution: Asymmetrical wide flood

Beam directionability: Fixed optics

-NH1T.400

DIMENSIONS:

Length: 15.35" [39 cm]

Width: 8.46" [21.5 cm]

Height/Projection (H): 2.48" [6.3 cm]

LIGHT SOURCE:

LED / 33.3 W / 4000K / 5430 lm

Luminaire efficiency: 100.3 lm/W

Fixture consumption: 37.8 W

Luminaire emission[lm]: 1X3797

OPTICAL:

Beam angle: 147° x 72°

Light distribution: Asymmetrical wide flood

Beam directionability: Fixed optics



sales@gordonbullard.com

www.bullardoutdoor.com


1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES: _____

-SPH.00.5484



-SPH.00.5486



HOW TO ORDER:

CODE:

Example:

CODE: BB-SH-GN-PL-SPH.00.5484-NH1T.300-AG-AC100

BB-SH-GN-PL-
SPH.00.5484-
NH1T.300-AG-AC100

1

MODELS:

CODE -SPH.00.5484

-NH2T.400

DIMENSIONS:

Length: 15.35" [39 cm]

Width: 8.46" [21.5 cm]

Height/Projection (H): 2.48" [6.3 cm]

LIGHT SOURCE:

LED / 33.3 W / 4000K / 5430 lm

Luminaire efficiency: 99.2 lm/W

Fixture consumption: 37.8 W

Luminaire emission[lm]: 1X3753

OPTICAL:

Beam angle: 145° x 72°

Light distribution: Asymmetrical wide flood

Beam directionability: Fixed optics

-NH3T.400

DIMENSIONS:

Length: 15.35" [39 cm]

Width: 8.46" [21.5 cm]

Height/Projection (H): 2.48" [6.3 cm]

LIGHT SOURCE:

LED / 33.3 W / 4000K / 5430 lm

Luminaire efficiency: 102.9 lm/W

Fixture consumption: 37.8 W

Luminaire emission[lm]: 1X3895

OPTICAL:

Beam angle: 157° x 92°

Light distribution: Asymmetrical wide flood

Beam directionability: Fixed optics



sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES: _____

-SPH.00.5484



-SPH.00.5486



HOW TO ORDER:

CODE:

Example:

CODE: BB-SH-GN-PL-SPH.00.5484-NH1T.300-AG-AC100

BB-SH-GN-PL-
SPH.00.5484-
NH1T.300-AG-AC100

1

MODELS:

CODE -SPH.00.5486

-NB2T.300

DIMENSIONS:

Length: 20.78" [52.8 cm]

Width: 8.46" [12.40 cm]

Height/Projection (H): 2.75" [7 cm]

LIGHT SOURCE:

LED / 66.3 W / 3000K / 10326 lm

Luminaire efficiency: 113.5 lm/W

Fixture consumption: 73.7 W

Luminaire emission[lm]: 1 x 8364

OPTICAL:

Beam angle: 145° x 71°

Light distribution: Other

Beam directionability: Fixed optics

-NB1T.300

DIMENSIONS:

Length: 20.78" [52.8 cm]

Width: 8.46" [12.40 cm]

Height/Projection (H): 2.75" [7 cm]

LIGHT SOURCE:

ED / 66.3 W / 3000K / 10326 lm

Luminaire efficiency: 117.3 lm/W

Fixture consumption: 73.7 W

Luminaire emission[lm]: 1 x 8642

OPTICAL:

Beam angle: 149° x 73°

Light distribution: Other

Beam directionability: Fixed optics



sales@gordonbullard.com

www.bullardoutdoor.com


1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES: _____

-SPH.00.5484



-SPH.00.5486



HOW TO ORDER:

Example:
CODE: BB-SH-GN-PL-SPH.00.5484-NH1T.300-AG-AC100

CODE:

BB-SH-GN-PL-
SPH.00.5484-
NH1T.300-AG-AC100

1

MODELS:

CODE -SPH.00.5486

-NB3T.300

DIMENSIONS:

Length: 20.78" [52.8 cm]

Width: 8.46" [12.40 cm]

Height/Projection (H): 2.75" [7 cm]

LIGHT SOURCE:

LED / 66.3 W / 3000K / 10326 lm

Luminaire efficiency: 113.7 lm/W

Fixture consumption: 73.7 W

Luminaire emission[lm]: 1 x 8380

OPTICAL:

Beam angle: 158° x 98°

Light distribution: Other

Beam directionability: Fixed optics

-SB2T.300

DIMENSIONS:

Length: 20.78" [52.8 cm]

Width: 8.46" [12.40 cm]

Height/Projection (H): 2.75" [7 cm]

LIGHT SOURCE:

ED / 94.5 W / 3000K / 14178 lm

Luminaire efficiency: 109.4 lm/W

Fixture consumption: 105 W

Luminaire emission[lm]: 1 x 11484

OPTICAL:

Beam angle: 145° x 71°

Light distribution: Other

Beam directionability: Fixed optics



sales@gordonbullard.com

www.bullardoutdoor.com


1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES: _____

-SPH.00.5484



-SPH.00.5486



HOW TO ORDER:

CODE:

Example:
CODE: BB-SH-GN-PL-SPH.00.5484-NH1T.300-AG-AC100

BB-SH-GN-PL-
SPH.00.5484-
NH1T.300-AG-AC100

1

MODELS:

CODE -SPH.00.5486

-NX3T.300

DIMENSIONS:

Length: 20.78" [52.8 cm]

Width: 8.46" [12.40 cm]

Height/Projection (H): 2.75" [7 cm]

LIGHT SOURCE:

LED / 126 W / 3000K / 18904 lm

Luminaire efficiency: 115.5 lm/W

Fixture consumption: 137 W

Luminaire emission[lm]: 1 x 15821

OPTICAL:

Beam angle: 149° x 73°

Light distribution: Other

Beam directionability: Fixed optics

-ME2T.400

DIMENSIONS:

Length: 20.78" [52.8 cm]

Width: 8.46" [12.40 cm]

Height/Projection (H): 2.75" [7 cm]

LIGHT SOURCE:

ED / 154.8 W / 4000K / 23660 lm

Luminaire efficiency: 113.9 lm/W

Fixture consumption: 168.3 W

Luminaire emission[lm]: 1 x 19165

OPTICAL:

Beam angle: 145° x 71°

Light distribution: Other

Beam directionability: Fixed optics



sales@gordonbullard.com

www.bullardoutdoor.com


1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

-SPH.00.5484



-SPH.00.5486



HOW TO ORDER:

CODE:

Example:

CODE: BB-SH-GN-PL-SPH.00.5484-NH1T.300-AG-AC100

BB-SH-GN-PL-
SPH.00.5484-
NH1T.300-AG-AC100

1

MODELS:

CODE -SPH.00.5486

-MEBT.400

DIMENSIONS:

Length: 20.78" [52.8 cm]

Width: 8.46" [12.40 cm]

Height/Projection (H): 2.75" [7 cm]

LIGHT SOURCE:

LED / 154.8 W / 4000K / 23660 lm

Luminaire efficiency: 97.5 lm/W

Fixture consumption: 137 W

Luminaire emission[lm]: 1 x 16403

OPTICAL:

Beam angle: 159°

Light distribution: Symmetrical wide beam (45 ° - 125 °)

Beam directionability: Fixed optics

-ME6T.400

DIMENSIONS:

Length: 20.78" [52.8 cm]

Width: 8.46" [12.40 cm]

Height/Projection (H): 2.75" [7 cm]

LIGHT SOURCE:

ED / 154.8 W / 4000K / 23660 lm

Luminaire efficiency: 136.5 lm/W

Fixture consumption: 168.3 W

Luminaire emission[lm]: 1 x 22964

OPTICAL:

Beam angle: 43°

Light distribution: Symmetrical wide beam (45 ° - 125 °)

Beam directionability: Fixed optics



sales@gordonbullard.com

www.bullardoutdoor.com


1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES: _____

-SPH.00.5484



-SPH.00.5486



HOW TO ORDER:

CODE:

Example:



CODE: BB-SH-GN-PL-SPH.00.5484-NH1T.300-AG-AC100

BB-SH-GN-PL-
SPH.00.5484-
NH1T.300-AG-AC100

2

DRAWINGS:

CODE-SPH.00.5484



CODE-SPH.00.5486



3

FINISH OPTIONS:

STANDARD FINISHES

-AG Anthracite grey(matt)
-LG Light grey(matt)

CUSTOM REQUEST FINISHES

-WM White matt
-BR Bronze
-AGM Antique grey matt
-SM Sand matt
-BM Black matt
-CM Corten matt
-BLM Blue matt
-GM Green matt



sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES: _____

-SPH.00.5484



-SPH.00.5486



HOW TO ORDER:

CODE:


Example:
CODE: BB-SH-GN-PL-SPH.00.5484-NH1T.300-AG-AC100

BB-SH-GN-PL-
SPH.00.5484-
NH1T.300-AG-AC100

4

ACCESSORIES

-AC100



-AC541



-AC542



-AC547



-AC548



-AC549



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved

Updated 01/20/2026



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES: _____

-SPH.00.5484



-SPH.00.5486



HOW TO ORDER:

CODE:

Example:
CODE: BB-SH-GN-PL-SPH.00.5484-NH1T.300-AG-AC100

BB-SH-GN-PL-
SPH.00.5484-
NH1T.300-AG-AC100

4

ACCESSORIES

-AC552



-AC553



-AC554



-AC557



-AC558



-AC204



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved

Updated 01/20/2026



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES: _____

-SPH.00.5484



-SPH.00.5486



HOW TO ORDER:

CODE:


Example:
CODE: BB-SH-GN-PL-SPH.00.5484-NH1T.300-AG-AC100

BB-SH-GN-PL-
SPH.00.5484-
NH1T.300-AG-AC100


4

ACCESSORIES


-AC900




-AC903




-AC906




-AC909



-AC950



-AC951



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved

Updated 01/20/2026



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES: _____

-SPH.00.5484



-SPH.00.5486



HOW TO ORDER:

CODE:


Example:
CODE: BB-SH-GN-PL-SPH.00.5484-NH1T.300-AG-AC100

BB-SH-GN-PL-
SPH.00.5484-
NH1T.300-AG-AC100


4

ACCESSORIES


-AC953




-AC954




-AC956




-AC959



-AC962



-AC969



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved

Updated 01/20/2026



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-SH-GN-PL**

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES: _____

-SPH.00.5484



-SPH.00.5486



HOW TO ORDER:

CODE:


Example:
CODE: BB-SH-GN-PL-SPH.00.5484-NH1T.300-AG-AC100

BB-SH-GN-PL-
SPH.00.5484-
NH1T.300-AG-AC100


4

ACCESSORIES


-AC970




-AC971



-AC972



-AC979



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2026 All Rights Reserved

Updated 01/20/2026