



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

HALO
BB-HAL-BL





**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-HAL-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



LED

IP66



©LUTRON

CASAMBI

GENERAL INFORMATION:

The Halo bollard by Bullard Bollards is a sleek and durable outdoor lighting solution designed for modern landscapes, parks, and public spaces. It is available in multiple height options, including 24" (60.96 cm), 32" (81.28 cm), 36" (91.44 cm), 40" (101.6 cm), and 42" (106.68 cm), as well as diameters of 6" (15.24 cm), 8" (20.32 cm), 10" (25.4 cm), and 12" (30.48 cm) to fit various design needs. Constructed from high-quality stainless steel, aluminum, or carbon steel, it comes in a variety of finishes such as White, Green, Corten, Grey, Black, and Stainless Steel. Featuring energy-efficient LED technology, the Halo Bollard provides reliable and stylish illumination, making it an excellent choice for enhancing outdoor spaces.

FIXTURE TYPE:

Bollard

VOLTAGE:

110-277V



MATERIAL:

Stainless steel / Carbon Steel / Aluminum

IP RATING:

IP 66

IP66

DRIVER POSITION:

Remote

WARRANTY:

LED lighting products are warranted for 5 years.

MAIN FEATURES:

High visual comfort
Wide range of finishes
Functional design
Minimal design
Shock resistant
Operating Temperature: -25°C..+60°C

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA





**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-HAL-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



HOW TO ORDER:

CODE:

Example:

CODE: BB-HAL-BL-H1-D1-LC-K30-B1-DIM-WH

BB-HAL-BL-H1-D1-LC-
K30-B1-DIM-WH

1 BODY HEIGHT:

- H1 H: 24" (60.96 cm)
- H2 H: 32" (81.3 cm)
- H3 H: 36" (91.4 cm)
- H4 H: 40" (101.6 cm)
- H5 H: 42" (106.7 cm)

2 DIAMETER:

- D1 Ø: 6" (15.24 cm)
- D2 Ø: 8" (20.32 cm)
- D3 Ø: 10" (25.40 cm)
- D4 Ø: 12" (30.48 cm)

3 LENS MATERIAL:

- LC Standard Clear Lens
- LA Frosted acrylic lens

4 CCT:

- K30 3000K
- K40 4000K

5 LIGHT DISTRIBUTION:

- B1 180°
- B2 360°

6 DIMMING OPTIONS:

- NON NON-Dimmable
- DIM 0-10V
- CAS Casambi
- LUT Lutron
- DAL Dali

7 LIGHT SOURCE:

LED / 20W / 90 CRI / 2000 lm / 110-277V

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA



**BULLARD
BOLLARDS**
Think Bollard Think Bullard

**CODE:
BB-HAL-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____



LED

IP66



CUSTOM



LUTRON

CASAMBI

HOW TO ORDER:

CODE:

Example:

CODE: BB-HAL-BL-H1-D1-LC-K30-B1-DIM-WH

BB-HAL-BL-H1-D1-LC-
K30-B1-DIM-WH

8

BODY FINISH OPTIONS:

Stainless powder coated standard colors:

-WH	White	
-GR	Green	
-CO	Corten	
-GR	Grey	
-BL	Black	

Wood:

-BW	Black+ Brown wood Painted detail	
-LW	Black+ Light wood Painted detail	
-DW	Black+ Dark wood Painted detail	

Matt:

-M316	316 Stainless steel with a #4 swirl brushed stainless surface finish
--------------	--

Custom:

-CUS	Custom on request*
-------------	--------------------

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©2024 All Rights Reserved

Updated 06/01/2026



**BULLARD
BOLLARDS**
Think Bullard Think Bullard

**CODE:
BB-HAL-BL**

FIXTURE TYPE: _____

PROJECT NAME: _____

HOW TO ORDER:

CODE:

Example:
CODE: BB-HAL-BL-H1-D1-LC-K30-B1-DIM-WH

BB-HAL-BL-H1-D1-LC-
K30-B1-DIM-WH

BOLT PATTERNS & HARDWARE KITS:

THINK BOLLARD - THINK BULLARD

sales@gordonbullard.com

www.bullardbollards.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA